SPM4A7-09-D-5551-

PAGE OF PAGES 5 12

SECTION B

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = 10: CLNG/DRY = 1: PRESV MAT = 00:
WRAP MAT = XX: CUSH/DUNN MAT = BG: CUSH/DUNN THKNESS = X:
UNIT CONT = BE: OPI = O:
PACK CODE = Q: PACKING LEVEL = B:
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
SPECIAL MARKING CODE: 00 PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B
DATED 8183

For all shipments of packaged materiel to the government, which includes either Depot (DLA-Direct) or DVD (Customer-Direct) shipments, both DoD linear and two-dimensional (2D) bar code markings are required on Military Shipping Labels in accordance with MIL-STD-129, Revision P, dated December 15, 2002 (but see DLAD 52.211-9010(D) for exceptions to the requirement for MSL and 2D symbols). See the DLA packaging web site identified in DLAD 52.211-9010(E) for change notices to MIL-STD-129P that apply. 2D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. Shipping label stock quality shall meet MIL-PRF-61002. Bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9010(C). Except for the Transportation Control Number (TCN), which must always be present on the Military Shipping Label, when the contract/order omits any other data elements as defined in MIL-STD-129P and if the information is not available from the Administrative Contracting Office, then the field is not required as part of the Military Shipping Label and may be left blank. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: To be Cited on each Delivery
PARCEL POST ADDRESS:

Order

FREIGHT SHIPPING ADDRESS

CONTINUATION SHEET	Order Number: PAGE SPM4A7-09-D-5551- 6	OF PA
	SECTION B	
NON-MILSTRIP PROJ		
* * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* *
REMIT PAYMENT TO:		
* * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* *
CONTINUED ON NEXT PAGE		

12

B13F01 13-1A-9G NOTIFICATION OF REJECTION OF UNILATERAL AWARD (MAR 2001) DSCR

Unless this is a bilateral award, notice of rejection as described herein is required. The Government's offer to purchase, as evidenced by this order, is made on the basis of your quotation. Although you are not legally obligated to reform on a unilarach murchase order results. purchase, as evidenced by this order, is made on the basis of your quotation. Although you are not legally obligated to perform on a unilateral purchase order, you should promptly notify the DSCR contract administrator in writing if you do not intend to perform this order by the specified delivery date. Prompt notification means as soon after receiving notice of award as practicable given the circumstances. FALLURE TO PROVIDE PROMPT NOTICE WILL ADVERSELY AFFECT YOUR PAST PERFORMANCE AUTOMATED BEST VALUE SYSTEM SCORE IF THIS ORDER IS LATER CANCELLED AT OTHER THAN THE GOVERNMENT'S REQUEST. GOVERNMENT'S REQUEST.

SECTION C

C11F29 52.211-9G33 ALT I COMPUTER COMPATIBILITY (F ELECTRONIC CONTRACTING -(FEB 2009) DSCR

(a) In support of electronic contracting, the awardee will be required to have a compatible computer system capable of accepting our offers and processing Electronic Data Interchange (EDI) transactions. The American National Standards Institute's (ANSI) X12 Standard will be utilized for formatting the EDI transactions. The EDI system must be available for on line processing not later than 30 days after date of award.

(b) The following ANSI X12 transaction sets are currently sent, received, and processed by the Defense Supply Center Richmond:

850 Purchase/Delivery Order Transaction Set 856 Ship Notice/Manifest Transaction Set

(c) The awardee must have a Value Added Network (VAN) or account at the Defense Automated Addressing System (DAAS) using current company EDI processing capable of sending, receiving, and processing the above ANSI XI2 transaction sets. For 856 Ship Notice/Manifest Transaction Sets, the awardee will have the option of using the Web-856 application. application.

 $\mathtt{NOTE}\colon$ Failure to comply with this requirement may result in contract termination.

(d) Information regarding EDI, ANSI X12 transactions, and DAASC approved VANs can be obtained from the DAAS web site by going to https://www.daas.dla.mil/daashome/daasc_edi.asp

(e) Specifics regarding electronic contracting can be obtained from:

Defense Supply Center Richmond Procurement Process Support Directorate Systems and Procedures Division ATTN: DSCR-BPSC, Chris Larsen 8000 Jefferson Davis Highway Richmond, VA 23297-5516

Phone: (804) 279-4793 (Chris Larsen)

(f) The implementation convention and link for 850 and 856 information can be viewed by going to the DSCR web site at http://www.dscr.dla.mil/UserWeb/edi2/pops77.htm.

EDI Point(s) of Contact:	
E-Mail Address:	(Vendor Fill-in)
Phone Number(s):	(Vendor Fill-in)
Value Added Network (VAN):	(Vendor Fill-in)
ISA07 Qualifier:	(Vendor Fill-in)
ISA08 identifier:	(Vendor Fill-in)
GS03 Identifier:	(Vendor Fill-in)
The way of contrast Automative of the contrast	(Vendor Fill-in)

SECTION D

SPM4A7-09-D-5551-

D11B03 252.211-7006 RADIO PREQUENCY IDENTIFICATION (FEB 2007)

(a) Definitions. As used in this clause-'Advance shipment notice' means an electronic notification used to list the contents of a shipment of goods as well as used to list the contents of a shipment of goods as well additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.
'Bulk commodities' means the following commodities, when

shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

Sand. Gravel

Bulk liquids (water, chemicals, or petroleum products).

Ready-mix concrete or similar construction materials. Coal or combustibles such as firewood.

Agricultural products such as seeds, grains, or animal

feed. 'Case' means either a MIL-STD-129 defined exterior container

feed.

'Case' means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

'Electronic Product Code: (BPC)' means an identification scheme for universally identifying physical objects via RPID tags and other means. The standardized EPC data consists of an EPC (or EPC identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the SPC tags. In addition to this standardized data, certain classes of EPC tags will allow user-defined data, the EPC tag data standards will define the length and position of this data, without defining its content.

'EPCGlobal:' means a joint venture between EAN International and the Uniform Code Council to establish and support the EPC network as the global standard for immediate, automatic, and accurate identification of any item in the supply chain of any company, in any industry, anywhere in the world.

'Exterior container' means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

'Palletized unit load' means a MIL-STD-129 defined quantity

container.

'Palletized unit load' means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation. DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

'Passive RFID tag' means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response.

(1) Until February 28, 2007, the acceptable tags are(i) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and

(1) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and (ii) EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 specification. This includes both the Generation 1 and Generation 2 class 1 specifications. (2) Beginning March 1, 2007, the only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 Generation 2 specification. Class 0 and Class 1 Generation 1 tags will no longer be accepted after February

Radio Frequency Identification (RFID)' means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic

"Shipping container" means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberhoard boxes).

(b) (1) Except as provided in paragraph (b) (2) of this clause, the Contractor shall affix passive RFID tags, at the case and palletized unit load packaging levels, for shipments of items that

(i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Material Management

CONTINUED ON NEXT PAGE

carriers

Regulation, API.1.11: (A) Subclass of Class I - Packaged operational rations.
(B) Class II - Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and

organizational tool kits, hand tools, and doministration housekeeping supplies and equipment. (C) Class III - Packaged petroleum, lubricants, oils,

(C) Class III - Packaged petroleum, lubricants, oils, preservatives, Chemicals, and additives.
(D) Class IV - Construction and barrier materials.
(E) Class VI - Personal demand items (non-military sales

Subclass of Class VIII - Medical materials (excluding pharmaceuticals, biologicals, and reagents - suppliers should limit the mixing of excluded and non-excluded materials). (3) Class IX - Repair parts and components including kits, assemblies and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and
(ii) Are being shipped to any of the following locations:
(A) Defense Distribution Depot, Susquehanna, PA:

DoDAAC W25G1U or SW3124. Defense Distribution Depot, San Joaquin, CA:

DoDAAC W62G2T or SW3224.
(C) Defense Distribution Depot, Albany, GA:

DoDAAC SW3121.
(D) Defense Distribution Depot, Anniston, AL:

DODAAC W31G1Z or SW3120. (E) Defense Distribution Depot, Barstow, CA: DoDAAC SW3215.

Defense Distribution Depot, Cherry Point, NC:

DODAAC SW3113 Defense Distribution Depot, Columbus, OH:

(H) Defense Distribution Depot, Corpus Christi, TX:

DODAAC W45H08 or SW3222.
(I) Defense Distribution Depot, Hill, UT: DoDAAC SW3210

(J) Defense Distribution Depot, Jacksonville, FL: DoDAAC SW3122.

(K) Defense Distribution Depot, Oklahoma City, OK: DoDAAC SW3211.

(L) Defense Distribution Depot, Norfolk, VA: DODAAC SW3117. (M) Defense Distribution Depot, Puget Sound, WA:

DoDAAC SW3216.
(N) Defense Distribution Depot, Red River, TX:

DODAAC W45G19 or SW3227.
(0) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.

(P) Defense Distribution Depot, San Diego, CA: DoDAAC SW3218.

(Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W25G1W or SW3114.

Defense Distribution Depot, Warner Robins, GA:

DoDAAC SW3119.
(S) Air Mobility Command Terminal, Charleston Air Force Base, (S) Air Mobility Command Terminal, Charleston Air For Charleston, SC: Air Terminal Identifier Code CHS. (T) Air Mobility Command Terminal, Naval Air Station, Norfolk, Va. Air Terminal Identifier Code NGU. (U) Air Mobility Command Terminal, Travis Air Force B.

(U) Air Mobility Command Terminal, Travis Air Force Base, Fairfield, CA: Air Terminal Identifier Code SUU.

(Y) A location outside the contiguous United States when the shipment has been assigned Transportation Priority 1.

(2) The following are excluded from the requirements of paragraph (b) (1) of this clause:

(i) Shipments of bulk commodities.

(ii) Shipments to locations other than Defense Distribution Depots when the contract includes the clause at PAR 52.213-1, Past Payment Procedures. (c) The Contractor shall-

(1) Ensure that the data encoded on each passive RFID tag are unique (i.e., the binary number is never repeated on any and all contracts) and conforms to the requirements in paragraph (d) of this clause; (2) Use passive tags that are readable; and

(3) Ensure that the passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.

specifications.

(d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the EPC: Tag Data Standards in effect at the time of contract award. The EPC: Tag Data Standards are available at http://www.epcglobalic.org/standards/.

(1) If the Contractor is an EPCglobal: subscriber and possesses a unique EPC: company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC: Tag Data Standards document to encode tags. to encode tags.

(2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is accentable. acceptable.

acceptable.
(3) Regardless of the selected encoding scheme, the
Contractor is responsible for ensuring that each tag contains
a globally unique identifier.
(e) Receiving report. The Contractor shall
electronically submit advance shipment notice(s) with the RFID
tag identification (specified in paragraph (d) of this clause)
in advance of the shipment in accordance with the procedures
at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

52.211-9010 SHI SHIPPING LABEL REQUIREMENTS -MIL-STD-129P

52.211-9010 SHIPPING LABEL REQUIREMENTS -129P (MAY 2006) ALT I (AUG 2005) D11C03 MIL-STD-129P

D11C08 52.211-9033 PACKAGING AND MARKING REQUIREMENTS (APR 2008) DLAD

D11C12 52. 2008) DLAD 52.211-9053 EXPEDITED HANDLING SHIPMENTS (JUL

D11F37 52.211-9G45 ALT II ELECTRONIC CONTRACTING SPECIAL MARKING INSTRUCTIONS (JUN 2002) DSCR

NOTICE FOR DIRECT VENDOR DELIVERIES: In addition to the requirements of paragraph 5.1.6.2., Markings of ASTM D3951, markings on exterior shipping containers will contain as a minimum the NSN, requisition number, and the contract delivery order number. These markings are to be applied through stenciling or other means, directly to the exterior shipping container or included in the body of the invoice (shipping document, which will be represent), of the exterior shipping container or included in the body of the invoice/shipping document which will be permanently affixed to the exterior shipping container. Regardless of method used, all markings must be visible to receiving personnel. When the total number of containers going to the same destination exceeds either 250 pounds (excluding pallet) or a volume of 20 cubic feet, then palletization is required except for 55 gallon drums.

NOTICE FOR SHIPMENT TO DLA STOCK LOCATIONS: to DLA stock locations must be marked in accordance with MIL-STD-129F dated 15 DEC 02 and AIM BC 1 with the following exception: Marking, including barcoding, and fragile marking (if required), must be on the outside container and all intermediary containers down to the specified OUP. DSCR Clause 52.211-9G22 (Sec F) applies.

D11F39 52.211-9G73 PACE REQUIREMENTS (MAR 2004) PACKAGING AND MARKING DSCR

- (a) Unless stated otherwise, commercial packaging in accordance with ASTM-D-3951 is required for CONUS shipments from the contractor directly to the customer. Commercial packaging and marking is not sufficient for vendor shipments requiring movement through the Defense Transportation System (also referred to as the Military Distribution System or DLA Depot) as the shipment could ultimately be moved via Military
- (b) Higher level packaging in accordance with MIL-STD-2073 is mandatory for all shipments that meet the below criteria:

Movement through the Defense Transportation System including shipments to a Military Distribution facility or depot.

OCONUS shipments

FMS shipments

Hazardous material, as cited in the AID or in the Quality Requirements Matrix.

(c) Materials not considered as HAZMAT for CONUS or OCONUS commercial air shipments may be considered HAZMAT for MILAIR shipments OCONUS. As such, contractors/shippers shall ensure that material meeting HAZMAT definitions in DLAI 4145.3, Preparing Hazardous Materials for Military Air Shipment, is packaged in accordance with that instruction when the consignee is OCONUS and the shipment will be moved through the Defense Transportation System. DLAI 4145.3 is available on the internet at:
www.dscc.dla.mil/downloads/packaging/dlai4145_3.pdf.

(d) All items shall be marked in accordance with

Order Number:

PAGE

PAGES 12

9

MIL-STD-129. Hazardous items and shelf life items, as cited in the AID or in the Quality Requirements Matrix, shall be marked in accordance with MIL-STD-129 and the appropriate clauses cited in the appendix to the matrix and the contract. The contractor is required to package material in accordance with Quantity Unit Pack (QUE), specified in clauses cited in the appendix to the matrix and the contract. The contractor is required to package material in accordance with Quantity Unit Pack (QUP), specified in MIL-STD-2073 and the Unit of Issue (UI), specified in each delivery order. A packing slip shall be located in a plastic pouch on the outside of the package. For HAZMAT destined OCONUS, a hard copy of the Material Safety Data Sheet (MSDS) must also be included.

(e) In the event of deployments, this clause may be invoked when shipments originally destined for a CONUS location are diverted to OCONUS destinations thereby necessitating movement of the material through the Defense Transportation System. In such an event, contractors will be notified by the Contracting Officer and an equitable adjustment will be made in the contract price as deemed

NOTE: Applicable to negotiated solicitations. Offers that do not comply with the packaging and marking requirements as specified in Section D of this solicitation may be subject to rejection as being technically unacceptable.

D46C02 52.246-9062 REPACKAGING TO CORRECT PACKAGING DEFICIENCIES (SEP 2008) DLAD

D47C01 52.247-9012 REQUIREMENTS FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM) (FEB 2007) DLAD

(a) THIS CLAUSE ONLY APPLIES WHEN WOOD PACKAGING MATERIAL (WPM) WILL BE USED TO MAKE SHIPMENTS UNDER THIS CONTRACT AND/OR WHEN WPM IS BEING ACQUIRED UNDER THIS CONTRACT. (b) Definition.

(b) Definition.
 Wood packaging material (WPM) means wood pallets, skids, load boards, pallet collars, wooden boxes, reels, dunnage, crates, frame and cleats. The definition excludes materials that have undergone a manufacturing process, such as corrugated fiberboard, plywood, particleboard, veneer, and oriented strand board (OSD).
 (c) All Wood Packaging Material (WPM) used to make

All Wood Packaging Material (WPM) used to make shipments under DOD contracts and/or acquired by DOD must meet requirements of International Standards for Phytosanitary Measures (ISPM) 15, 'Quidelines for Regulating Wood Packaging Materials in International Trade.' DOD shipments inside and outside of the United States must meet ISPM 15 whenever WPM is

outside of the United States must meet ISPM 15 whenever WPM is used to ship DOD cargo.

11) All WPM shall comply with the official quality control program for heat treatment (HT) or kiln dried heat treatment (KD HT) in accordance with American Lumber Standard Committee, Incorporated (ALSC) Wood Fackaging Material Program and WPM Enforcement Regulations (see http://www.alsc.org/).

(2) All WPM shall include certification/quality markings in accordance with the ALSC standard. Markings shall be placed

(2) All WPM shall include certification/quality markings in accordance with the ALSC standard. Markings shall be placed in an unobstructed area that will be readily visible to inspectors. Fallet markings shall be applied to the stringer or block on diagonally opposite sides of the pallet and be contrasting and clearly visible. All containers shall be marked on a side other than the top or bottom, contrasting and clearly visible. All dunnage used in configuring and/or securing the load shall also comply with ISPM 15 and be marked with an ASLC approved DUNNAGE stamp.

(d) Failure to comply with the requirements of this restriction may result in refusal, destruction, or treatment of materials at the point of entry. The Agency reserves the right to recoup from the Contractor any remediation costs incurred by the Government.

SECTION E

E11C01 52.211-9022 SUPERCEDED PART-NUMBERED ITEMS (AUG 2007) DLAD 2007)

a) Part number (P/N) changes. Part number changes are acceptable only when the offeror completes the following verification:

The offeror represents that the P/N requested in the solicitation has been changed from

CAGE (Vendor Fill-in), P/N (Vendor Fill-in), to

P/N

(Vendor Fill-in) and that this is a part number

change only. The reason for the change is

(Vendor Fill-in).

SPM4A7-09-D-5551-

B11C02 52.211-9023 SUBSTITUTION OF ITEM AFTER AWARD (AUG 2007) DLAD

E46A02 52.246-2 INSPECTION OF SUPPLIES -- FIXED - PRICE (AUG 1996) FAR

E46C02 52,246-9003 MEASURING AND TEST EQUIPMENT (JUN 1998)

E46C05 52.246-9007 INSPECTION AND ACCEPTANCE AT DESTINATION (AUG 2007) DLAD

E46F14 46-9A-9G DSCR NOTE CONTRACT QUALITY REQUIREMENT DSCR NOTE TO 52.246-11 HIGHER-LEVEL (FEB 1999)

The Contractor shall comply with the applicable higherlevel contract quality requirement cited below, which is hereby incorporated into this contract:

ANSI/ISO/ASQC Q9001-2000

DSCR NOTE to 52.246-11:

The higher-level standards referenced above shall apply unless the contractor indicates the proposal is based on a contractor's preferred quality system as identified below:

() (Vendor Fill-in) Other recognized industry standard(s) (but non-ISO/ANSI/ASQC) that is equivalent to or better than applicable ANSI/ISO/ASQC standard indicated above. Specify

() (Vendor Fill-in) Other process control system that is equivalent to or better than the applicable ANSI/ISO/ASQC standard indicated above which has not previously been determined to be insufficient for the Government's purpose. This may include previously recognized MIL-I-45208 or MIL-Q-9858 systems which have been augmented to be equivalent to ANSI/ISO/ASQC Q9001-2000.

() (Vendor Fill-in) An existing system modeled after () (Vendor Fill-in) MIL-I-45208 or () (Vendor Fill-in) MIL-0-9858 and not previously determined insufficient for the Government's purpose. THIS OPTION IS PERMITTED ONLY AS AN INTERIM MEASURE TO ALLOW CONTRACTORS TO TRANSITION TO ANSI/ISO/ASQC STANDARDS.

Third party certification/registration is not required nor will it be considered a substitute for the Government's right to audit/validate a contractor's quality system.

MIL-STD-105 has been replaced by ANSI/ASQC Z1.4-2003. Sampling Procedure and Tables for Inspection by Attributes.

MIL-STD-45662A has been replaced by either ISO 10012-1. Quality Assurance Requirements for Measuring Equipment or ANSI/NCSL 2540-1, General Requirements for Calibration Laboratories and Measuring Equipment and Test Equipment. DSCR (APR 2007)

SECTION F

F11A06 52.211-16 VARIATION IN QUANTITY (APR 1984)

- (b) The permissible variation shall be limited to:
- 0 % (Percent) Increase 0 % (Percent) Decrease

This increase or decrease shall apply to the quantity at the line item level, or for phased delivery at the sub-clin level, as designated by item number followed by two alphas, i.e. 0001AA. The variation (if any) shall be shipped with the quantity for the line item, or for phased delivery the quantity specified for each sub-clin. Under no circumstances will the contractor ship a variation in

12

SPM4A7-09-D-5551-

quantity against any line item/sub-clin other than as specified in the delivery schedule.

F11A07 52.211-17 DELIVERY OF EXCESS QUANTITIES (SEP 1989)

.F36 52.211-9G22 DSCR PALLETIZATION FOR .-STD-2073 IN ACCORDANCE WITH MD00100452 REV B IL 2008) (OCT 2008) DSCR F11F36 (JUL 2008) (OCT 2008)

F42A02 52.242-15 STOP-WORK ORDER (AUG 1989) FAR

52.242-17 GOVERNMENT DELAY OF WORK (APR 1984) F42A05 FAR

F47A03 52.247-34 F.O.B. DESTINATION (NOV 1991) FAR

F47C10 52.247-9031 MANUFACTURER'S LOADING PRACTICES (APR 2008)

F47C14 52.247-9034 POINT OF CONTACT FOR TRANSPORTATION INSTRUCTIONS (JUL 2008) DLAD

(a) DCMA Administered Orders: Contact the Transportation Officer at the administering DCMA location.

(b) DLA Administered orders: (b) DLA Administered orders: Contact the DLA Transportation office for shipping instructions by facsimile to 717-770-2701 or via email to delivery(at)dla.mil. A return fax number must be included with your faxed request. The DDC s hours of operation are Monday through Friday, 7:00 a.m. to 11:00 p.m. and Saturday from 8:00 a.m. to 4:30 p.m. excluding holidays. For urgent requirements and questions, you may call the DDC at 1-800-456-5507. DLA's Distribution Planning and Management System (DPMS) may be used to obtain transportation instructions in lieu of contacting the transportation office. Contact the DLA Transportation

F47C15 SHIPPING INSTRUCTIONS (DOMESTIC) (OCT 2008) DLAD

52.247-9038 SHIPPING INSTRUCTIONS FOR DLA DIRECT (OCT 2008) ACQUISITIONS DLAD

Freight shipping addresses and scheduling instructions, if applicable, are available at DLAD PGI 47.305-10. Contractors will need to schedule a delivery appointment prior to arriving at the depot.

H46C01 52.246-9039 REMOVAL OF GOVERNMENT IDENTIFICATION FROM NON-ACCEPTED SUPPLIES (APR 2008) DLAD

SECTION I

252.203-7000 REQUIREMENTS RELATING TO COMPENSATION OF FORMER DOD OFFICIALS (JAN 2009) DFARS

103B03 252.203-7002 REQUIREMENT TO INFORM EMPLOYEES OF WHISTLEBLOWER RIGHTS (JAN 2009) DFARS

I04A05 52.204-7 CENTRAL CONTRACT REGISTRATION (APR 2008)

I04B03 252.204-7003 CONTR PRODUCT (APR 1992) DFARS CONTROL OF GOVERNMENT PERSONNEL WORK

252.204-7004 ALTERNATE A, CENTRAL CONTRACTOR REGISTRATION (SEP 2007) DFARS

109A08 52.209-6 PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT (SEP 2006) FAR

52.211-5 MATERIAL REQUIREMENTS (AUG 2000)

Illa02 52.211-15 DEFENSE PRIORITY AND ALLOCATION REQUIREMENT (APR 2008) FAR

111C02 52.211-9002 PRIORITY RATING (MAR 2000) DLAD

I11C03 52.211-9004 PRIORITY F LONG-TERM CONTRACTS (MAR 2000) PRIORITY RATING FOR VARIOUS DLAD

CONTRACTOR RETENTION OF TRACEABILITY DOCUMENTATION (OCT 2008) DLAD

I11C14 52.211-9052 NOTIFICATION TO GOVERNMENT OF CONTEMPLATED PRODUCTION PHASE-OUT (AUG 2008) DLA

I13A01 52.213-1 FAST PAYMENT PROCEDURE

I13C01 52.213-9003 INDEFINITE DELIVERY PURCHASE ORDER (IDPO) CONTRACT (MAR 1999) DLAD

The contractor x (Vendor Fill-in) (a) The contractor x (Vendor Fill-in) agrees
(Vendor Fill-in) does not agree that performance
under this purchase order, by furnishing the supplies
specified in this purchase order (the minimum quantity),
commits the contractor to provide the same supplies, in the
quantity range and under the conditions specified herein. The
Government may place such additional orders for the supplies
specified in this purchase order at the purchase order price
within a quantity range of within a quantity range of (Buyer Pill-in) units, within

insert time period) from the date of the purchase order, under

the same terms and conditions as the purchase order. Such orders will be issued no more frequently than times per quarter. The aggregate total dollar value of orders issued shall not exceed the simplified acquisition threshold or \$5,000,000 for acquisitions conducted under FAR subpart 13.5.

In no event shall the Government be obligated to place subsequent orders under this contract. The purchase order contains the terms and conditions of this contract and subsequent orders will cite the purchase order number.

The uniform procurement instrument (b) Numbering. The uniform procurement instrument identification numbering (PIIN) system will be used. The purchase order and subsequent orders will be distinguished by a 'D' in the ninth position, and a '5' in the tenth position of the PIIN. The initial purchase order will be numbered with sub PIIN number 0001. Subsequent orders will be serially numbered with sub PIIN numbers 0002 through 9999.

(Note: Failure to agree to this clause will will not affect an award decision for the solicited quantity.)

113C02 52.213-9009 FAST PAYMENT PROCEDURE (AUG 2005) DLAD

I13C04 012 INDEFINITE DELIVERY PURCHASE ORDER (SEP 2008) DLAD 52.213-9012 (IDPO) CONTRACT

(a) The contractor agrees that it will accept additional orders under the same terms and conditions specified in the order. This agreement becomes binding upon delivery of the initial order, which is the minimum quantity for this IDPO. The initial delivery order represents the minimum quantity for this IDPO, and the Government is under no obligation to place additional orders under this contract. The Government may place additional orders for a period of 4 year(s) from the date of the basic order. All additional orders will reference the initial order. The aggregate value of all orders shall not exceed the simplified acquisition threshold.

Therefore, the maximum value under the IDPO is \$100,000, or \$5,500,000 for acquisitions conducted under FAR Subpart 13.5.

52.215-8 ORDER OF PRECEDENCE -- UNIFORM CONTRACT (OCT 1997) FAR

I16A16 52.216-18 ORDERING (OCT 1995) FAR

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued --

FROM: DATE OF AWARD

THROUGH: 365 DAYS THEREAFTER

I16A17 52.216-19 ORDER LIMITATIONS (OCT 1995) FAR

(a) Minimum Order. When the Government requires supplies or services covered by this contract in an amount of less than NA DVD or SEE FG 2 Stock, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapterl) clause with an authorize deviation is indicated by the addition of '(DEVIATION)' after the date of the clause.

CONTINUED ON NEXT PAGE

252.225-7001

PAYMENTS PROGRAM

001 BUY AMERICAN ACT AND BALANCE OF (JAN 2009) DFARS

CONTINUATION SHEET SPM4A7-09-D-5551- PAGE OF PAGES

(b) The use in this solicitation or contract of any DOD PAR Supplement (DPARS) (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of 'GRF/INTON') after the name of the regulation.

T53A01 52.253-1 COMPUTER GENERATED FORMS (JAN 1991)

PAGE OF PAGES

12 12