CONTINUATION SHEET Order Mumber: PAGE OF PAGES 4 11

SECTION B

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = 10: CLNG/DRY = 1: PRESV MAT = 00:

WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNESS = X:

UNIT CONT = A1: OPI = 0:

PACK CODE = Q: PACKING LEVEL = B:

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

SPECIAL MARKING CODE: 00 - 00 No special marking

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B

DATED 8183

For all shipments of packaged materiel to the government, which includes either Depot (DLA-Direct) or DVD (Customer-Direct) shipments, both DoD linear and two-dimensional (2D) bar code markings are required on Military Shipping Labels in accordance with MIL-STD-129, Revision P, dated December 15, 2002 (but see DLAD 52.211-9010(D) for exceptions to the requirement for MSL and 2D symbols). See the DLA packaging web site identified in DLAD 52.211-9010(E) for change notices to MIL-STD-129P that apply. 2D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. Shipping label stock quality shall meet MIL-PRF-61002. Bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9010(C). Except for the Transportation Control Number (TCN), which must always be present on the Military Shipping Label, when the contract/order omits any other data elements as defined in MIL-STD-129P and if the information is not available from the Administrative Contracting Office, then the field is not required as part of the Military Shipping Label and may be left blank. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: ORIGIN BY: To Be Cital On Each Delivery Order

PARCEL POST ADDRESS:

FREIGHT SHIPPING ADDRESS

CONTINUED ON NEXT PAGE

CONTENTATION	Order Number:	PAGE OF PAGES
CONTINUATION SHEET	SPM4A7-10-D-5198-	5 11
	SECTION B	
NON-MILSTRIP		
PROJ		
* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * *
REMIT PAYMENT TO:		
*****	* * * * * * * * * * * * * * * * * * *	* * * * * *
CONTINUED ON NEXT PAGE		
CONTINUED ON NEXT PAGE		
*		
		t.
		Announce magazine

COMMINTANTA CALIFORNIA	Order Number:	PAGE Q	F PAGE
CONTINUATION SHEET	SPM4A7-10-D-5198~	6	11
SECTION B	Value Added Network (VAN);	(Vendor Fi	71 451
B13r01 13-1A-9G MOTIFICATION OF REJECTION OF UNILATERAL AWARD (MAR 2001) DSCR	ISAU? Qualifier:	(Vendor Fi	
Unless this is a bilateral award, notice of reject	ISA05 identifier:	(Vendor &)	
we described herein is required. The Government's offe, purchase, as evidenced by this order, is made on the b	r to GS03 Identifier:	(Vendor Fi	
of your quotation. Although you are not legally oblig to perform on a unilateral purchase order, you should notify the DSCR contract administrator in writing if y not intend to perform this order by the specified deli-	ated promptly ou do section b very	(Vesidor PI	11-111
date. Prompt notification means as soon after receivit notice of award as practicable given the circumstances FAILURE TO PROVIDE PROMPT MOTICE WILL ADVERSELY AFFECT	. (FEB 2007) DFARE	IDENTIFICATION	
YOUR PAST PERFORMANCE AUTOMATED BEST VALUE SYSTEM SCOR IF THIS DRIBER IS LATER CANCELLED AT OTHER THAN THE GOVERNMENT'S REQUEST.	'Advance shipment notice' means an electused to list the contents of a shipment	of goods as wel	1 30
817702 17-5-90 MANDATORY OPTION REQUIREMENT (MAR 1999) DECR	additional information relating to the electronial information, product description, phase of packaging, marking the information, and configuration of goods.	physical ing, carrier	£
The option clause in Section I of this solicitation is NANDATORY. FAILURE TO PROVIDE this pricing information result in rejection of your offer. If Schedule prince requested on both an origin and dostination basis on incremental quantities, option prices must be offered the same manner.	on transportation equipment. tion 'Bulk commodities' means the following or ides shipped in rail tank cars, tanker trucks, and/or bulk wheeled convoyances, or pipelines:	ommodities, who trailers, oth	¢r
SECTION C	(4) Rendy-mix concrete or similar consti (5) Coal or combustibles such as firework (6) Agricultural products such as seeds,	ruction materia od.	10.
CI1F29 52.211-9G33 ALT I ELECTRONIC CONTRACTING - COMPUTER COMPATIBILITY (FEB 2009) DSCR	food. 'Gase' means either a MIL-STD-129 defined Within a palletized unit load or a MIL-ST individual shipping containor.	exterior cont	
(a) In support of electronic contracting, the swarder we be required to have a compatible computer system capable accepting our offers and processing Electronic Data Interchange (EDI) transactions. The American National Standards Institute's (ANGI) X12 Standard will be utili for formatting the EDI transactions. The EDI system may available for on line processing not later than 30 days after date of award.	ill 'Electronic Product Codo: (EPC)' means at the of schome for universally identifying physic tags and other means. The standardized on EPC (or EPC identifier) that uniquely individual object, as well as an optional set be judged to be necessary to enable effective.	al objects via PC data consist identifies an filter value o and officient this standardi low user-detime	REID ts of ⊌han t zed od
(b) The following ANSI X12 transaction sets are current) sent, received, and processed by the Defense Supply CorRichmond:	by position of this data, without defining in	ts content. n EAN Internat: *nd support ti	ional he EPC
850 Purchase/Delivery Crder Transaction Set 856 Ship Notice/Manifost Transaction Set	accurate identification of any item in the any company, in any industry, anywhere in 'Exterior containor' means a MIL-STD-129	e supply chain the world.	of
(c) The awarder must have a Value Added Network (VAN) or account at the Defense Automated Addressing System (DAS using current company EDI processing capable of conding receiving, and processing the above ANSI X12 transactic sets. For 655 Ghip Notice/Manifest Transaction Sets, tawardee will have the option of using the Web-856 application.	bundle, or assembly that is sufficient by dosign, and construction to protect unit in the mediate containers and their contone and storage. It can be a unit pack or a combination of unit packs or intermediate exterior coateiner may or may not be used container.	reason of mate packs and s during shipme container with containers. A as a shipping	erial, ent a An
NOTE: Foilure to comply with this requirement may resuccentract termination.	'Palletized unit load' means a MIL-STD-12 of itoms, packed or unpacked, arranged on specified manner and secured, strapped, o pallet so that the whole palletized load	a pallet in a	the
(d) Information regarding EDI, ANSI X12 transactions, and DAASC approved VANs can be obtained from the DAAS we site by going to https://www.daas.dla.mil/daashome/daasc_edi.asp	single unit. A palletized or skidded load	is not conside L System pallet ad. Refer to t	tred : is :he
(a) Specifics regarding electrodic contracting can be obtained from:	Chapter 203, for marking of 462L System p 'Dossivo RPID tag' means a tag that refle reader/interrogator or that receives and	cts onergy from temporarily acc	ores a
Defence Supply Conter Richmond Procurement Process Support Directorate Systems and Procedures Division ATTN: DSCR-BPSC, Chris Lersen 8000 Jefferson Davis Highway Richmond, VA 23297-5516	small amount of energy from the reader/in order to generate the tag response. (1) Until February 28, 2007, the acceptain SPC Class 0 passive RFID tags that m Class 0 specification, and (ii) EPC Class 1 passive RFID tags that m Class 1 specification, this includes bother and demonstrian 2 Class 1 specification.	ble tags are- set the EPCglob meet the EPCglo	obal
Phone: (804) 279-4793 (Chris Largon)	and Generation 2 Class 1 specifications. (2) Seginning Narch 1, 2007, the only ac-		
(f) The implementation convention and link for 850 856 information can be viewed by going to the DSCR web at http://www.dscr.dla.mil/UserWeb/ed12/pops77.htm.	gite Generation 1 tags will no longer be accept 29, 2007. 'Radio Frequency Identification (RFID)' more	s O and Class 1 tod after Febru Sans an automat	sary .ic
EDI Point(s) of Contact.	identification and data capture technology more reader/interrogators and one or more	/ Comprising on radio frequonc	e or
E-Mail Address: (Vendor Fi	multably modulated inductive or radiating		
Phone Number(s). (Vendor Fi	ll-in) carriers. 'Ehipping container' means a MIL-STD-129 (ll-in) container that meets carrier regulations:	defined exterio	r cient

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

Order Number:

SPM4A7-10-D-5198-

PAGE OF PAGES

strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or cratos, tiber and metal drums, and corrugated and solid Tiberboard boxes)

[b) (1) Except as provided in paragraph (b) (2) of this clause, the Contractor shall affix passive RPID tags, at the case and palletized unit load packaging levels, for shipments of items that-

(1) Are in any of the following classes of supply, as defined in CoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1,1.11:

(A) Subclass of Class I - Packaged operational rations.
(B) Class II - Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and

howeokeeping supplies and equipment.

(C) Class III - Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.

(D) Class IV - Comstruction and barrier materials.

(E) Class VI - Personal demand items (non-military sales)

Subclass of Class VIII - Medical materials (excluding

pharmacouticals, biologicals, and reagents - suppliers should limit the mixing of excluded and non-excluded materials). (G) Class IX - Repair parts and components including hits, accemblites and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding

required for maintenance papers, and medical-poculiar repair parts, and (ii) Are being shipped to any of the following locations:
(A) Defense Distribution Depot, Susquehanna, FA: DODANC W2501U or SW3124.

(B) Defense Distribution Dopot. San Joaquin, CA: DODAAC M62G2T or 6W3224.

(C) Defense Distribution Depot, Albany, GA: DODANC SW3121.

[D] Defense Distribution Dopot, Anniaton, AL: DoDAAC W31C12 or EW3120.

(R) Decembe Distribution Depot, Barstow, CA: DODAAC SW3215.

Defense Distribution Depot, Cherry Point, NC: DODANG SW3113

Defense Distribution Depot, Columbus, OH: DODAAC SW0700.

Defense Distribution Depot, Corpus Christi, TX:

DeDAAC W45H08 or SW3222.
(1) Defense Distribution Depot, Hill, UT:

DODAAC SW3210.
(J) Defense Distribution Depot, Jacksonville, FL: DODAAC SW3122

(K) Defense Distribution Depot, Oklahoma City, OK:

(L) Defense Distribution Depot, Norfolk, VA: DODAAC SW3117.

Defense Distribution Depot, Puget Sound, WA: (M)

Defense Distribution Depot, Red River, TX: DoDAAC W45019 or SW3227

(O) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.

Defense Distribution Depot, San Diego, CA: DODAAC ÉW3218

(Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W2501W or EW2114. (R) Defense Distribution Depot, Warner Robins, GA:

DoDAAC SW3119. (S) Air Mobility Command Terminal, Charleston Air Force Base,

Charleston, Sci.
Air Torminal Identifier Code CHS.
(T) Air Mobility Command Terminal, Naval Air Station, Nortolk, VA:

Air Terminal Identifier Code NGO.

(U) Air Mobility Command Terminal, Travis Air Force Rase,

Air Terminal Identifier Code 500.
(V) A location outside the contiguous United States when the

shipment has been assigned Transportation Priority 1.
(2) The following are excluded from the requirements of

paragraph (b) (1) of this clause;
(i) Ehipments of bulk commodities.
(ii) Shipments to locations other
than Defense Distribution Depots when the contract includes
the clause at FAR 52.213-1, Fast Payment Procedures.

(c) The Contractor shall(l) Ensure that the data encoded on each passive RFID tag
are unique (i.e., the binary number is never repeated on any
and all contracts) and conforms to the requirements in
paragraph (d) of this clause;
(2) Use passive tags that are readable; and

December (4) ...
(2) Use packive tags that are readable, and
(3) Ensure that the passive tag is affixed at the
appropriate location on the specific level of packaging,
in accordance with MIL-STD-129 (Section 4.9.2) tag placement

(d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the EPC: Tag Data Standards in effect at the time of contract award. The EPC: Tag Data Standards are available at http://www.epcglobalinc.org/standards/.

(1) If the Contractor is an EPCglobal: subscriber and possesses a unique EPC: company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC: Tay Data Standards document

described in the most recent EPC: Tag Data Grangerus document to encode tags.

(2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Covernment Entity (CACE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is secontable. acceptable

(3) Regardless of the celected encoding scheme, the Contractor is responsible for ensuring that each tag contains

Contractor is responsible for ensuring that each tag contains a globally unique identitior.

(e) Receiving report. The Contractor shall electronically submit advance shipment notice(s) with the RFID tag identification (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

52.211-9010 SHIPPING LABEL REQUIREMENTS . MIL-ETD-129P (MAY 2006) DLAD

52.211-9010 SHIPPIPC LABEL REQUIREM 29P (MAY 2006) ALT I (AUG 2005) SHIPPING LABEL REQUIREMENTS -MTL-STD-129P

DILCOR 52.211-9033 PACKAGING AND MARKING REQUIREMENTS (APR 2006) DLAD

D11C13 52.211-9051 EXPEDITED HANDLING SHIPMENTS (JUL 20081

D11F39 52.211-9C73 PA(REQUIREMENTS (MAR 2004) PACKAGING AND MARKING DECR

(a) Unless stated otherwise, commercial packaging in accordance with ASTM-D-3951 is required for CONUS shipments from the contractor directly to the customer. Commercial packaging and marking is not sufficient for vendor shipmonts requiring movement through the Defense Transportation System (also referred to as the Military Distribution System or Dua Depot) as the shipment could ultimately be moved via Military Air.

(b) Higher level packaging in accordance with MIS-STD-2073 is mandatory for all shipments that meet the below criteria:

Movement through the Defense Transportation System including shipments to a Military Distribution facility or

OCCAVUS shipments

FMS shipments

Hazardous material, as cited in the AID or in the Cuality Requirements Matrix.

(c) Materials not considered as HAZMAT for conus or (c) Materials not considered as HAZMAT for CONUS or OCONUS commercial air shipments may be tonsidered HAZMAT for MILAIR shipments OCONUS. As such, contractors/shippors shall ensure that material meeting HAZMAT definitions in DLAI 2145.3, Preparing Hazmanus Materials for Military Air Shipment, is packaged in accordance with that instruction when the consignee is OCONUS and the shipment will be moved through the Defense Transportation System. DLAI 4145.3 is swallable on the interval. available on the internet at: www.decc.dla.mil/downloads/packaging/dla14145_3.pdf

(d) All items shall be marked in accordance with MIL-SID-129. Hazardous itoms and shelf life items, as cited in the AID or in the Quality Requirements Matrix, shall be marked in accordance with MIL-SID-129 and the appropriate clauses cited in the appendix to the matrix and the contract. The contractor is required to package material contract. The contractor is required to package material in accordance with Quantity Unit Pack (QUP), specified in MIL-ETD-2073 and the Unit of Issue (UI), specified in each delivery order. A packing slip shall be located in a plantic pouch on the outside of the package. For MAZMAT destined OCCNUS, a hard copy of the Material Safety Data Shoot (MSDS) must also be included.

(e) In the event of deployments, this clause may no invoked when shipments originally destined for a CONUS location are diverted to OCCNUS destinations thereby necessitating movement of the material through the Defense

CONTINUES ON NEXT PAGE

MONTETATIA MEANE ATTEND	Order Number:	PAGE OF PAGES
CONTINUATION SHEET	5PM4A7-10-D-5198-	8 11
Transportation System. In such an event, contractors to be notified by the Contracting Officer and an equitable adjustment will be made in the contract price as deemed appropriate.	e REPORT (MAR 2008) DYARS	ND RECEIVING
NOTE: Applicable to negotiated colicitations. Offers do not comply with the packaging and marking requiremer as specified in Section D of this solicitation may be subject to rejection as being technically unacceptable.	(JUN 1998) DLAD that nts	
D47C01 52.247-9012 REQUIREMENTS FOR TREATMENT OF MC PACKAGING MATERIAL (MPM) (FEB 2007) DLAD	OOD (c) The Offeror shall indicate below the local supplies will be inspected:	ition where
(a) THIS CLAUSE ONLY APPLIES WHEN WOOD PACKACING MATER (MPM) WILL BE USED TO MAKE SHIPMENTS UNDER THIS CONTRACT AND/OR WHEN IS BRING ACQUIRED UNDER THIS CONTRACT. (b) Definition.	CT Plant:	
Wood packaging material (WFN) means wood pallots, skids boards, pallot collars, wooden boxes, recis, dunnage, o frame and cleats. The definition excludes materials th undergone a manufacturing process, such as corrugated fiberboard, plywood, particleboard, vencer, and oriente	crates, (Vendor rill-in) hat have Cage Code:	
strand board (OSD). (C) All Wood Packaging Material (WPM) used to make shipmonts under DOD contracts and/or acquired by DOD mu	(Veador fill-in)	
meet requirements of International Standards for Phytos Measures (ISPM) 15, 'Guidelines for Regulating Wood Pag Materials in International Trade.' DOD shipments insid	sanitary Street: ckaging do and	
outside of the United States must meet ISPM 15 whonever used to ship DOD cargo. (1) All WPM shall comply with the official quality con program for heat treatment (AT) or kin dried heat tree	ntrol City/St/%ip:	
(KD HT) in accordance with American Lumber Standard Com Incorporated (ALSC) Wood Packaging Naterial Program and	mmittee.	1
Enforcement Regulations (soo http://www.alsc.org/). (2) All WPM shall include certification/quality marking accordance with the ALSC standard. Markings shall be pi	olaced	
in an unobstructed area that will be readily visible to inspectors. Pallet markings shall be applied to the at or block on diagonally opposite sides of the pallet and	ringer (Vendor Fill-in)	
contrasting and clearly visible. All containers shall be marked on a side other than the top or bottom, contrastic clearly visible. All dunnage used in configuring and/or securing the load shall also comply with ISDM 15 and bo with an ASLC approved DUNNAGE stamp. (d) Failure to comply with the requirements of this restriction may result in refusal, destruction, or treat	be (d) The Offeror shall indicate below the locating and packaging will be inspected:	tion where
	<pre>p marked Packaging:()Same of for supplies (Vendor Fill</pre>	-in)
of materials at the point of entry. The Agency reserve right to recoup from the Contractor any remediation cos incurred by the Government.	ts the (Vendor Fill-in)	
SECTION E	Cage Code: 2A282	
Elicol 52.211-9022 SUPERCEDED PART-HUMBERED ITEMS 2007) BLAD	(AUG Street	
a) Part number (P/N) changes. Part number changes are acceptable only when the offeror completes the following verification:	(Vendor Fill-in)	
The offerer represents that the P/N requested in the solicitation has been changed from	City/St/Zip:	
the state of the s	(Vendor Fill-in)	
CAGE 81982 (Vendor Pill-in).	Applicable to clin(s):	
P/N 86158-1 (Vendor Fill-in), to P/N (Vendor Fill-in) and that	(Vendor Fill-in)	
a part number change only. The reason for the change is	E46F14 46-9A-DG DECR WOTH TO 52.246-11 HIGH CONTRACT QUALITY REQUIREMENT (FEB 1999) DEC	
	The Contractor shall comply with the applicable level contract quality requirement cited below, hereby incorporated into this contract:	
(vendor Fill-in).	ANSI/ISO/ASOC U9001-2000	
NIICO2 52.211-9023 SUBSTITUTION OF ITEM AFTER AWARD		
2007) DIAD 846A02 32.246-2 INSPECTION OF SUPPLIES-FIXED-PRICE	unless the contractor indicates the proposal is contractor's preferred quality system as identi-	
(AUG 1996) FAR	() (Vendor Fill-in) Other recognized industr standard(s) (but non-ISO/ANSI/ASQC) that is equi- better than applicable ANSI/ISO/ABQC standard is Specify	dvalent to or
	CONTINUED ON NEXT PAGE	

CONTINUATION SHEET

Order Number

SPM4A7-10-D-5198-

PAGE OF PAGES Q 11

SECTION I

() (Vendor Pill-in) Other process control system that is equivalent to or better than the applicable ANEI/IEO/ASQC standard indicated above which has not previously been determined to be insufficient for the Government's purpose. This may include previously recognized MIL-I-45208 or MIL-Q-9858 Systems which have been augmented to be equivalent to ANEI/IEO/ASQC Q9001-2900.

() (Vondor Fill-in) An existing system modeled after () (Vendor Fill-in) MIL-I-45208 or () (Vendor Fill-in) MIL-I-45208 or () (Vendor Fill-in) MIL-IQ-9858 and not previously determined insufficient for the Government's purpose. THIS OPTION IS PERMITTED CALL AS AN INTERIM MEASURE TO ALLON CONTRACTORS TO TRANSITION TO ANSI/ISC/ASOC STANDARDS.

Third party certification/registration is not required nor will it be considered a substitute for the Government's right to audit/validate a contractor's quality system.

MIL-STD-105 has been replaced by ANSI/ASQC Z1.4-2003. Sampling Procedure and Tables for Inspection by Attributos.

MIL-STD-45662A has been replaced by either ISO 10012-1. Quality Assurance Requirements for Measuring Equipment or ANSI/NCSL Z540-1. Ocneral Requirements for Calibration Laboratorics and Measuring Equipment and Test Equipment. DSCR (APR 2007)

SECTION P

FILADS 52.211-16 VARIATION IN QUANTITY (ADR 1984)

- (b) The permissible variation shall be limited to:
- 0 & (Percent) Increase 0 & (Percent) Decrease

This increase or decrease shell apply to the quantity at the ling item level, or for phased delivery at the sub-clin level, as designated by item number followed by two alphas, i.e. 0001AA. The variation (if any) shall be shipped with i.e. ODDIAA. The variation (if any) shall be shipped with the quantity for the line item, or for phased delivery the quantity specified for each sub-clin. Under no quantity against any line item/sub-clin other than as specified in the delivery schedule.

FILA07 52.211-17 DELIVERY OF EXCESS QUANTITIES (SEP 1989)

F11F36 52.211-9G22 DSCR PALLETIZATION FOR MIL-GTD-2073 IN ACCORDANCE WITH MD00100452 REV B (JUL 2008) (OCT 2008) DECR

r42A02 52.242-15 STOP-WORK ORDER (ADC 1989)

F42A05 52.242-17 GOVERNMENT DELAY OF WORK (APR 1984)

52.247-29 F.O.B ORIGIN F47A01 (FXB 2006) FAR

52,247-65 F.O.B ORIGIN, PREPAID FREIGHT -- SMALL PACKAGE CHIPMENTS (JAM 1991)

F47Cl4 52.247-9034 POINT OF (INSTRUCTIONS (JUL 2008) DLAD POINT OF CONTACT FOR TRANSPORTATION

- (a) DCMA Administered Orders; Contact the Transportation Officer at the administering DCMA location.
- (b) DLA administered orders: Contact the DLA Transportation office for shipping instructions by facsimile to 717-770-2701 or via small to delivery(at)dla.mil. A return rax number must be included with your faxed request. The DDC s hours of operation are Monday through Friday, 7:00 a.m. to 11:00 p.m. and Saturday from 8:00 a.m. to 4:30 p.m. excluding holidays. For urgent requirements and questions, you may call the DDC at 1-800-456-5507. DLA's Distribution Planning and Management Eystem (DDMS) may be used to obtain transportation instructions in licu of contacting the transportation office instructions in lieu of contacting the transportation office.

SECTION R

REMOVAL OF GOVERNMENT IDENTIFICATION LIES (APR 2008) DIAD 52.246-9039 PROM NON-ACCEPTED SUPPLIES

103B02 252.203-7000 REQUIREMENTS COMPENSATION OF FORMER DOD OFFICIALS REQUIREMENTS RELATING TO (JAN 2009)

252.203-7002 REQUIREMENT TO IMPORM EMPLOYEES OF (JAN 2009) WHISTLESLOWER RICHTS DYARE

104205 52,204-7 CENTRAL CONTRACT REGISTRATION (APR 2008) FAR

104B03 252,204-7003 PRODUCT (ADD 1000) CONTROL OF COVERNMENT PERSONNEL WORK (APR 1992) DEARS

104B04 252.204-7004 ALTERNATE A, CENTRAL CONTRACTOR RECISTRATION (SEP 2007) DEARS

ROACOI 52,209-6 PROTECTING THE COVERMENT S INTEREST HEE EUSCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DESARBEENT (SEP 2005) FAR

I11A01 52.211-5 MATERIAL REQUIREMENTS (AUG 2000) TAR

52.211-15 bere ENT (APR 2008) 111302 DEFENSE PRIORITY AND ALLOCATION REQUIREMENT FAR

111C02 \$2.211-9002 PRIORITY RATING (MAR 2000) DIAD

ILLCO3 52.211-9004 LONG-TERM CONTRACTS PRIORITY RATING FOR VARIOUS (HAR 2000)

111008 52.211-9014 CONTRACTOR RETENTION OF TRACEABILITY DOCUMENTATION (OCT 2008) DLAD

ORDER OF PRECEDENCE -- UNIFORM CONTRACT FORMAT (OCT 1997) FAR

52.216-18 ORDERING (OCT 1995) FAR 116A16

(a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued --

FROM: DATE OF AWARD

THROUGH: 365 DAYS THEREAFTER

I16A17 52.216-19 ORDER LIMITATIONS (OCT 1995) FAR

- (a) Minimum Order. When the Government requires of less than DVD or 53 Stock, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.
- (b) Maximum Order. The Contractor is not obligated to
- (1) Any order for a single item in excess of DVD or 53 Stock
- (2) Amy order for a combination of items in excess of , or
- (3) A series of orders from the same ordering office within 30 days that together call for quantities exceeding the limitation in subparagraph (1) or (2) above.
- If this is a requirements contract (i.e., includes the Requirements clause at subsection 52.216-1 of the Pederal Acquisition Regulation (FAR), the Government is not required to order a part of any one requirement from the Contractor if that requirement excoods the maximum order limitations in paragrah (b) of this section.
- (d) Notwithstanding paragraphs (b) and (c) above, the contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 10 days after issuance, with written motice stating the contractor's intent not to ship the item (or items) called for and the reasons.

116A24 52.216-22 INDEFINITE QUANTITY (OCT 1995)

(d) Any order issued during the effective period of this contract and not completed within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed

CONTINUED OF BEST PACE

Orde	r Mumber: PAGE OF PAGES		
CONTINUATION SHEET	SPM4A7-10-D-5198- 10 11		
during the contract's effective period; provided, that the Contractor shall not be required to make any deliveries under	IJ2A01 52.232-1 PAYMENTS (APR 1984) FAR		
this contract after 120 DAYS ARO	132AG6 52.232-8 DISCOUNTS FOR PROMPT PAYMENT (PEB 2002) PAR		
117A05 52.217-9 OPTION TO EXTEND THE TERM OF THE	132A08 52.232-11 EXTRAS (APR 1984) FAR		
CONTRACT (NAR 2000) FAR	IJ2A19 52.232-23 ASSIGNMENT OF CLAIME (JAM 1986) FAR IJ2A22 52:232-25 PROMPT PAYMENT (OCT 2008) FAR		
(a) The Government may extend the term of this contract by written metice to the Contractor within 30 days prior to contract expiration, provided, that the Covernment gives the Contractor a preliminary	132A26 52.232-33 PAYMENT BY BLECTRONIC YUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION (OCT 2003) FAR		
written notice of its intent to extend at least 45 days before the contract expires.	132802 252.232-7003 ELECTROWIC SUBMISSION OF PAYMENT REQUESTS AND RECEIVING REPORTS (MAR 2008) DFARS		
(c) The total duration of this contract, including the exercise of any options under this clause, shall not exceed 60 months.	132010 232.232-7010 LEVIES ON CONTRACT PAYMENTS DFARS (DEC 2006)		
T17F32 52.217-9008 OPTION TO EXTERN THE TERM OF THE CONTRACT - SUPPLIES (JUL 2000) DSCR	133A01 52.233-1 DISPUTES (JUL 2002) FAR 133A03 52.233-3 PROTECT AFTER AWARD (AUG 1996) FAR		
(b) THE OFFEROR ACRES TO FURNISH DURING THE OPTION PERIOD THOSE ITEMS CITED IN THE SCHEDOLE AT UNIT PRICES AS	133A05 52.233-4 APPLICABLE LAW FOR BREACE OF CONTRACT (OCT 2004) FAR		
INDICATED BELOW:	133C01 52.233-9001 DISPUTES: ACREMENT TO UCK		
CAUTION: Failure to indicate one of the following may result in rejection of your offer.	Afternative Dispute Resolution (Jun 2001) DLAD (C) If you wish to opt out of this clause, check here		
() (Weador Fill-in) Option unit prices are the same as the unit prices offered for the basic contract, or	() (Vendor Fill-in).		
(X) (Vendor Fill-in) Option period unit prices are as indicated in the schedule.	139C01 52.239-9000 Y2K COMPLIANCE MOTICE (JUN 2002) DIAD		
ILDADI 52,212-28 POST-AWARD SMALL BUZINESS PROGRAM REREPRESENTATION (APR 2009) FAR	I43A01 52.245-1 CHANGES FIXED PRICE (AUG 1907) FAR		
***	143801 252.743-7001 PRICING OF CONTRACT MODIFICATIONS (DEC 1991) DEARS		
(g) If the Contractor does not have representations and certifications in ORCA, or does not have a representation in ORCA for the NAICS code applicable to this contract, the Contractor is required to complete the following	144AD5 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS (DEC 2009) FAR 146BD5 252.246-7003 NOTIFICATION OF POTENTIAL SAFETY		
rerepresentation and submit it to the contracting effice, slong with the contract number and the date on which the rerepresentation was completed:	ISSUES (JAN 2007) DFARE 146F37 52.246-9G36 CONFIGURATION CONTROL		
The Contractor represents that it () is () is not a small business concern under NAICS Code	(JUN 2003) DECR		
assigned to contract number Contractor to sign and date and insert authorized signer's hame and title:	NOTICE TO CONTRACTORE: The requirements of this clause are identified to MIL-STD-973, DRCR will continue to reference MIL-STD-973 in solicitations and contracts until implementation of DLA		
Signature: (Vendor Will-In)	configuration control requirements. The full text of MIL-STD-973 is available at:		
Date: (Vendor Fill-In)	http://www.dscr.dla.mil/userweb/dscrbat/gaps.htm		
Title: (vendor Fill-in)	(a) When configuration management control is cited		
122A15 52.222-19 CHILD LABOR-COOPERATION WITH AUTHORITIES AND REMEDIES (AUG 2008) FAR	in the Procurement Item Description, the furnished item(s) shall conform to the approved configuration requirements/ rovision specified unless a variation is processed and approved as provided for at (b) below.		
122A16 \$2.222-20 WALSH-HEALEY PUBLIC CONTRACTS ACT (DEC 1996) FAR	(b) Variations shall be identified and approval		
122A17 52.222-21 PROMIBITION OF SEGREGATED FACILITIES (FEB 1999) FAR	obtained in accordance with MIL-6TD-973 dated 17 APR 92, with Interim Notice 3 dated 12 JAN 95 as follows:		
122A18 52.222-26 EQUAL OPPORTURITY (MAR 2007) FAR	 Process an Engineering Change Proposal for any Changes to the approved configuration in accordance with Paragraph 5.4.7 and Subparagraphs thereto and 		
12224 52.222-36 APPIRMATIVE ACTION FOR WORKERS WITH DISABILITIES (JUN 1998) FAR	APPENDIX D, except that Subparagraphs 5.4.2.3.1, 5.4.2.3.5.1, and 5.4.2.3.5.2 do not apply.		
122A35 52.232-50 COMBATING TRAFFICKING IN PERSONS (FEB 2009) FAR	(2) Process requests for deviation from the approved configuration in accordance with Paragraph 5.4.3 and Subparagraphs thereto and APPEMDIX E.		
125A04 52.225-13 RESTRICTIONS ON CERTAIN FOREIGN FURCHASES (JUN 2008) FAR	(3) Process requests for waiver from the approved configuration in accordance with Paragraph 5.4.4		
125801 252.225-7001 BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM (JAN 2009) DFARS	and Subparagraphs thereto and APPENDIX E. (4) Process requests for parts substitution from		
125802 252.225-7002 QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS (APR 2003) DFARE	the approved configuration in accordance with Paragraph 5.4.5 and Subparagraphs thereto.		
125806 252.225-7013 DUTY-FREE ENTRY (DEC 2009) DFARS	(5) Process Specification Change Motices in accordance with Paragraph 5.4.6 and Subparagraphs thereto and APPENDIX F.		
	CONTINUED ON NEXT PAGE		

CONTINUATION SHEET Order Number: SPM4A7-10-D-5198- PAGE OF PAGES

(6) Process Notices of Revision (NORS) in accordance with Paragraph 5.4.7 and APPENDIX 0.

(7) Process configuration control (short form procedure) in accordance with Paragraph 5.4.8 and Subparagraphs thereto and APPENDIX D.

148A01 52.246-1 VALUE REGINEERING (FEB 2000) PAR

149A01 52,249-1 TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SECRI FORM) (APR 1984) FAR

I49Al5 52.245-8 DEFAULT [FIXED-PRICE SUPPLY AND SERVICE] (APR 1984) PAR

152A01 52.232-2 CLAUSES INCORPORATED BY REFERENCE (FEB 1998) FAR

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/those address(es):

FAR: http://acquisition.gov/comp/far/loadmainre.html

DFARS:

http://www.acq.osd.mil/dpap/dnrs/dtarspgi/current/index.html

DLAD: http://www.dla.mil/j-3/j-3311/DLAD/DLADrov5.htm

I52A02 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES (APR 1984) FAR

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter!) clause with an authorise deviation is indicated by the addition of '(DEVIATION)' after the date of the clause.

(b) The use in this solicitation or contract or any DOD FAR Supplement (DFARS) (48 CFR Chapter 2) clause with an authorized deviation is indicated by the addition of '(DEVIATION)' after the name of the regulation.

ISSA01 52.253-1 COMPUTER GENERATED FORMS (JAN 1991) FAR

SECTION M

M13C05 52.213-9010 IDPO EVALUATION (SEP 2008) DEAD