ORDER FOR SUPPLIES OR SERVICES													PAGE 1 OF 7	
1. CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDE SPE4A6-16-V-7591					Y ORDER/CALL NO.	3. DATE OF ORDER/CALL (YYYYMMMDD) 2016 FEB 22 4. REQUISITIO 006228792						I REQUEST NO.	5. PRIORITY DO-A1	
DLA AVIATION ASC COMMODITIES DIVISION 8000 JEFFERSON DAVIS HIGHWAY RICHMOND VA 23297 USA							7. ADMINISTERED BY (If other than 6) CODE S0512A DCMA LOS ANGELES 16111 PLUMMER STREET, BUILDING 10, 2 BLDG 10, 2ND FLOOR NORTH HILLS CA 91343-2036 USA						8. DELIVERY FOB DESTINATION X OTHER (See Schedule if	
Email: MOHAMMAD AKHTAR@DLA.MIL 9. CONTRACTOR CODE 81982							ACILITY 81982	10. DELIVER TO FOB POINT BY (Date)				other) 11. X IF BUSINESS IS		
HYDRO-AIRE, INC. DBA NAME 3000 WINONA AVE AND BURBANK CA 91504-2540 ADDRESS USA										(YYYYMMMDD) 200 DAYS ADO 12. DISCOUNT TERMS Net 30 days 13. MAIL INVOICES TO THE ADDRESS IN			SMALL SMALL DISAD- VANTAGED WOMEN-OWNED	
					See Block 15						IN BLOCK			
14. SHIP TO CODE							DEF FIN AND ACCOUNTING SVC BSM P O BOX 182317 COLUMBUS OH 43218-2317 USA						MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2.	
16.	DELIVERY/ CALL This delivery order/call is issued on another Government agency or in accordance with and subject to term									erms and	condition	s of above numb	pered contract.	
TYPE OF		ACE 7		ffer/Quote da	ted 2016 FEB 11,		furnish the following on						terms specified herein.	
ORDE	ORDER PURCHASE X ACCEPTANCE. THE CONTRACTOR HERBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.													
		NAME OF CONTRACTOR SIGNATURE is box is marked, supplier must sign Acceptance and return the following number of copies:						TYPED NAME AND TITLE				DATE SIGNED (YYYYMMMDD)		
	17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE BX: 97X4930 5CBX 001 2620 S33189													
18. IT	EM NO.	19. SCHEDULE OF SUPPLIES/SERVICES						20. QUANTITY ORDERED/ 21. 22. UNIT PRICE UNIT ACCEPTED*			23. AMOUNT			
		THE PURCHASE ORDER CLAUSES ARE APPLICABLE AS I THE DLA MASTER SOLICITATION FOR EPROCUREMENT / SIMPLIFIED ACQUISITIONS (PART 13) REVISION 31 (DECE WHICH CAN BE FOUND ON THE WEB AT http://www.dla.mil. Documents/J7Acquisition/Master%20Solicitation%20REV%203 pdf					TOMATED BER 15, 2015) ortals/104/	76						
		Award sent EDI, Do not duplicate shipment												
			the Government is	CA	M	1 ,		, ,		25. TOTAL				
If diffe	erent, enter	actual (ordered, indicate by X. actual quantity accepted below Matthew Wood@dla.mil				Marken Wa					26. DIFFERENCES		
	ity ordered			BY: PAR00	008		CONTRACTING/ORDERING OFFICER							
	NSPECTE				CONFORMS TO									
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							c. DATE (YYYYMMMDD) d. PRINTED NAME AND TITLE OF AUTHORIZED GOVER						RNMENT REPRESENTATIVE	
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE							8. SHIP. NO.	29. D.O. VOUCHER NO. 30. INITIALS						
							PARTIAL	32. PAID BY 33. AMOUNT V			ERIFIED CORRECT FOR			
f. TEL	EPHONE I	NUMBE	MBER g. E-MAIL ADDRESS				FINAL							
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31	COMPLETE	34. CHECK NUM				MBER		
a. DA (YYYY	TE (MMMDD)	b. Signature and title of certifying officer					PARTIAL FINAL			35. BILL OF LAD			DING NO.	
37. RE AT	CEIVED	38. RECEIVED BY (Print)			39. DATE RECEIV (YYYYMMMDE		. TOTAL CON- TAINERS	41. S/R A	41. S/R ACCOUNT NUMBER 42. S/R VOUCH			IER NO.		

SPE4A6-16-V-7591

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).
DFARS 252.225-7001, BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM APPLIES.
PLACE of INSPECTION for PACKAGING:
9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement (non-manufacturers) (DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.

- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

CONTINUED ON NEXT PAGE

3 | 7

SECTION B

PR: 0062287920 SUPPLIES/SERVICES:

1650003175597

GUIDE, SPOOL, HYDRAUL

GUIDE, SPOOL, HYDRAULIC P/N:85966 CRITICAL APPLICATION ITEM:

THIS ITEM IS IDENTIFIED AS A COMMERCIAL ITEM - (TO INCLUDE 'COMMERCIAL OF A TYPE')

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICATION LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015

1. Requirements

- A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.
- B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term "Request for Variance (RFV)" will also include Requests for Deviations and Waivers.
- 2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:
- A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).
- B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been

SECTION B

submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

- A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.
- B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).
- C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.
- D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.
- (1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.
 - (2) DD Form 1692 (current revision) for ECP.
 - (3) DD Form 1694 (current revision) for RFV.(4) DD Form 1695 (current revision) for NOR.

DLA's responsibilities:

- A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.
- B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering
- Support Activity (ESA), when applicable.

 C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.
- (1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.
- The contractor will be notified in writing of disapproval (2) including reason(s) for disapproval.
- 5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.
- 6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.
- The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

5 | 7

SECTION B

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

HIGHER LEVEL CONTRACT QUALITY REQUIREMENT (MANUFACTURERS) 52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.

DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE
- 3 c)1
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
- 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2]
- 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

NO GOVERNMENT FAT REQUIRED.

EXPORT DOES NOT APPLY:

THIS ITEM HAS TECHNICAL DATA SOME OR ALL OF WHICH IS SUBJECT TO EXPORT-CONTROL REGULATIONS. DISTRIBUTION OF THE TECHNICAL DATA AND ELIGIBILITY FOR AWARD ARE LIMITED TO THOSE SUPPLIERS QUALIFIED THROUGH JCP CERTIFICATION, OR TO THOSE LICENSED BY EITHER THE

CONTINUATION SHEET

ORDER NUMBER / CALL NUMBER SPE4A6-16-V-7591

Page of Pages

6 | 7

SECTION B

DEPARTMENTS OF STATE OR COMMERCE; OR TO FOREIGN SUPPLIERS PURSUANT TO INTERNATIONAL AGREEMENTS.

TO APPLY FOR JCP CERTIFICATION, COMPLETE DD FORM 2345, MILITARY CRITICAL TECHNICAL DATA AGREEMENT, FORM IS AVAILABLE AT THE WORLD WIDE WEB ADDRESS HTTP://WWW.DLIS.DLA.MIL/JCP OR BY WRITING TO:

DLA LOGISTICS INFORMATION SERVICE FEDERAL CENTER 74 WASHINGTON AVE., NORTH BATTLE CREEK, MI 49037-3084

TO MANUFACTURE THIS ITEM, NON-JCP CERTIFIED SUPPLIERS MUST SUBMIT A CURRENT MANUFACTURING LICENSE AGREEMENT, TECHNICAL ASSISTANCE AGREEMENT, DISTRIBUTION AGREEMENT OR OFF-SHORE PROCUREMENT AGREEMENT APPROVED BY THE DIRECTORATE OF DEFENSE TRADE CONTROLS WITH THE OFFER, UNLESS AN EXEMPTION UNDER THE PROVISIONS OF ITAR SECTION, 125.4 EXEMPTIONS OF GENERAL APPLICABILITY, AND/OR EAR PART 740 ARE APPLICABLE.

NON-JCP CERTIFIED SUPPLIERS SEEKING EXPORT CONTROLLED TECHNICAL DATA ARE REQUIRED TO PROVIDE THE CONTRACTING OFFICER WITH AN APPLICABLE AGREEMENT OR IDENTIFY WHICH ITAR/EAR EXEMPTION APPLIES TO RECEIVE A COPY OF THE EXPORT CONTROLLED TECHNICAL DATA.

NOTE: JCP CERTIFIED CONTRACTORS WHO RECEIVE TECHNICAL DATA PURSUANT TO THEIR DD FORM 2345 CERTIFICATION MAY NOT FURTHER DISSEMINATE SUCH DATA UNLESS FURTHER DISSEMINATION OF THE TECHNICAL DATA IS EXPRESSLY PERMITTED BY DODD 5230.25.

SAMPLING:

HYDRO-AIRE, INC. DBA 81982 P/N 85966

<u>CLIN PR PRLI UI QUANTITY UNIT PRICE CURRENCY TOTAL PRICE</u> 0001 0062287920 0001 EA 76.000

NSN/MATERIAL:1650003175597

QTY VARIANCE: PLUS 00.00% MINUS 00.00%

INSPECTION POINT: ORIGIN ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:
PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH ASTM D 3951.

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:
•,,All Section "D" Packaging and Marking Clauses take precedence over

CONTINUED ON NEXT PAGE

CONTINUATION SHEET ORDER NUMBER / CALL NUMBER Page of Pages

SPE4A6-16-V-7591 7 | 7

SECTION B

CLIN: 0001 PR: 0062287920 PRLI: 0001 CONT'D

ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ullet ,, The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

DELIVER FOB: ORIGIN DELIVER BY: 2016 SEP 09

PLACE of INSPECTION for PACKAGING: 9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

PARCEL POST ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD BLDG 849W HILL AFB UT 84056-5734 US