CONTINUATION SHE	Z'

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-13-M-9088

PAGE 2 OF 14 PAGES

52.246-9G36 CONFIGURATION CONTROL (JUN 2003)

NOTICE TO CONTRACTORS: The requirements of this clause are identified to MIL-STD-973. DLA Aviation will continue to reference MIL-STD-973 in solicitations and contracts until implementation of DLA configuration control requirements. The full text of MIL-STD-973 is available at:

http://www.aviation.dla.mil/userweb/dscrbat/qaps.htm

- (a) When configuration management control is cited in the Procurement Item Description, the furnished item(s) shall conform to the approved configuration requirements/revision specified unless a variation is processed and approved as provided for at (b) below.
- (b) Variations shall be identified and approval obtained in accordance with MIL-STD-973 dated 17 APR 92, with Interim Notice 3 dated 12 JAN 95 as follows:
- (1) Process an Engineering Change Proposal for any changes to the approved configuration in accordance with Paragraph 5.4.2 and Subparagraphs thereto and APPENDIX D, except that Subparagraphs 5.4.2.3.1, 5.4.2.3.5.1, and 5.4.2.3.5.2 do not apply.
- (2) Process requests for deviation from the approved configuration in accordance with Paragraph 5.4.3 and Subparagraphs thereto and APPENDIX E.
- (3) Process requests for waiver from the approved configuration in accordance with Paragraph 5.4.4 and Subparagraphs thereto and APPENDIX E.
- (4) Process requests for parts substitution from the approved configuration in accordance with Paragraph 5.4.5 and Subparagraphs thereto.
- (5) Process Specification Change Notices in accordance with Paragraph 5.4.6 and Subparagraphs thereto and APPENDIX F.
- (6) Process Notices of Revision (NORS) in accordance with Paragraph 5.4.7 and APPENDIX G.
- (7) Process configuration control (short form procedure) in accordance with Paragraph 5.4.8 and Subparagraphs thereto and APPENDIX D.

13-15-90

13-1A-9G NOTIFICATION OF REJECTION OF UNILATERAL AWARD (MAR 2001)

Unless this is a bilateral award, notice of rejection as described herein is required. The Government's offer to purchase, as evidenced by this order, is made on the basis of your quotation. Although you are not legally obligated

to perform on a unilateral purchase order, you should promptly notify the DLA Aviation contract administrator in writing if you do not intend to perform this order by the specified delivery date. Prompt notification means as soon after receiving notice of award as practicable given the circumstances.

FAILURE TO PROVIDE PROMPT NOTICE WILL ADVERSELY AFFECT YOUR PAST PERFORMANCE AUTOMATED BEST VALUE SYSTEM SCORE IF THIS ORDER IS LATER CANCELLED AT OTHER THAN THE GOVERNMENT'S REQUEST.

DLA AVIATION PALLETIZATION FOR MIL-STD-2073 IN ACCORDANCE WITH MD00100452 REVISION B (JUL 52.211-9G22 20081

(a) Palletization.

- (1) When the total number of containers going to the same destination is 250 pounds or greater (excluding pallet) or a volume of 20 cubic feet or greater, then palletization IAW MIL-STD-147 is required.
- (2) When the total number of containers going to the same destination is less than 250 pounds (excluding pallet) and is less than 20 cubic feet, then palletization is not required IAW MIL-STD-147.
- (3) Except as otherwise provided in this clause, shipping containers shall be palletized IAW the guidance cited in MIL-STD-147. Special palletization instructions may be further specified under other preparation for delivery instructions in this order/contract. In the case of any inconsistency between such special palletization instructions in the requirements cited in this clause, the special palletization instructions shall take precedence.
- (4) Pallets required for use, shall comply with ANSI/MH1, Part No. MH1/9-02SW4048. This part number shall be used for Level A packaging when the total weight is less than 1500 lbs. evenly distributed. This part number shall be used for Level B packaging when the total weight is greater than 1500 lbs., but less than 3000 lbs. evenly distributed.
- ***NOTE***Use of nonstandard commercial pallets is forbidden unless cited in the contract/purchase order.
- (i) The following commercial heat treatment process has been approved by the American Lumber Standards Committee (ALSC) and is required for all Non-Manufactured Wood Packaging Material (NMWPM) entering a European country or destined for a Container Consolidation Point (CCP) or an aerial or water port of embarkation: All wooden pallets and wood containers produced entirely or in part of non-manufactured softwood species shall be constructed from Heat Treated (HT to 56 degrees Centigrade for 30 minutes) coniferous material and certified accordingly by an accredited agency recognized by the American Lumber Standards Committee (ALSC) in accordance with Non-manufactured Wood Packing Policy and Non-manufactured Wood Packing Enforcement Regulations both dated May 30, 2001. All wooden pallets and containers produced entirely of non-manufactured hardwood species shall be

identified by a permanent marking of "NC," 1.25 inches or greater in height, accompanied by the CAGE code of the contracted manufacturer and the month and year of the contract. On pallets, the marking shall be applied

stringer or block on opposite sides and ends of the pallet and be contrasting and clearly visible. On containers, the marking shall be applied on a side other than the top or bottom, contrasting and clearly visible.

- (ii) Oak and chestnut wood shall be bark free and square edged so that none of the natural rounded surface tissues remain, or be bark free and have a moisture content no greater than 20%. The contractor is responsible for performing an inspection of each shipment to assure compliance with this requirement.
- (5) Unless otherwise specified in the contract or purchase order hazardous material containers, except cylinders and 55 gallon drums (see paragraph 5(i) thru (iv), shall be palletized IAW Load Type VI of MIL-STD-147. Pallets used shall be as cited above. "Hazardous Material" for the purpose of this clause, means any material considered hazardous under the Department of Transportation Hazardous Material Regulations, 49 CFR 171-79, TATA, IACO, IMDG, unless otherwise specified.
- ***NOTE*** Shrink wrap is not authorized for use with Hazardous Materials.
 - (i) 55 gallon drums for domestic delivery shall be palletized 3 per pallet IAW

SPE4A7-13-M-9088

with load type 3a bonding method G (stretch wrap) or 4 per pallet IAW load type VI of MIL-STD-147 (placing an inverted wood cap under and over the load secured by metal strapping).

- (ii) 55 gallon drums for export delivery shall be palletized 4 per pallet IAW load type VI of MIL-STD-147 (placing an inverted wood cap under and over the load secured by metal strapping).
- (iii) Cylinders for domestic delivery shall be palletized vertically IAW load type IX of MIL-STD-147 or horizontally using metal strapping IAW MIL-STD-147 bonding method D (figure 36) and notched wood spacers (storage aid #25, figure 50) to assure the stability of the load.
- (iv) Cylinders for export delivery shall be Palletized (vertically) IAW load type IX of MIL-STD-147.
- (6) The use of stretch-wrap, shrink film or nonmetallic strapping for bonding is not authorized for "Export Shipments".
- (7) Stretch-wrap, when utilized, shall be accomplished mechanically with a (machine or hand held tool that based on the weight of items being palletized, maintains sufficient tension to assure secure bonding of the items to the pallet during transportation).
- (8) Unless otherwise specified in the contract or Purchase Order, all polyethylene/plastic containers for domestic delivery with or without fiberboard over pack shall be palletized IAW load type 3a bonding method G (stretch wrap) or IAW Load "Type VI of MIL-STD-147 to ensure stacking support during transportation and storage. All polyethylene/plastic containers for export delivery with or without fiberboard over pack shall be palletized IAW Load Type VI of MIL-STD-147.
- (b) Loading: Five-gallon tight head pails shall be loaded on pallets IAW Load Type III or IIIA of MIL-STD-147, except that a triple layer or course may be used for a total not to exceed 42 pails.
- (c) Unitization: Supplies that do not lend themselves to the use of MIL-STD-147 palletization due to size, weight, configuration, etc. shall be unitized by securely blocking, bracing, or anchoring the load on a skid base or commercial type pallet in a manner that assures safe delivery.

52.211-9G73 PACKAGING AND MARKING AND REQUIREMENTS (MAR 2004)

- (a) Unless stated otherwise, commercial packaging in accordance with ASTM-D-3951 is required for CONUS shipments from the contractor directly to the customer. Commercial packaging and marking is not sufficient for vendor shipments requiring movement through the Defense Transportation System (also referred to as the Military Distribution System or DLA Depot) as the shipment could ultimately be moved via Military Air.
- (b) Higher level packaging in accordance with MIL-STD-2073 is mandatory for all shipments that meet the below criteria:

•		
CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 5 OF 14 PAGES
	SPE4A7-13-M-9088	

- Movement through the Defense Transportation System including shipments to a Military Distribution facility or depot.
- OCONUS shipments
- FMS shipments
- Hazardous material, as cited in the AID or in the Quality Requirements Matrix.
- (c) Materials not considered as HAZMAT for CONUS or OCONUS commercial air shipments may be considered HAZMAT for MILAIR shipments OCONUS. As such, contractors/shippers shall ensure that material meeting HAZMAT definitions in DLAI 4145.3, Preparing Hazardous Materials for Military Air Shipment, is packaged in accordance with that instruction when the consignee is OCONUS and the shipment will be moved through the Defense Transportation System.
- (d) All items shall be marked in accordance with MIL-STD-129P. Hazardous items and shelf life items, as cited in the AID or in the Quality Requirements Matrix, shall be marked in accordance with MIL-STD-129P and the appropriate clauses cited in the appendix to the matrix and the contract. The contractor is required to package material in accordance with Quantity Unit Pack (QUP), specified in MIL-STD-2073 and the Unit of Issue (UI), specified in each delivery order. A packing slip shall be located in a plastic pouch on the outside of the package. For HAZMAT destined OCONUS, a hard copy of the Material Safety Data Sheet (MSDS) must also be included.
- (e) In the event of deployments, this clause may be invoked when shipments originally destined for a CONUS location are diverted to OCONUS destinations thereby necessitating movement of the material through the Defense Transportation System. In such an event, contractors will be notified by the Contracting Officer and an equitable adjustment will be made in the contract price as deemed appropriate.

NOTE: Applicable to negotiated solicitations. Offers that do not comply with the packaging and marking requirements as specified in Section D of this solicitation may be subject to rejection as being technically unacceptable.

SECTION B

SUPPLY/SERVICE: 2915-00-916-6984 MFR. CAGE: 81982 P/N: 60-37152 CONT'D

PLACE of INSPECTION for SUPPLIES: 81982 HYDRO-AIRE, INC. 3000 WINONA AVE BURBANK CA 91504-2540 USA

PLACE of INSPECTION for PACKAGING: 9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999
QUP:001 PRES MTHD:10 CLNG/DRY:1 PRESV MAT:XX
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X
UNIT CONT:E5 OPI:0
INTRMDTE CONT:E5 INTRMDTE CONT QTY:AAA
PACK CODE:U
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
SPECIAL MARKING CODE:00 -

PALLETIZATION SHALL BE IN ACCORDANCE WITH MD00100452 REV B DATED JULY 01, 2008

Markings Paragraph For all shipments of packaged materiel to the government, which includes either Depot (DLA-Direct) or DVD (Customer-Direct) shipments, both DoD linear and two-dimensional (2D) bar code markings are required on Military Shipping Labels in accordance with MIL-STD-129, Revision P, dated December 15, 2002 (but see DLAD 52.211-9010(D) for exceptions to the

in accordance with MIL-STD-129, Revision P, dated December 15, 2002 (but see DLAD 52.211-9010(D) for exceptions to the requirement for MSL and 2D symbols). See the DLA packaging web site identified in DLAD 52.211-9010(E) for change notices to MIL-STD-129P that apply. 2D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. Shipping label stock quality shall meet MIL-PRF-61002. Bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9010(C). Except for the Transportation Control Number (TCN), which must always be present on the Military Shipping Label, when the contract/order omits any other data elements as defined in MIL-STD-129P and if the information is not available from the Administrative Contracting Office, then the field is not required as part of the Military Shipping Label and may be

	CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 8 OF 14 PAGES
-		SPE4A7-13-M-9088	

SECTION B

SUPPLY/SERVICE: 2915-00-916-6984 MFR. CAGE: 81982 P/N: 60-37152 CONT'D

left blank. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

PARCEL POST ADDRESS:

SW3211
DLA DISTRIBUTION DEPOT OKLAHOMA
3301 F AVE CEN REC BLDG 506 DR 22
TINKER AFB OK 73145-8000
US

SUPPLIERS SHOULD ACCESS DPMS AT HTTPS://DPMS.DDC.DLA.MIL, OR CALL 1-800-456-5507 FOR TRANSPORTATION AND SHIPPING ASSISTANCE.

FREIGHT SHIPPING ADDRESS:

SW3211 DLA DISTRIBUTION DEPOT OKLAHOMA 3301 F AVE CEN REC BLDG 506 DR 22 TINKER AFB OK 73145-8000

GOVT USE

			External	External	External	Customer RDD/
ITEM	PR	PRLI	PR	PRLI	Material	Need Ship Date
0001	0049060453	0001	N/A	N/A	N/A	N/A
			**********	******	******	******

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 9 OF 14 PAGES
· ·	SPE4A7-13-M-9088	

SECTION D - PACKAGING AND MARKING

252.211-7006 RADIO FREQUENCY IDENTIFICATION (SEP2011) DFARS

- (b)(1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case- and palletized-unit-load packaging levels, for shipments of items that—
- (i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1.1.11:
- (A) Subclass of Class I Packaged operational rations.
- (B) Class II Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.
- (C) Class IIIP Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.
- (D) Class IV Construction and barrier materials.
- (E) Class VI Personal demand items (non-military sales items).
- (F) Subclass of Class VIII Medical materials (excluding pharmaceuticals, biologicals, and reagents suppliers should limit the mixing of excluded and non-excluded materials).
- (G) Class IX Repair parts and components including kits, assemblies and subassemblies, reparable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and
- (ii) Are being shipped to one of the locations listed at http://www.acq.osd.mil/log/rfid/ or to-
- (A) A location outside the contiguous United States when the shipment has been assigned Transportation Priority 1, or to—
- (B) The following location(s) deemed necessary by the requiring activity:

Contract Line, Subline, or Exhibit Line Item Number	Location Name	City	State	DoDAAC

- (2) The following are excluded from the requirements of paragraph (b)(1) of this clause:
- (i) Shipments of bulk commodities.
- (ii) Shipments to locations other than Defense Distribution Depots when the contract includes the clause at FAR 52.213-1, Fast Payment Procedures.
- (c) The Contractor shall-
- (1) Ensure that the data encoded on each passive RFID tag are globally unique (i.e., the tag ID is never repeated across two or more RFID tags and conforms to the requirements in paragraph (d) of this clause;
- (2) Use passive tags that are readable; and
- (3) Ensure that the passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.
- (d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the EPC™ Tag Data Standards in effect at the time of contract award. The EPC™ Tag Data Standards are available at http://www.epcglobalinc.org/standards/.
- (1) If the Contractor is an EPCglobal™ subscriber and possesses a unique EPC™ company prefix, the Contractor may use any of the identifiers and encoding instructions described in the most recent EPC™ Tag Data Standards document to encode tags.
- (2) If the Contractor chooses to employ the DoD identifier, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) code and shall encode the tags in accordance with the tag identifier details located at http://www.acq.osd.mii/log/rfid/tag_data.htm. If the Contractor uses a third-party packaging house to encode its tags, the CAGE code of the third-party packaging house is acceptable.
- (3) Regardless of the selected encoding scheme, the Contractor with which the Department holds the contract is responsible for ensuring that the tag ID encoded on each passive RFID tag is globally unique, per the requirements in paragraph (c)(1).
- (e) Advance shipment notice. The Contractor shall use Wide Area WorkFlow (WAWF), as required by DFARS <u>252.232-7003</u>, Electronic Submission of Payment Requests, to electronically submit advance shipment notice(s) with the RFID tag ID(s) (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at https://wawf.eb.mil/.

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-13-M-9088	PAGE 10 OF 14 PAGES
(End of clause)		
52.211-9010 SHIPPING LAB	EL REQUIREMENTS – MILITARY-STANDARD (MIL-STD) 129P (M	AR 2012) DLAD
52.211-9010 SHIPPING LAE DLAD	BEL REQUIREMENTS – MILITARY STANDARD (MIL-STD) 129P (N	OV 2011), ALT I (AUG 2005)
52.211-9033 PACKAGING A	ND MARKING REQUIREMENTS (APR 2008) DLAD	
52.247-9012 REQUIREMENT	S FOR TREATMENT OF WOOD PACKAGING MATERIAL (WPM)	(FEB 2007) DLAD
SECTION E - INSPECTION A	ND ACCEPTANCE	
52.211-9022 SUPERSEDED	PART-NUMBERED ITEMS (NOV 2011) DLAD	
The offeror represents that t	s. Part number changes are acceptable only when the offeror complet he P/N requested in the solicitation has been changed from,	es the following verification:
P/N	to	
P/N		
	r change only. The reason for the change is	

52.211-9023 SUBSTITUTION	N OF ITEM AFTER AWARD (NOV 2011) DLAD	
52.246-02 INSPECTION OF	SUPPLIES FIXED PRICE (AUG 1996) FAR	
52.246-11 HIGHER-LEVEL (CONTRACT QUALITY REQUIREMENT (FEB 1999) FAR	
The Contractor shall comply w indicate its selection by checki	ith the higher-level quality standard selected below. [If more than one s	standard is listed, the offeror shall
Title	Number Date Tailoring	
[Contracting Officer insert the (End of clause)	title, number (if any), date, and tailoring (if any) of the higher-level qual	ity standards.]
52.246-9003 MEASURING A	ND TEST EQUIPMENT (NOV 2011) DLAD	
52.246-9004 PRODUCT VE	RIFICATION TESTING (DEC 2012) DLAD	
52.246-9008 INSPECTION A	AND ACCEPTANCE AT ORIGIN (NOV 2011) DLAD	
(a) Inspection and Acceptance (b) The point of acceptance w (c) The Offeror shall indicate Supplies: Plant:	e are at Origin. Il be the point of last inspection before shipment unless otherwise indice below the location where supplies will be inspected:	cated by the offeror.
HYDRO-AIRE, INC.		
Commercial and Governmen	nt Entity (CAGE) Code: 81982	

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-13-M-9088	PAGE 11 OF 14 PAGES
Street:		
City/State/Zip:		
Applicable to contract line-ite	em(s) (CLIN(s):	
(d) The Offeror shall indicate Packaging:	e below the location where packaging will be inspected:	
[] Same as for supplies, or, Plant:		
DOUBLE J PACKAGING		
Cage Code: 9A289		
Street:		
City/St/Zip:		
Applicable to clin(s):		

52.246-9019 MATERIAL ANI	D INSPECTION REPORT (APR 2008) DLAD	
SECTION F - DELIVERIES OF	RPERFORMANCE	
52.211-16 VARIATION IN QU	JANTITY (APR 1984) FAR	
**** (b) The permissible variation sl	hall be limited to:	
0 Percent increase	nui bo illinea te.	
Percent decrease This increase or decrease shall	Il apply to ALL.	
52.211-17 DELIVERY OF EX	CESS QUANTITIES (SEP 1989) FAR	
52.211-9020 TIME OF DELIV	/ERY - ACCELERATED (JUN 2008) DLAD	
52.242-17 GOVERNMENT D	ELAY OF WORK (APR 1984) FAR	
52.247-34 F.O.B. DESTINAT	TON (NOV 1991) FAR	
52.247-48 F.O.B. DESTINAT	TION - EVIDENCE OF SHIPMENT (FEB 1999) FAR	
52.247-9016 F.O.B. DESTINA	ATION CONTRACTOR TRANSSHIPMENT (NOV 2011) DLAD	
52.247-9031 MANUFACTUR	RER'S LOADING PRACTICES (NOV 2011) DLAD	
52.247-9035 SHIPPING INST	TRUCTIONS (DOMESTIC) (NOV 2011) DLAD	
(a) Route domestic shipments with each contract line item nu an acceptable mode of shipme (1) Ship all NMCS, 777, and 99 (2) Ship TP 1 and 2 (IPD 01-08)	e to Army Post Office (APO) or Fleet Post Office (FPO) addresses): within mail limitations as follows based on the transportation priority (TF imber (CLIN). Commercial small parcel carrier (e.g., United Parcel Servicent to domestic addresses. 99, regardless of TP or distance, by commercial small parcel carrier. 8) by priority mail or most economical comparable mode. all stock locations (not TP coded) by surface parcel post (Fourth Class)	ce (UPS) or Federal Express) is

mode.

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE	12	OF	14	PAGES
ŧ.	SPE4A7-13-M-9088					

- (4) The cost of parcel post insurance will not be paid by the Government.
- (b) Freight instructions (domestic).
- (1) Ship all NMCS, 777, and 999, regardless of TP or distance by commercial small parcel carrier.
- (2) For TP 1 and 2 (IPD 01-08) weighing under 250 pounds, use air freight and specify air on the invoice. Exceptions: if destination is within 600 miles of origin, use regular surface transportation.
- (3) For all other freight shipments, contact the cognizant transportation officer for delivery and carrier routing instructions.
- (4) Advance telephonic notice of delivery must be given by the carrier to the consignee's transportation officer (transport control/prelodge desk) at least 24 hours prior to delivery of freight shipments (other than small parcels). Bills of lading must be annotated to reflect this requirement. Addresses for direct shipments within the contiguous United States (CONUS) and Canada are shown "in the clear" with each individual CLIN on schedule continuation sheet(s) in each order. Addresses for stock shipments are shown with each individual CLIN on schedule continuation sheet(s) in each order. (End of Clause)
- 52.247-9038 SHIPPING INSTRUCTION FOR DLA DIRECT ACQUISITIONS (NOV 2011) DLAD
- 52.247-9034 POINT OF CONTACT FOR TRANSPORTATION INSTRUCTIONS (NOV 2011) DLAD

SECTION H - SPECIAL CONTRACT REQUIREMENTS

52.246-9039 REMOVAL OF GOVERNMENT IDENTIFICATION FROM NON-ACCEPTED SUPPLIES (NOV 2011) DLAD

SECTION I - CONTRACT CLAUSES

252.203-7000 REQUIREMENTS RELATING TO COMPENSATION OF FORMER DOD OFFICIALS (SEP 2011) DFARS

252.203-7002 REQUIREMENT TO INFORM EMPLOYEES OF WHISTLEBLOWER RIGHTS (JAN 2009) DFARS

52.204-07 CENTRAL CONTRACTOR REGISTRATION (AUG 2012) FAR

252.204-7003 CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT (APR 1992) DFARS

252.204-7004 ALTERNATE A, CENTRAL CONTRACTOR REGISTRATION (FEB 2013) DFARS

252.204-7008 EXPORT-CONTROLLED ITEMS (APR 2010) DFARS

52.211-15 DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS (APR 2008) FAR

252.211-7005 SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS (NOV 2005) DFARS

(4) If the proposed SPI process has been accepted at the facility at which it is proposed for use, but is not yet listed at the Internet site specified in paragraph (b) of this clause, submit documentation of Department of Defense acceptance of the SPI process.

(d) Absent a determination that an SPI process is not acceptable for this procurement, the Contractor shall use the following SPI processes in lieu of military or Federal specifications or standards:

(Offeror insert information for each SPI process)

SPI Process.	
Facility:	
Military or Federal Specification or Standard:	
Affected Contract Line Item Number, Subline Item Number,	Component, or Element:

CONTI	NUATION	SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-13-M-9088

PAGE 13 OF 14 PAGES

- 52.211-9002 PRIORITY RATING (NOV 2011) DLAD
- 52.211-9014 CONTRACTOR RETENTION OF TRACEABILITY DOCUMENTATION (OCT 2008) DLAD
- 52.211-9052 NOTIFICATION TO GOVERNMENT OF AND CONTEMPLATED PRODUCTION PHASE-OUT (NOV 2011) DLAD
- 52.215-08 ORDER OF PRECEDENCE UNIFORM CONTRACT FORMAT (OCT 1997) FAR
- 52.222-03 CONVICT LABOR (JUN 2003) FAR
- 52.222-19 CHILD LABOR COOPERATION WITH AUTHORITIES AND REMEDIES (MAR 2012) FAR
- 52.222-20 WALSH-HEALEY PUBLIC CONTRACTS ACT (OCT 2010) FAR
- 52.222-21 PROHIBITION OF SEGREGATED FACILITIES (FEB 1999) FAR
- 52.222-26 EQUAL OPPORTUNITY (MAR 2007) FAR
- 52.222-36 AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES (OCT 2010) FAR
- 52.222-50 COMBATTING TRAFFICKING IN PERSONS (FEB 2009) FAR
- 52.223-18 ENCOURAGING CONTRACTOR POLICIES TO BAN TEXT MESSAGING WHILE DRIVING (AUG 2011) FAR
- 52.225-13 RESTRICTIONS ON CERTAIN FOREIGN PURCHASES (JUN 2008) FAR
- 252.225-7001 BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM (JUN 2012) DFARS
- 252.225-7002 QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS (JUN 2012) DFARS
- 252.225-7013 DUTY-FREE ENTRY (JUN 2012) DFARS
- 52.227-01 AUTHORIZATION AND CONSENT (DEC 2007) FAR
- 52.227-02 NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT (DEC 2007) FAR
- 52.232-01 PAYMENTS (APR 1984) FAR
- 52.232-08 DISCOUNTS FOR PROMPT PAYMENT (FEB 2002) FAR
- 52.232-11 EXTRAS (APR 1984) FAR
- 52.232-25 PROMPT PAYMENT (OCT 2008) FAR
- 52.232-99 PROVIDING ACCELERATED PAYMENT TO SMALL BUSINESS SUBCONTRACTORS (AUG 2012) (DEVIATION)

This clause implements the temporary policy provided by OMB Policy Memorandum M-12-16, Providing Prompt Payment to Small Business Subcontractors, dated July 11, 2012.

- (a) Upon receipt of accelerated payments from the Government, the contractor is required to make accelerated payments to small business subcontractors to the maximum extent practicable after receipt of a proper invoice and all proper documentation from the small business subcontractor.
- (b) Include the substance of this clause, including this paragraph (b), in all subcontracts with small business concerns.
- (c) The acceleration of payments under this clause does not provide any new rights under the Prompt Payment Act.
- 252.232-7003 ELECTRONIC SUBMISSION OF PAYMENT REQUESTS AND RECEIVING REPORTS (JUN 2012) DFARS
- 252.232-7010 LEVIES ON CONTRACT PAYMENTS (DEC 2006) DFARS
- 52.232-9010 ACCELERATED PAYMENTS TO SMALL BUSINESS (JUN 2012) DLAD
- 52.233-01 DISPUTES (JUL 2002) FAR

ÇONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-13-M-9088	PAGE 14 OF 14 PAGES
52.233-03 PROTEST AFTER		
	V FOR BREACH OF CONTRACT CLAIM (OCT 2004) FAR FOR COMMERCIAL ITEMS (DEC 2010) FAR	
	UPPLIES OF A NONCOMPLEX NATURE (JUN 2003) FAR	
(b) Contractor's obligations. (1) Notwithstanding inspection contract concerning the conclust THE CONTRACT (Contracting	and acceptance by the Government of supplies furnished under this co siveness thereof, the Contractor warrants that for ONE YEAR FROM officer shall state s pecific period of time after delivery, or the specifies.g., the number of miles or hours of use, or combinations of any applic	THE LAST DELIVERY UNDER ed event whose occurrence will
within ONE YEAR FROM THE	G overnment. all give written notice to the Contractor of any breach of warranties in particle of the LAST DELIVERY UNDER THE CONTRACT [Contracting Officer shall by under this contract," or "45 days after discovery of the defect"].	aragraph (b)(1) of this clause insert specific period of time;
52.248-01 VALUE ENGINEER	RING (OCT 2010) FAR	
CONTRACTOR'S SHARE OF Contract Type: Incentive (Voluntary): Program Requirement (Mandat Instant Contract Rate Concurrent and Future Contract	ct Rate :	
following legend on the affected These data, furnished under the	ne Value Engineering clause of contract, shall no ed, or disclosed, in whole or in part, for any purpose other than to evalua-	ot be disclosed outside the
52.249-01 TERMINATION FO	OR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SHORT	ΓFORM) (APR 1984) FAR
52.252-02 CLAUSES INCOR	PORATED BY REFERENCE (FEB 1998) FAR	
request, the Contracting Office	or more clauses by reference, with the same force and effect as if they if will make their full text available. Also, the full text of a clause may be www.dla.mil/Acquisition and http://farsite.hill.af.mil/ .	were given in full text. Upon accessed electronically at
52.252-06 AUTHORIZED DE	VIATIONS IN CLAUSES (APR 1984) FAR	
is indicated by the addition of " (b) The use in this solicitation of	or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) cl (DEVIATION)" after the date of the clause. or contract of any DoD FAR Supplement (DFARS) (48 CFR Chapter 2) Idition of "(DEVIATION)" after the name of the regulation.	
52.253-01 COMPUTER GEN	ERATED FORMS (JAN 1991) FAR	