ORDER FOR SUPPLIES OR SERVICES							PAGE 1 OF8					
CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/CALL NO. SPE4A7-16-M-0450					3. DATE OF ORDE (YYYYMMMDD)	0058864070			EQUEST NO.	5. PRIORITY DO-A1		
					7 ADI	2015 OCT 22 005000 10 / 2 ADMINISTERED BY (If other than 6) CODE S0512A			8. DELIVERY FOB			
DLA AVIATION ACCOUNTINE OFFI AF AND AF DIV					DCM.	A LOS ANGELES		,	13 12A		DESTINATION	
	OND VA 2		WY			BLD0 NOR	16111 PLUMMER STREET,BUILDING 10, 2 BLDG 10, 2ND FLOOR NORTH HILLS CA 91343-2036				X OTHER	
Local A			KHTAR PARWC21 Tel: 804-2 R@DLA.MIL	79-3568 Fax: 804-2	79-6055		USA Criticality: C PAS: None				(See Schedule if other)	
9. CON	TRACTOR	₹		CODE 8	1982	F	FACILITY 10. DELIVER TO FOB POINT BY (Date (YYYYMMMDD)			(,	11. X IF BUSINESS IS	
	HYD	RO-AIF	RE, INC. DBA						195 DAYS ADO 12. DISCOUNT TERMS			SMALL DISAD-
NAME AND	3000	WINO	NA AVE CA 91504-2540					Net 30 days			WOMEN-OWNED	
ADDRES	USA						13. MAIL INVOICES TO THE ADDRESS				IN BLOCK	
14. SHIF	то			CODE		15. PA	YMENT WILL BE M	ADE BY	See Block 1	.4701		MARK ALL
				L		DE	F FIN AND ACC					PACKAGES AND PAPERS WITH
SEE	SCHEE	ULE, C	O NOT SHIP TO ADD	RESSES ON	THIS PAGE		O BOX 182317					IDENTIFICATION NUMBERS IN
						US	OLUMBUS OH 43 SA	218-2317	,			BLOCKS 1 AND 2.
16. TYPE	DELIVEI CALL	RY/	This delivery order/ca	ll is issued on a	nother Government	agency	or in accordance w	ith and sub	ject to terms and co	nditions o	f above numb	pered contract.
OF	PURCHA	ASE X			ed 2015 JUN 05							terms specified herein.
ORDER	i ortorii	NOL A	ACCEPTANCE. THE O									PREVIOUSLY HAVE
	NAME O	F CONT	RACTOR	SIG	SNATURE			TYPED	NAME AND TITLE			DATE SIGNED (YYYYMMMDD)
			supplier must sign Accept		the following number	r of copi	ies:					(TTTTWWWWW
17. ACC	OUNTING	3 AND A	PPROPRIATION DATA/I	OCAL USE								
BX:	97X4930	5CBX	001 2620 S33189 \$9	5460.00								
								20	. QUANTITY		1 1	
18. ITEI	M NO.		19. SCH	EDULE OF SUP	SUPPLIES/SERVICES				ED/ ACCEPTED*	21UNIT	22. UNIT PRICE	23. AMOUNT
		Award sent EDI, Do not duplicate shipment				ent		,				
					T. T. C. C. L. L. C.					<u> </u>		
* If quantity accepted by the Government is same as quantity ordered, indicate by X. 24. UNITED STATES OF AMERICA BEVERLY BELL				A	Beve	rly 1	P. Bell	25. 26.	TOTAL			
	ordered		vantity accepted below rcle.	BEVER BY: PARAS	LY.BELL@DLA.N D2	11L			IG/ORDERING OFFI		FERENCES	
			MN 20 HAS BEEN	SEPTED AND	CONFORMS TO							
	NATURE			CONTRACT E	XCEPT AS NOTED		DATE	d points	ED NAME AND TITLE	OE ALITHO	DRIZED COVE	RNMENT REPRESENTATIVE
J. 0.0.		o. 7.0	.01.1222				(YYYYMMMDD)	G. FRINTE	LO NAME AND THE	OI AUTHO	JAIZED GOVE	NUMERI NEI NEOLITATIVE
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					2	8. SHIP. NO.	29. D.O. \	VOUCHER NO.	30). INITIALS		
							PARTIAL	32. PAID	ВУ	33	s. AMOUNT V	ERIFIED CORRECT FOR
f. TELEPHONE NUMBER g. E-MAIL ADDRESS						FINAL		-				
					31	. PAYMENT			34	. CHECK NU	MBER	
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT. a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER						COMPLETE			35	i. BILL OF LA	DING NO.	
(YYYYMMMDD)					FINAL							
37. REC AT	EIVED	38. RE	CEIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE		TOTAL CON- TAINERS	41. S/R A	CCOUNT NUMBER	42	. S/R VOUCH	IER NO.

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 2 OF 8 PAGES
	SPE4A7-16-M-0450	

FOB: ORIGIN I/A: ORIGIN

First Destination Transportation (FDT) TAC - S8AF Second Destination Transportation (SDT) TAC - S9NA

THIS IS A CRITICAL APPLICATION ITEM. CONFIGURATION CONTROL APPLIES

IN ADDITION TO THE CLAUSES CONTAINED HEREIN, THE PURCHASE ORDER CLAUSES ARE APPLICABLE AS INDICATED IN THE DLA MASTER SOLICITATION FOR

EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) WHICH CAN BE FOUND ON THE WEB AT http://www.dla.mil/Acquisition/Pages/Automaster_EProcurement.aspx.

CONTINUED ON NEXT PAGE

SUPPLIES/SERVICES: 1560-01-166-6231

ITEM DESCRIPTION:

WHEEL SPEED TRANSDUCER HYDRO-AIRE, INC

MIL-STD-130N(1) DATED 16 NOV 2012.
IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015

1. Requirements

- A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.
- B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV) # will also include Requests for Deviations and Waivers.
- 2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:
- A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).
- B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.
- 3. Contractor responsibilities.
- A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.
- B. Refer to $\overline{\text{FAR}}$ Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).
- C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the

SUPPLY/SERVICE: 1560-01-166-6231 CONT'D

Contractor will be notified of anticipated response time.

- D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.
- (1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.
 - (2) DD Form 1692 (current revision) for ECP.

 - (3) DD Form 1694 (current revision) for RFV.(4) DD Form 1695 (current revision) for NOR.
- 4. DLA#s responsibilities:
- A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.
- B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.
- C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.
- (1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.
- (2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.
- 5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.
- 6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.
- 7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.
- 8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

SUPPLY/SERVICE: 1560-01-166-6231 CONT'D

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.

DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
- 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2]
- 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
- 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

TECH DATA PACKAGE AVAILABILITY:

DSCR MAY NOT HAVE AN APPROVED BIDSET FOR THIS NSN.

SAMPLING:

1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED

SUPPLY/SERVICE: 1560-01-166-6231 CONT'D

2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY.

74.000

CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. DBA 81982 P/N 40-97532

ITEM NO. SUPPLIES/SERVICES QUANTITY

UNIT UNIT PRICE

EΑ

AMOUNT

0001 1560-01-166-6231 WHEEL SPEED

TRANSDU

PRICING TERMS: Firm Fixed Price

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: DESTINATION

ACCEPTANCE POINT: DESTINATION

FOB: ORIGIN DELIVERY DATE: 2016 MAY 04

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REOUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS,
INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT

CONTINUATION SHEET

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE4A7-16-M-0450

PAGE 7 OF 8 PAGES

SECTION B

SUPPLY/SERVICE: 1560-01-166-6231 CONT'D

SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALLY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- $^{\bullet}$,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- $\,^{\bullet}$,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W25G1U

W1A8 DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 8 OF 8 PAGES
	SPE4A7-16-M-0450	

SUPPLY/SERVICE: 1560-01-166-6231 CONT'D

W25G1U
W1A8 DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002

GOVT USE

			External	External	External	Customer RDD/
ITEM	PR	PRLI	PR	PRLI	Material	Need Ship Date
0001	0058861072	0001	N/A	N/A	N/A	N/A
