ORDER FOR SUPPLIES OR SERVICES					PAGE 1 OF 8	
1. CONTRACT/PURCH ORDER/AGREEMENT N	0. 2. DELIVERY ORDER/CALL NO	0. 3. DATE OF ORD			/PURCH REQUEST NO.	5. PRIORITY
SPE4A7-16-V-0013		(YYYYMMMDD) 2015 OCT)	0060511446		DO-A1
6. ISSUED BY	CODE SPE4A7	7. ADMINISTERED BY (/	-	6) CODE §	60512A	8. DELIVERY FOB
DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV		DCMA LOS ANGELES				DESTINATION
8000 JEFFERSON DAVIS HWY RICHMOND VA 23297		16111 PLUMMER STREET, BLDG 10, 2ND FLOOR		2		X OTHER
USA Local Admin: MOHAMMAD AKHTAR PARWC21 Tel: 80	-279-3568 Fax: 804-279-6055	NORTH HILLS CA 91343-20 USA Criticality: C PAS: None	136			(See Schedule if other)
	0005 91092				FOB POINT BY (Date)	,
9. CONTRACTOR	CODE 81982	FACILITY 81982		(YYYYMMMI	DD)	11. X IF BUSINESS IS
HYDRO-AIRE, INC. DBA		190 DAYS ADO 12. DISCOUNT TERMS		SMALL DISAD-		
NAME 3000 WINONA AVE BURBANK CA 91504-2540				Net 30 days		VANTAGED WOMEN-OWNED
AND BURBANK CA 91504-2540 ADDRESS USA			13. MAIL INVOIO	CES TO THE ADDRESS II	N BLOCK	
				See Block	15	
14. SHIP TO	CODE	15. PAYMENT WILL BE	ADE BY	CODE S	SL4701	MARK ALL
		DEF FIN AND ACC	OUNTING	SVC		PACKAGES AND PAPERS WITH
SEE SCHEDULE, DO NOT SHIP TO A	DDRESSES ON THIS PAGE	BSM P O BOX 182317				IDENTIFICATION
		COLUMBUS OH 4 USA	3218-2317			NUMBERS IN BLOCKS 1 AND 2.
16. CALL This delivery order	call is issued on another Governmen		with and subj	ject to terms and c	conditions of above number	ered contract.
OF PURCHASE X Reference your	Offer/Quote dated 2015 SEP 21				furnish the following on t	•
ORDER ACCEPTANCE. IF	E CONTRACTOR HEREBY ACCEPTS IODIFIED, SUBJECT TO ALL OF THE					PREVIOUSLY HAVE
NAME OF CONTRACTOR	SIGNATURE		TYPED	NAME AND TITL	E	DATE SIGNED
If this box is marked, supplier must sign Acc		er of conies:				(YYYYMMMDD)
17. ACCOUNTING AND APPROPRIATION DAT						
BX: 97X4930 5CBX 001 2620 S33189						
18. ITEM NO. 19. S	HEDULE OF SUPPLIES/SERVICES		20. QUA ORDE	RED/ 21.	22. UNIT PRICE	23. AMOUNT
			ACCEP	TED* UNIT		
THE PURCHASE ORDE	R CLAUSES ARE APPLICABLE	AS INDICATED IN	26			
	CITATION FOR EPROCUREME NS (PART 13) REVISION 29 (C		20			
WHICH CAN BE FOUND	ON THE WEB AT http://www.dl					
Documents/Master_Solic	tation_REV_29_OCT_15.pdf					
* If quantity accepted by the Government is	24. UNITED STATES OF AMER	ICA AO	A 1		25. TOTAL	
same as quantity ordered, indicate by X. If different, enter actual quantity accepted below	Matthew Wood Matthew.Wood@dla.mi	, <i>II</i> ,	acthen	Wood	26.	
quantity ordered and encircle.	BY: PAR0008			IG/ORDERING OF	FICER	
27a. QUANTITY IN COLUMN 20 HAS BEEN						
	CCEPTED, AND CONFORMS TO HE CONTRACT EXCEPT AS NOTED		-			
b. SIGNATURE OF AUTHORIZED GOVERNM	NT REPRESENTATIVE	c. DATE (YYYYMMMDD)	d. PRINTE	ED NAME AND TITL	E OF AUTHORIZED GOVER	RNMENT REPRESENTATIVE
		,				
e. MAILING ADDRESS OF AUTHORIZED GOV	ERNMENT REPRESENTATIVE	28. SHIP. NO.	29. D.O. \	OUCHER NO.	30. INITIALS	
		PARTIAL	32. PAID	BY	33. AMOUNT VE	ERIFIED CORRECT FOR
f. TELEPHONE NUMBER g. E-MAIL ADDRE	5	FINAL	_			
36. I CERTIFY THIS ACCOUNT IS CORRECT A		31. PAYMENT			34. CHECK NUM	MBER
a. DATE b. SIGNATURE AND TITLE OF CE		COMPLETE			35. BILL OF LA	
(YYYYMMMDD)		FINAL			35. BILL OF LA	DING NO.
37. RECEIVED 38. RECEIVED BY (Print)	39. DATE RECEIV		41. S/R A	CCOUNT NUMBE	R 42. S/R VOUCH	ER NO.
AT	(YYYYMMMD					-

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER SPE4A7-16-V-0013		Page of Page 2 8
		I	
MEASUREMENT AND TEST E	QUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).		
PLACE of INSPECTION fo 9A289 DOUBLE J PACKAGING CO 9834 GLENOAKS BLVD SUN VALLEY CA 91352-1 USA	INC DBA		
	Quality Requirements (FAR 52.246-11) and Higher cturers)(DLAD 52.246-9043)	Level Cor	ntract Quality
The contractors inspec	tion system must comply with ISO 9001-2008.		
This is a Direct Desti			
award is for FMS or	nation Transportation (FDT) program award. If th has an APO/FPO ship-to address, these instructio mal procedures should be followed.	lls ons	
requirements for FDT F.o.b. Origin, Gover First Destination Tr	PPING TO ALL LOCATIONS: Transportation awards are located in DLAD clauses 52.247-9059 nment Arranged Transportation and 52.247-9058, ansportation (FDT) Program - Shipments Originati us United States (OCONUS).	ing	
the continental Unit the continental Unit located in DLAD clau (FDT) Program - Ship	PPING TO CONUS DESTINATION: If awardee is outsided States (OCONUS) and is shipping to a location ed States (CONUS), transportation requirements a ses 52.247-9058, First Destination Transportation ments Originating Outside the contiguous United 52.247-9059 F.O.B. Origin, Government Arranged	n in are	
the continental Unit outside the continen Transportation Offic in the subject line located in DLAD clau (FDT) Program - Ship	PPING TO OCONUS LOCATION: If awardee is outside ed States (OCONUS) and is shipping to a location tal United States (OCONUS), contact the e at delivery@dla.mil with "FDT OCONUS Shipment' for instructions. Transportation requirements a ses 52.247-9058, First Destination Transportation ments Originating Outside the contiguous United 52.247-9059 F.O.B. Origin, Government Arranged	n " are on	
is outside the conti Acceptance are at Or	H INSPECTION AND ACCEPTANCE AT ORIGIN: If awarden nental United States (OCONUS) and Inspection ar igin, normal DCMA transportation procedures show graphs 1, 2 and 3 above do not apply.	nd	

SECTION B

PR: 0060511446 SUPPLIES/SERVICES:

1650003440792

BEZEL, INDICATOR

BEZEL, INDICATOR. P/N:86218 CRITICAL APPLICATION ITEM: HIGHER LEVEL CONTRACT QUALITY REQUIREMENT (MANUFACTURERS) 52.246-11 Higher Level Contract Quality Requirement (Manufacturers) FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action <H>NO FAT REQUIRED</> EXPORT CONTROL DOES NOT APPLY SAMPLING: MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

SPE4A7-16-V-0013

SECTION B

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV)# will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4)to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

(2) DD Form 1692 (current revision) for ECP.

(3) DD Form 1694 (current revision) for RFV.

(4) DD Form 1695 (current revision) for NOR.

4. DLA#s responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the

SECTION B

Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable. C. Routine ECPs will be processed within 90 days from receipt by

the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract. (2) The contractor will be notified in writing of disapproval

including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

The period of time for evaluation and approval/disapproval of an ECP 8. and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

THIS ITEM IS IDENTIFIED AS A COMMERCIAL ITEM - (TO INCLUDE 'COMMERCIAL OF A TYPE')

SAMPLING:

IF THE APPLICABLE (OEM OR MILITARY) DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES AN ACCEPTABLE QUALITY LEVEL (AQL), IT MAY BE USED TO ESTABLISH THE AUTHORIZED SAMPLE SIZE. HOWEVER THE SAMPLING ACCEPTANCE NUMBER SHALL BE REDUCED TO ZERO (0). EVEN THOUGH THE ACCEPTANCE LEVEL IS ELIMINATED, THE SAMPLE SIZE REMAINS THE SAME. UNLESS OTHERWISE SPECIFIED IN THE OEM OR MILITARY DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISIONS (QAPs) CHARACTERISTICS CLASSIFIED AS CRITICAL, MAJOR AND MINOR SHALL HAVE AN ASSIGNED AQL OF 0.10, 1.0, AND 4.0 RESPECTIVELY. ASQ H1331 TABLE 1 OR MIL-STD-1916 SHALL TAKE PRECEDENCE OVER MIL-STD-105 AND ASQ Z1.4. THESE PLANS ACCEPT ON ZERO DEFECTS AND REJECT THE ENTIRE LOT ON ONE DEFECT. A ZERO BASED SAMPLING PLAN SHALL BE USED, UNLESS OTHERWISE SPECIFIED BY CONTRACT.

HYDRO-AIRE, INC. DBA 81982 P/N 86218

ONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-0013	6 8
	SECTION B	I
	SECTION B	
<u>CLIN PR</u> 0001 0060511446	PRLIUIQUANTITYUNITPRICECURRENCY0001EA9.000	TOTAL PRICE
NSN/MATERIAL:165000344	0792	
QTY VARIANCE: PLUS 00.	00% MINUS 00.00%	
INSPECTION POINT: ORIG	IN	
ACCEPTANCE POINT: ORIG	IN	
PREP FOR DELIVERY:		
PKGING DATA-QUP:001		
SHALL BE PACKAGED STAN	IDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.	
 , All Section "D" Pac ASTM D3951. , In addition to requise used, the Method of Commercial Pack. , The Unit of Issue (ercial Packaging is specified, the following apply: ekaging and Marking Clauses take precedence over direments in MIL-STD-129, when Commercial Packaging of Preservation for all MIL-STD-129 marking and labe (U/I) and Quantity per Unit Pack (QUP) as specified precedence over QUP in ASTM D3951.	ling shall be "CP"
DELIVER FOB: ORIGIN I	DELIVER BY: 2016 APR 11	
PLACE of INSPECTION fo	pr PACKAGING:	
9A289 DOUBLE J PACKAGING CO	INC DBA	
9834 GLENOAKS BLVD SUN VALLEY CA 91352-1	.046	
USA		
PARCEL POST ADDRESS:		
SW3119 DLA DISTRIBUTION WARNE	PORTNS	
455 BYRON STREET BLDG ROBINS A F B GA 31098-	376	
US	1007	
FOR TRANSPORTATION ASS AWARDS SEE DLAD 52.247 CONTRACT INSTRUCTIONS		N TRANSPORTATION (FDT)
FREIGHT SHIPPING ADDRE	355 :	
SW3119 DLA DISTRIBUTION WARNE 455 BYRON STREET BLDG ROBINS A F B GA 31098- US	376	
	CONTINUED O	N NEXT PAGE

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages	
	SPE4A7-16-V-0013	7 8	
	SECTION B	-	
CLIN: 0001 PR: 0060513	1446 PRLI: 0001 CONT'D		
* * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * *	
<u>CLIN PR</u> 0002 0060511446	PRLIUIQUANTITYUNITPRICECURRENCYTOT0002EA17.000	AL PRICE	
NSN/MATERIAL:165000344	40792		
QTY VARIANCE: PLUS 00	.00% MINUS 00.00%		
INSPECTION POINT: ORIC	GIN		
ACCEPTANCE POINT: ORIC	GIN		
PREP FOR DELIVERY:			
PKGING DATA-QUP:001			
SHALL BE PACKAGED STAN	NDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.		
Markings Paragraph When ASTM D3951, Comme •,,All Section "D" Pac ASTM D3951.	ercial Packaging is specified, the following apply: ckaging and Marking Clauses take precedence over		
•,,In addition to requise used, the Method of Commercial Pack.	lirements in MIL-STD-129, when Commercial Packaging of Preservation for all MIL-STD-129 marking and labeling (U/I) and Quantity per Unit Pack (QUP) as specified	shall be "CP"	
	precedence over QUP in ASTM D3951.		
DELIVER FOB: ORIGIN I	DELIVER BY: 2016 APR 11		
PLACE of INSPECTION fo 9A289	Dr PACKAGING:		
DOUBLE J PACKAGING CO 9834 GLENOAKS BLVD	INC DBA		
SUN VALLEY CA 91352-1 USA	1046		
PARCEL POST ADDRESS:			
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US			
		ANSPORTATION (FDT)	
FREIGHT SHIPPING ADDRI	ESS:		
SW3210			
	CONTINUED ON N	EXT PAGE	

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-0013	8 8
	SECTION B	
CLIN: 0002 PR: 0060511	446 PRLI: 0002 CONT'D	
DLA DISTRIBUTION DEPOT 7537 WARDLEIGH RD BLDG HILL AFB UT 84056-5734 US	6 849W	
* * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * *