			ORDER I	FOR SUPPLI	ES C		6					PAGE 1 OF 6
		DER/AGREEMENT NO.		Y ORDER/CALL NO		3. DATE OF ORDE	R/CALL			V/PURCH REQUES		5. PRIORITY
SPE4A7-16-		JERAGREEMENT NO.	2. DELIVER	T ORDER/CALL NO.	•	(YYYYMMMDD) 2015 OCT			3087034		TNO.	DO-A1
6. ISSUED BY			CODE S	SPE4A7	7. AC	MINISTERED BY (If	-	6)	CODE	SPE4A7		8. DELIVERY FOB
DLA AVIATION						A AVIATION					DESTINATION	
8000 JEFFERSOI RICHMOND VA 2	N DAVIS HW				800	SUPPLIER OPER AE AN JEFFERSON DAVIS HV	ND AF DIV VY					X OTHER
USA Local Admin: MOH	HAMMAD AK	(HTAR PARWC21 Tel: 804-27	79-3568 Fax: 804-	279-6055	USA	HMOND VA 23297 Cality: C PAS: None						(See Schedule if other)
Email: MOHAMM		@DLA.MIL				-					Data	,
9. CONTRACTO	R		CODE 8	31982		ACILITY			YYYMMN	IDD)	Date)	11. X IF BUSINESS IS
HYDRO-AIRE, INC. DBA								12. DI	190 SCOUNT	DAYS ADO		SMALL SMALL DISAD-
	0 WINON	NA AVE XA 91504-2540						Net 30				VANTAGED WOMEN-OWNED
AND BUR ADDRESS USA		A 91304-2340						13. M/		CES TO THE ADDR	RESSI	
									e Block			
14. SHIP TO			CODE		15. P/	AYMENT WILL BE M	ADE BY		CODE	SL4701		MARK ALL
			L			EF FIN AND ACCO	DUNTING	SVC	L			PACKAGES AND PAPERS WITH
SEE SCHE	DULE. DO	O NOT SHIP TO ADD	DRESSES OF		BSM P O BOX 182317						IDENTIFICATION	
	- ,	С	COLUMBUS OH 43218-2317						NUMBERS IN BLOCKS 1 AND 2.			
												BEGORG TAND L
16. CALL	16. DELIVERY/ CALL This delivery order/call is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.											ered contract.
OF PURCH				ted 2015 OCT 20,	-						-	terms specified herein.
ORDER		BEEN OR IS NOW MOI										PREVIOUSLY HAVE
							TYPE					
	OF CONTR			GNATURE			TYPEL	) NAME	AND TITL	.E		DATE SIGNED (YYYYMMMDD)
		upplier must sign Accepta		the following number	er of cop	Dies:						
17. ACCOUNTIN	G AND AF	PROPRIATION DATA/L	LOCAL USE									
BX: 97X493	0 5CBX (	001 2620 S33189										
							20. QUA		21.	22. UNIT PRICE		23. AMOUNT
18. ITEM NO.		19. SCHI	EDULE OF SU	PPLIES/SERVICES			ORDE ACCEF		UNIT			
	THE D	URCHASE ORDER										
	THE D	LA MASTER SOLICI	ITATION FOF	R EPROCUREME	NT AL	ITOMATED	10					
		IFIED ACQUISITION										
		ents/Master_Solicitat										
	Award	sent EDI, Do not dupl	licate shipme	ent								
			24. UNITED	STATES OF AMERI	CA					25. TOTAI	_	
same as quantity ordered, indicate by X. Matthew Wood						Machen Wood 25. TOTAL 26. DIFFERENCE						
If different, enter quantity ordered		antity accepted below cle.	BY: PAR00	ew.Wood@dla.mil		CONTRACTING/ORDERING OFFICER			ICES			
27a. QUANTITY	IN COLUN	IN 20 HAS BEEN	174(00	300				10, 0112				
	D 🗌 R			CONFORMS TO EXCEPT AS NOTED								
b. SIGNATURE	OF AUTH	ORIZED GOVERNMENT				c. DATE d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESEN					RNMENT REPRESENTATIVE	
						(YYYYMMMDD)						
e. MAILING ADI	DRESS OF	F AUTHORIZED GOVER	NMENT REPR	ESENTATIVE	:	28. SHIP. NO.	29. D.O.	олсн	ER NO.	30. INITIA	ALS	
											Г	
						PARTIAL	32. PAID BY 33. AMOUNT VE		ERIFIED CORRECT FOR			
f. TELEPHONE	NUMBER	g. E-MAIL ADDRESS				FINAL						
					3	1. PAYMENT				34. CHEC		MBER
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						COMPLETE						
a. DATE (YYYYMMMDD)	b. SIGNA	TURE AND TITLE OF CERTI	FYING OFFICER			PARTIAL				35. BILL	OF LA	DING NO.
, ,						FINAL						
37. RECEIVED AT	38. REC	EIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE		). TOTAL CON- TAINERS	41. S/R A	CCOUN		ER 42. S/R V	OUCH	ER NO.
						-						

## ORDER NUMBER / CALL NUMBER

SPE4A7-16-V-0120

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003). Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement(non-manufacturers)(DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

- This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.
- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

## SECTION B

PR: 0060870340 SUPPLIES/SERVICES:

1650003440791

RETAINER, RESERVOIR

RETAINER, RESERVOIR HYDRO-AIRE, INC. CAGE 81982 P/N 86216

SAMPLING:

IF THE APPLICABLE (OEM OR MILITARY) DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES AN ACCEPTABLE QUALITY LEVEL (AQL), IT MAY BE USED TO ESTABLISH THE AUTHORIZED SAMPLE SIZE. HOWEVER THE SAMPLING ACCEPTANCE NUMBER SHALL BE REDUCED TO ZERO (0). EVEN THOUGH THE ACCEPTANCE LEVEL IS ELIMINATED, THE SAMPLE SIZE REMAINS THE SAME. UNLESS OTHERWISE SPECIFIED IN THE OEM OR MILITARY DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISIONS (QAPS) CHARACTERISTICS CLASSIFIED AS CRITICAL, MAJOR AND MINOR SHALL HAVE AN ASSIGNED AQL OF 0.10, 1.0, AND 4.0 RESPECTIVELY. ASQ H1331 TABLE 1 OR MIL-STD-1916 SHALL TAKE PRECEDENCE OVER MIL-STD-105 AND ASQ Z1.4. THESE PLANS ACCEPT ON ZERO DEFECTS AND REJECT THE ENTIRE LOT ON ONE DEFECT. A ZERO BASED SAMPLING PLAN SHALL BE USED, UNLESS OTHERWISE SPECIFIED BY CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV)# will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from

## SECTION B

specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4)to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

- (2) DD Form 1692 (current revision) for ECP.
- (3) DD Form 1694 (current revision) for RFV.
- (4) DD Form 1695 (current revision) for NOR.

4. DLA#s responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable. C. Routine ECPs will be processed within 90 days from receipt by

C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.
 (2) The contractor will be notified in writing of disapproval

(2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

CONTINUATION SHEET

## SECTION B

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. DBA 81982 P/N 86216

CONTINUATION SHEET	ION SHEET ORDER NUMBER / CALL NUMBER							
	SPE4A7-16-V-0120	6   6						
	SECTION B							
CLIN: 0001 PR: 0060870	0340 PRLI: 0001 CONT'D							
CLIN         PR           0001         0060870340	PRLI         UI         QUANTITY         UNIT         PRICE         CURRENCY           0001         EA         10.000 <td< td=""><td>TOTAL PRICE</td></td<>	TOTAL PRICE						
NSN/MATERIAL:165000344	40791							
QTY VARIANCE: PLUS 00	.00% MINUS 00.00%							
INSPECTION POINT: DEST	FINATION							
ACCEPTANCE POINT: DEST	FINATION							
PREP FOR DELIVERY:								
PKGING DATA-QUP:001								
SHALL BE PACKAGED STAN	NDARD COMMERCIAL IN ACCORDANCE WITH ASTM D 3951.							
<ul> <li>, All Section "D" Pace ASTM D3951.</li> <li>, In addition to requise used, the Method of Commercial Pack.</li> <li>, The Unit of Issue</li> </ul>	ercial Packaging is specified, the following apply: ckaging and Marking Clauses take precedence over direments in MIL-STD-129, when Commercial Packaging of Preservation for all MIL-STD-129 marking and label (U/I) and Quantity per Unit Pack (QUP) as specified precedence over QUP in ASTM D3951.	ing shall be "CP"						
DELIVER FOB: ORIGIN I	DELIVER BY: 2016 APR 27							
PARCEL POST ADDRESS:								
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US								
FOR TRANSPORTATION AS AWARDS SEE DLAD 52.24 CONTRACT INSTRUCTIONS		TRANSPORTATION (FDT)						
FREIGHT SHIPPING ADDRI	ESS:							
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD BLDO HILL AFB UT 84056-5734 US	G 849W							
* * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * *						