				ORDER I	FOR SUPPLI	ES C	R SERVICES	3					PAGE 1 OF 7
CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/CALL NO.					3. DATE OF ORDER/CALL			4. REQUISITION/PURCH REQUEST NO.			5. PRIORITY		
SPE4A7-16-V-0249				(YYYYMMMDD) 2015 NOV	17	7 0061113488			DO-A1				
					7. AD	7. ADMINISTERED BY (If other than 6) CODE S0512A						8. DELIVERY FOB	
ASC S			AND AF DIV				DCMA LOS ANGELES 16111 PLUMMER STREET, BUILDING 10, 2						DESTINATION
8000 JEFFERSON DAVIS HWY BLDG 10, 2ND FLO NICHMOND VA 23297												X OTHER	
			AKHTAR PARWC21 Tel: 804-2 AR@DLA.MIL	79-3568 Fax: 804-	279-6055	USA Critic	cality: C PAS: None						(See Schedule if other)
	TRACTO		THE DEPT. WILL	CODE 8	31982	F	ACILITY 81982		10. DE	LIVER 1	О ГОВ Р	OINT BY (Date)	11. X IF BUSINESS IS
3. SONTRACTOR							0.002	(YYYYMMMDD) 190 DAYS ADO			SMALL		
HYDRO-AIRE, INC. DBA							12. DISCOUNT TERMS			SMALL DISAD-			
NAME 3000 WINONA AVE BURBANK CA 91504-2540								Net 30 days				VANTAGED WOMEN-OWNED	
AND BURBANK CA 91504-2540 ADDRESS USA								13. MA	AIL INVO	N BLOCK			
									Se	e Block	15		_
14. SHIF	то			CODE		15. PA	YMENT WILL BE M	ADE BY	(CODE	SL4701		MARK ALL
							DEF FIN AND ACCOUNTING SVC						PACKAGES AND PAPERS WITH
SEE	SCHE	DULE,	DO NOT SHIP TO ADD	DRESSES OF	N THIS PAGE		BSM P O BOX 182317						IDENTIFICATION
					COLUMBUS OH 43218-2317 USA						NUMBERS IN BLOCKS 1 AND 2.		
16.	DELIVE	RY/	This delivery order/ca	ll is issued on a	another Government			ith and sub	iect to te	erms and	l condition	ns of above numb	ered contract.
TYPE	CALL		· ·			-9,			,				
OF ORDER	PURCH	ASE]			ted 2015 NOV 06	THE OF	FER REPRESENTER) BY THE N	LIMBER	ED PLIR			terms specified herein.
OKDEK			BEEN OR IS NOW MO										THE VIOLOGET TIME
	NAME C	ME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE									DATE SIGNED		
If th	is box is	marked	supplier must sign Accept	ance and returr	n the following number	r of cop	ies:	(YYYYMMMDD)					
			APPROPRIATION DATA/I		<u> </u>								
BX:	97X493	0 5CB.	X 001 2620 S33189										
18. ITE	VI NO.		19. SCH	EDULE OF SU	PPLIES/SERVICES			20. QUA ORDEI ACCEP	RED/	21. UNIT	22. L	JNIT PRICE	23. AMOUNT
			DUDOULAGE ODDED	01.411050.41	25 4551164515								
			PURCHASE ORDER			42	:						
			LIFIED ACQUISITION CH CAN BE FOUND O										
			ments/J7Acquisition/M										
		Δωσι	d sent EDL Do not dun	nt EDI, Do not duplicate shipment									
		Awai	a sent LDI, Do not dap	ilicate shipine	art.								
				· · · · · · · · · · · · · · · · · · ·									
* If quantity accepted by the Government is same as quantity ordered, indicate by X. 24. UNITED STATES OF AMERICA Matthew Wood						CA	m	1.4	- 1	l recel	7	25. TOTAL	
If different, enter actual quantity accepted below Matthew.Wood@dla.mil							DIFFE					26. DIFFERENCES	
				BY: PAR0	008		CONTRACTING/ORDERING OFFICER						
			UMN 20 HAS BEEN	CEPTED, AND	CONFORMS TO								
_	SPECTE				EXCEPT AS NOTED		DATE	Lappure		AND TO	150541	ITHODIZED COVE	DAMENT DEDDESCRITATIVE
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							d. PRINTED NAME AND TITLE OF AUTHORIZED GO					THORIZED GOVE	RNMENT REPRESENTATIVE
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE							8. SHIP. NO.	29. D.O. VOUCHER NO. 30. INITIALS					
30.1								JULIALS					
							PARTIAL	32. PAID BY 33. AMOUNT V			ERIFIED CORRECT FOR		
f. TELE	PHONE I	NUMBE	R g. E-MAIL ADDRESS				FINAL	32. PAID	ы				
			J			31	I. PAYMENT	34. CHECK NUI			MBER		
						1	COMPLETE	34. CHECK NUM			-		
a. DAT	E		NATURE AND TITLE OF CERTI				PARTIAL					35. BILL OF LA	DING NO.
(YYYYMMMDD)							FINAL						
37. REC	EIVED	38. RI	ECEIVED BY (Print)		39. DATE RECEIV		. TOTAL CON-	41. S/R A	CCOUN	IT NUME	ER	42. S/R VOUCH	IER NO.
AT					(YYYYMMMDE	<i>y</i>)	TAINERS						

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003).

DFARS 252.225-7001, BUY AMERICAN ACT--BALANCE OF PAYMENTS PROGRAM APPLIES.

PLACE of INSPECTION for PACKAGING:

9A289

DOUBLE J PACKAGING CO INC

9834 GLENOAKS BLVD

SUN VALLEY CA 91352-1046

USA

Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement(non-manufacturers) (DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.

- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

CONTINUED ON NEXT PAGE

Page of Pages

3 | 7

SECTION B

PR: 0061113488 SUPPLIES/SERVICES:

1650003440795

DRUM, CABLE, MEDIUM

DRUM, CABLE, MEDIUM HYDRO-AIRE, INC. CAGE 81982 P/N: 86227

SAMPLING:

IF THE APPLICABLE (OEM OR MILITARY) DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES AN ACCEPTABLE QUALITY LEVEL (AQL), IT MAY BE USED TO ESTABLISH THE AUTHORIZED SAMPLE SIZE. HOWEVER THE SAMPLING ACCEPTANCE NUMBER SHALL BE REDUCED TO ZERO (0). EVEN THOUGH THE ACCEPTANCE LEVEL IS ELIMINATED, THE SAMPLE SIZE REMAINS THE SAME. UNLESS OTHERWISE SPECIFIED IN THE OEM OR MILITARY DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISIONS (QAPS) CHARACTERISTICS CLASSIFIED AS CRITICAL, MAJOR AND MINOR SHALL HAVE AN ASSIGNED AQL OF 0.10, 1.0, AND 4.0 RESPECTIVELY. ASQ H1331 TABLE 1 OR MIL-STD-1916 SHALL TAKE PRECEDENCE OVER MIL-STD-105 AND ASQ Z1.4. THESE PLANS ACCEPT ON ZERO DEFECTS AND REJECT THE ENTIRE LOT ON ONE DEFECT. A ZERO BASED SAMPLING PLAN SHALL BE USED, UNLESS OTHERWISE SPECIFIED BY CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015

1. Requirements

- A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.
- B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV) # will also include Requests for Deviations and Waivers.
- 2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:
- A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).
- B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from

SECTION B

specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

- A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.
- B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (\mbox{TDP}).
- C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.
- D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.
- (1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.
 - (2) DD Form 1692 (current revision) for ECP.
 - (3) DD Form 1694 (current revision) for RFV.
 - (4) DD Form 1695 (current revision) for NOR.

4. DLA#s responsibilities:

- A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.
- B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

 C. Routine ECPs will be processed within 90 days from receipt by
- C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.
- (1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

 (2) The contractor will be notified in writing of disapproval
- (2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.
- 5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.
- 6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.
- 7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

CONTINUATION SHEET

ORDER NUMBER / CALL NUMBER SPE4A7-16-V-0249

Page of Pages

| 7

SECTION B

The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100). THE FOLLOWING TAILORED VERSION OF ISO 9001:2008: OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.

DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
- 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

CRITICAL APPLICATION ITEM: SAMPLING:

CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. DBA 81982 P/N 86227

CONTINUATION SHEET

ORDER NUMBER / CALL NUMBER SPE4A7-16-V-0249

Page of Pages

6 | 7

SECTION B

CLIN: 0001 PR: 0061113488 PRLI: 0001 CONT'D

CLIN PR PRLI UI QUANTITY UNIT PRICE CURRENCY TOTAL PRICE

0001 0061113488 0001 EA 42.000

NSN/MATERIAL:1650003440795

QTY VARIANCE: PLUS 00.00% MINUS 00.00%

INSPECTION POINT: ORIGIN
ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:
PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH ASTM D 3951.

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:
•,,All Section "D" Packaging and Marking Clauses take precedence over
ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ullet ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

DELIVER FOB: ORIGIN DELIVER BY: 2016 MAY 25

PLACE of INSPECTION for PACKAGING: 9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

PARCEL POST ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD BLDG 849W HILL AFB UT 84056-5734 US

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-0249	7 7
	CECHTON D	<u>'</u>
	SECTION B	
CLIN: 0001 PR: 0061113	8488 PRLI: 0001 CONT'D	
* * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * *