			ORDER I	FOR SUPPLI	ES C		5					PAGE 1 OF 7
		DER/AGREEMENT NO.		Y ORDER/CALL NO		3. DATE OF ORDE				N/PURCH RE		5. PRIORITY
SPE4A7-16-		BER/AGREEMENT NO.	2. DELIVER			(YYYYMMMDD) 2015 DEC			6151078		QUEST NO.	DO-A1
6. ISSUED BY			CODE S	SPE4A7	7. AD	MINISTERED BY (If		6)	CODE	S0512A		8. DELIVERY FOB
DLA AVIATION ASC SUPPLIER (DCN	A LOS ANGELES		,		0001211		DESTINATION
8000 JEFFERSOI RICHMOND VA 2	N DAVIS HW				BLD	11 PLUMMER STREET,B G 10, 2ND FLOOR		2				X OTHER
USA Local Admin: MOH	HAMMAD AK	KHTAR PARWC21 Tel: 804-27	79-3568 Fax: 804-	279-6055	USA	RTH HILLS CA 91343-203 Cality: C PAS: None	36					(See Schedule if other)
Email: MOHAMM		@DLA.MIL		1000		-						,
9. CONTRACTO	R		CODE 8	31982	ŀ	FACILITY 81982			YYYMMN	1DD)	(11. X IF BUSINESS IS
HYD	DRO-AIR	E, INC. DBA						12. DI	SCOUNT	DAYS AD	0	SMALL SMALL DISAD-
	0 WINON	NA AVE XA 91504-2540						Net 30				VANTAGED WOMEN-OWNED
AND BUR ADDRESS USA		× 9100+-20+0						13. M/		CES TO THE	ADDRESS	
									e Block			
14. SHIP TO			CODE		15. P/	AYMENT WILL BE M	ADE BY		CODE	SL4701		MARK ALL
			L			EF FIN AND ACCO	DUNTING	SVC	L			PACKAGES AND
SEE SCHE	DULE. D	O NOT SHIP TO ADD	DRESSES OF	N THIS PAGE		SM O BOX 182317						PAPERS WITH IDENTIFICATION
	- /				C	OLUMBUS OH 43	218-2317	,				NUMBERS IN BLOCKS 1 AND 2.
16 DELIVE	RY/	1				SA						
16. CALL		This delivery order/cal	I is issued on a	another Government	agenc	y or in accordance w	ith and sub	ject to te	erms and	conditions of	above numb	ered contract.
OF PURCH				ted 2015 DEC 11,								terms specified herein.
ORDER		BEEN OR IS NOW MOI										PREVIOUSLY HAVE
							T/055			_		
—	OF CONTR			GNATURE	,		TYPEL) NAME	AND TITL	.E		DATE SIGNED (YYYYMMMDD)
		upplier must sign Accepta		the following number	er of cop	Dies:						
17. ACCOUNTIN	G AND AF	PPROPRIATION DATA/L	JOCAL USE									
BX: 97X493	0 5CBX	001 2620 S33189										
							20. QUA ORDE		21.	22. UNIT	PRICE	23. AMOUNT
18. ITEM NO.		19. SCH	EDULE OF SU	PPLIES/SERVICES			ACCEP		UNIT			
	THE D	PURCHASE ORDER										
	THE D	DLA MASTER SOLICI	ITATION FOF	R EPROCUREME	NT AL	ITOMATED	151					
		IFIED ACQUISITION										
		ents/J7Acquisition/Ma										
	Award	sent EDI, Do not dupl	licate shipme	ent								
			24. UNITED	STATES OF AMERI	CA					25	TOTAL	
same as quantit	, ordered,		Matthe	w Wood		M	auter	= h	loor	25.	TOTAL	
If different, enter quantity ordered		antity accepted below cle.	BY: PAR00	ew.Wood@dla.mil		CONTRACTING/ORDERING OFFICER			FERENCES			
27a. QUANTITY	IN COLUM	MN 20 HAS BEEN	17400	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				10, 0112		110211		
	D F			CONFORMS TO EXCEPT AS NOTED	-							
b. SIGNATURE	OF AUTH					DATE	d. PRINTE	ED NAME	AND TIT	LE OF AUTHO	RIZED GOVE	RNMENT REPRESENTATIVE
						(YYYYMMMDD)						
e. MAILING ADI	DRESS OF	F AUTHORIZED GOVER	NMENT REPR	ESENTATIVE	1	28. SHIP. NO.	29. D.O. V	олсн	ER NO.	30	. INITIALS	
						PARTIAL	32. PAID	BY		33	. AMOUNT V	ERIFIED CORRECT FOR
f. TELEPHONE	NUMBER	g. E-MAIL ADDRESS				FINAL						
					3	1. PAYMENT				34	. CHECK NU	MBER
		UNT IS CORRECT AND		PAYMENT.		COMPLETE						
a. DATE (YYYYMMMDD)	b. SIGNA	ATURE AND TITLE OF CERTII	FYING OFFICER			PARTIAL				35	. BILL OF LA	DING NO.
, ,						FINAL						
37. RECEIVED AT	38. REC	EIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE). TOTAL CON- TAINERS	41. S/R A	CCOUN		ER 42	. S/R VOUCH	IER NO.
						-						

ONTINUATION SHEET	ORDER NUMBER / CALL NUMBER SPE4A7-16-V-0411	Page of Pages 2 7
	INC	PPLIES.
Requirement (non-manufa	Quality Requirements (FAR 52.246-11) and Highe cturers)(DLAD 52.246-9043) tion system must comply with ISO 9001-2008.	er Level Contract Quality
 award is for FMS or 1 do not apply and nor 1. CONUS AWARDEES SHI requirements for FDT F.o.b. Origin, Gover: First Destination Tr 	nation Transportation (FDT) program award. If has an APO/FPO ship-to address, these instruct mal procedures should be followed. PPING TO ALL LOCATIONS: Transportation awards are located in DLAD clauses 52.247-905 nment Arranged Transportation and 52.247-9058, ansportation (FDT) Program - Shipments Origina	59
2. OCONUS AWARDEE SHI the continental Unit the continental Unit located in DLAD clau (FDT) Program - Ship	us United States (OCONUS). PPING TO CONUS DESTINATION: If awardee is outs ed States (OCONUS) and is shipping to a locati ed States (CONUS), transportation requirements ses 52.247-9058, First Destination Transportat ments Originating Outside the contiguous Unite 52.247-9059 F.O.B. Origin, Government Arranged	ion in s are tion ed
the continental Unite outside the continent Transportation Office in the subject line located in DLAD claus (FDT) Program - Ship	PPING TO OCONUS LOCATION: If awardee is outsided ed States (OCONUS) and is shipping to a locati tal United States (OCONUS), contact the e at delivery@dla.mil with "FDT OCONUS Shipmer for instructions. Transportation requirements ses 52.247-9058, First Destination Transportat ments Originating Outside the contiguous Unite 52.247-9059 F.O.B. Origin, Government Arranged	ion nt" s are tion ed
is outside the conti Acceptance are at Or	H INSPECTION AND ACCEPTANCE AT ORIGIN: If awar nental United States (OCONUS) and Inspection igin, normal DCMA transportation procedures sh graphs 1, 2 and 3 above do not apply.	and

CONTINUED ON NEXT PAGE

SECTION B

PR: 0061510787 SUPPLIES/SERVICES:

1650003216158

POPPET, SHUTOFF VALV

POPPET, SHUTOFF VALVE HYDRO-AIRE INC. (81982) P/N 86002

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICATION LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV) # will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

SECTION B

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4)to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

(2) DD Form 1692 (current revision) for ECP.

(3) DD Form 1694 (current revision) for RFV.

(4) DD Form 1695 (current revision) for NOR.

4. DLA#s responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

(2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or

CONTINUATION SHEET	•
--------------------	---

SECTION B

in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action IDENTIFY TO: SAMPLING: NO DATA IS AVAILABLE. THE ALTERNATE OFFEROR IS REQUIRED TO PROVIDE A COMPLETE DATA PACKAGE INCLUDING DATA FOR THE APPROVED AND ALTERNATE PART FOR EVALUATION. CRITICAL APPLICATION ITEM HYDRO-AIRE, INC. DBA 81982 P/N 86002

CONTINUED ON NEXT PAGE

ONTINUATION SHEET	SHEET ORDER NUMBER / CALL NUMBER					
	SPE4A7-16-V-0411	6 7				
	SECTION B					
CLIN PR	PRLI UI QUANTITY UNIT PRICE CURRENCY 7	TOTAL PRICE				
0001 0061510787	0001 EA 151.000					
NSN/MATERIAL:16500032						
QTY VARIANCE: PLUS 00						
INSPECTION POINT: ORI						
ACCEPTANCE POINT: ORI	GIN					
PREP FOR DELIVERY:						
PKGING DATA-QUP:001						
SHALL BE PACKAGED IN 2	ACCORDANCE WITH ASTM D 3951.					
 , All Section "D" Par ASTM D3951. , In addition to requise used, the Method of Commercial Pack. , The Unit of Issue 	ercial Packaging is specified, the following apply: ckaging and Marking Clauses take precedence over uirements in MIL-STD-129, when Commercial Packaging of Preservation for all MIL-STD-129 marking and labeli (U/I) and Quantity per Unit Pack (QUP) as specified precedence over QUP in ASTM D3951.	ing shall be "CP"				
DELIVER FOB: ORIGIN	DELIVER BY: 2016 SEP 12					
PLACE of INSPECTION for	or PACKAGING:					
9A289 DOUBLE J PACKAGING CO	INC					
9834 GLENOAKS BLVD SUN VALLEY CA 91352-	1046					
USA						
PARCEL POST ADDRESS:						
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD HILL AFB UT 84056-573						
US FOR TRANSPORTATION AS AWARDS SEE DLAD 52.24 CONTRACT INSTRUCTIONS		TRANSPORTATION (FDT)				
FREIGHT SHIPPING ADDR	ESS:					
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD BLD HILL AFB UT 84056-573 US	G 849W					
	CONTINUED ON	(NEXT PAGE				

ONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-0411	7 7
	SECTION B	
CLIN: 0001 PR: 0061510	787 PRLI: 0001 CONT'D	
* * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * *