				ORDER I	FOR SUPPLI	ES C	R SERVICES	8					PAGE 1 OF 7	
1. CONT	RACT/PL	JRCH C	RDER/AGREEMENT NO.	2. DELIVER	Y ORDER/CALL NO		3. DATE OF ORDE	R/CALL	4. REC	UISITIO	N/PURCI	H REQUEST NO.	5. PRIORITY	
SPE4A7-16-V-2031					(YYYYMMMDD) 2016 JUL	13 0064554139			39		DO-A1			
6. ISSUED BY CODE SPE4A7 7. A						7. AD	7. ADMINISTERED BY (If other than 6) CODE S0512A						8. DELIVERY FOB	
ASC S			AND AF DIV				DCMA LOS ANGELES 16111 PLUMMER STREET, BUILDING 10, 2						DESTINATION	
8000 JEFFERSON DAVIS HWY BLDG 10 NORTH I						DG 10, 2ND FLOOR PRTH HILLS CA 91343-2036						X OTHER		
			AKHTAR PARWC21 Tel: 804-2 AR@DLA.MIL	79-3568 Fax: 804-	279-6055	USA Critic	cality: C PAS: None						(See Schedule if other)	
	TRACTO		TI (@DD I.IVIIE	CODE 8	31982	F	FACILITY 81982		10. DE	LIVER 1	О ГОВ Р	OINT BY (Date)	11. X IF BUSINESS IS	
5. CONTRACTOR							0.002	(YYYYMMMDD) 145 DAYS ADO			ADO	SMALL		
HYDRO-AIRE, INC.							12. DISCOUNT TERMS			SMALL DISAD-				
NAME 3000 WINONA AVE BURBANK CA 91504-2540								Net 30 days			VANTAGED WOMEN-OWNED			
AND BURBANK CA 91504-2540 ADDRESS USA								13. MA	AIL INVO	N BLOCK				
									Se	e Block	: 15			
14. SHIF	то			CODE		15. P <i>A</i>	YMENT WILL BE M	ADE BY	(CODE	SL4701		MARK ALL	
							EF FIN AND ACCO	DUNTING	SVC				PACKAGES AND PAPERS WITH	
SEE	SCHE	DULE,	DO NOT SHIP TO ADD	DRESSES OF	N THIS PAGE	BSM P O BOX 182317						IDENTIFICATION		
					COLUMBUS OH 43218-2317 USA						NUMBERS IN BLOCKS 1 AND 2.			
16.	DELIVE	RY/	This delivery order/ca	II is issued on a	another Governmen			ith and sub	iect to te	erms and	l conditio	ns of above numb	ered contract	
TYPE	CALL		· · ·		ted 2016 JUL 12,	-9	,		,					
DIDCHASE V						THE OF	FER REPRESENTED) BY THE N	IUMBER	FD PUR			terms specified herein.	
OKDEK			BEEN OR IS NOW MO	DIFIED, SUBJE	ECT TO ALL OF THE	TERMS	AND CONDITIONS S	ET FORTH	, AND A	GREES 1	O PERFO	ORM THE SAME.	THE VIOLOGET TIME	
	NAME C	F CON	TRACTOR	SI	GNATURE			TYPED	NAME	AND TIT	LE		DATE SIGNED	
If th	is box is	marked.	supplier must sign Accept	pies:						(YYYYMMMDD)				
			APPROPRIATION DATA/I		<u> </u>									
BX:	97X493	0 5CB	X 001 2620 S33189											
18. ITEM NO.			19. SCHEDULE OF SUPPLIES/SERVICES					20. QUA ORDEI ACCEP	RED/	21. UNIT	22. l	JNIT PRICE	23. AMOUNT	
		T. 15	DUDOUAGE ODDED	01 411050 41	DE ADDI 10 ADI E	A O. IN IE	NOATED IN							
			PURCHASE ORDER					5						
			PLIFIED ACQUISITION CH CAN BE FOUND O											
			ments/J7Acquisition/M											
	Award sent EDI, Do not duplicate shipment													
		, twa	a cont EDI, Do not dap	noute empirie	,,,,,									
				24 LINUTED	STATES OF AMERI	~ A								
			the Government is d, indicate by X.		w Wood	JA	m	authen	- 6	l nack	7	25. TOTAL		
If differ		actual o	quantity accepted below	Matthe	ew.Wood@dla.mil							26. DIFFERENCES		
				BY: PAR0	008		CO	NTRACTIN	IG/ORDI	ERING C	FFICER			
	SPECTE				CONFORMS TO									
_					EXCEPT AS NOTED		. DATE	4 DDINIT	ED NIAME	- AND TI	I F OF AL	ITHODIZED COVE	DAMENT DEDDECENTATIVE	
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE							(YYYYMMMDD) d. PRINTED NAME AND TITLE O				LE OF AC	AUTHORIZED GOVERNMENT REPRESENTATIVE		
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE							28. SHIP. NO.	29. D.O. VOUCHER NO. 30. INITIALS						
0			0.7.07.107.11222 0072.1											
							PARTIAL	32. PAID BY 33. AMOUNT V			ERIFIED CORRECT FOR			
f. TELE	PHONE I	NUMBE	R g. E-MAIL ADDRESS				FINAL	32. PAID	БТ					
			3 /			3	1. PAYMENT	†				34. CHECK NU	MBER	
36. I CE	RTIFY TH	IIS ACC	COUNT IS CORRECT AND	PROPER FOR	R PAYMENT.	1	COMPLETE						-	
a. DAT	a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER PARTIAL 35. BILL OF LADING NO.						DING NO.							
(YYYYM	IMMDD)						FINAL							
37. REC	EIVED	38. RI	ECEIVED BY (Print)		39. DATE RECEIV). TOTAL CON-	41. S/R A	CCOUN	IT NUME	ER	42. S/R VOUCH	IER NO.	
AT					(YYYYMMMDL	יי	TAINERS							

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003). PLACE of INSPECTION for PACKAGING:
9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement (non-manufacturers) (DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.

- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

CONTINUED ON NEXT PAGE

3 | 7

SECTION B

PR: 0064554139 SUPPLIES/SERVICES:

1650003175563

PLUG, PRESSURE, HYDRA

PLUG, PRESSURE, HYDRAULIC HYDRO-AIRE CAGE:81982 P/N:86016 CRITICAL APPLICATION ITEM: EXPORT CONTROL DOES NOT APPLY:

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICATION LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015

1. Requirements

- A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.
- B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term "Request for Variance (RFV)" will also include Requests for Deviations and Waivers.
- 2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:
- A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).
- B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from

SECTION B

specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

- A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.
- B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).
- C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.
- D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.
- (1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.
 - (2) DD Form 1692 (current revision) for ECP.
 - (3) DD Form 1694 (current revision) for RFV.
 - (4) DD Form 1695 (current revision) for NOR.

4. DLA's responsibilities:

- A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.
- B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

 C. Routine ECPs will be processed within 90 days from receipt by
- C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.
- (1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

 (2) The contractor will be notified in writing of disapproval
- (2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.
- 5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or $_{\rm ECP}$
- 6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.
- 7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

Page of Pages

| 7

SECTION B

The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100). THE FOLLOWING TAILORED VERSION OF ISO 9001:2008: OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT.

DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008

- 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)]
- 4.2.1 General, [excluding subparagraph a)]
- 4.2.2 Quality manual, [excluding subparagraph a)]
 4.2.3 Control of documents
- 4.2.4 Control of records
- 5.1 Management commitment
- 5.3 Quality policy
- 6.2.2 Competence, training and awareness
- 6.4 Work environment
- 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product
- 7.2.2 Review of requirements related to the product
- 7.2.3 Customer communication
- 7.3.7 Control of design and development changes
- 7.4.1 Purchasing process
- 7.4.3 Verification of purchased product
- 7.5.1 Control of production and service provision
- 7.5.3 Identification and traceability
- 7.5.4 Customer property
- 7.5.5 Preservation of product
- 7.6 Control of monitoring and measuring equipment
- 8.1 General, [excluding subparagraph b) and subparagraph c)]
- 8.2.2 Internal audit
- 8.2.4 Monitoring and measurement of product
- 8.3 Control of nonconforming product
- 8.5.2 Corrective action
- 8.5.3 Preventive action

SAMPLING:

CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. 81982 P/N 86016

CONTINUATION SHEET

ORDER NUMBER / CALL NUMBER SPE4A7-16-V-2031

Page of Pages

6 | 7

SECTION B

CLIN: 0001 PR: 0064554139 PRLI: 0001 CONT'D

CLIN PR PRLI UI QUANTITY UNIT PRICE CURRENCY TOTAL PRICE

0001 0064554139 0001 EA 5.000

NSN/MATERIAL:1650003175563

QTY VARIANCE: PLUS 00.00% MINUS 00.00%

INSPECTION POINT: ORIGIN
ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY:
PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH ASTM D 3951.

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:
•,,All Section "D" Packaging and Marking Clauses take precedence over
ASTM D3951.

- •,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ullet ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

DELIVER FOB: ORIGIN DELIVER BY: 2016 DEC 05

PLACE of INSPECTION for PACKAGING: 9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

PARCEL POST ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD BLDG 849W HILL AFB UT 84056-5734 US

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-2031	7 7
	SECTION B	
CLIN: 0001 PR: 0064554	139 PRLI: 0001 CONT'D	
* * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * *