			ORDER I	FOR SUPPLI	ES C		5					PAGE 1 OF 7
1 CONTRACT/PI	IRCH OR	DER/AGREEMENT NO.	2 DELIVER	Y ORDER/CALL NO		3. DATE OF ORDE	R/CALL	4 REC			EQUEST NO.	5. PRIORITY
SPE4A7-16-			LIDELIVER		•	(YYYYMMMDD) 2016 AUG			6494220			DO-A1
6. ISSUED BY			CODE \$	SPE4A7	7. AD	MINISTERED BY (If		6)	CODE	S0512A		8. DELIVERY FOB
DLA AVIATION ASC SUPPLIER C					DCN	A LOS ANGELES		,		00012/1		DESTINATION
8000 JEFFERSON RICHMOND VA 2	N DAVIS HW				BLD	11 PLUMMER STREET,B G 10, 2ND FLOOR		2				X OTHER
USA Local Admin: MOH	HAMMAD AK	HTAR PARWC21 Tel: 804-2	79-3568 Fax: 804-	279-6055	USA	RTH HILLS CA 91343-203 Cality: C PAS: None	36					(See Schedule if other)
Email: MOHAMMA		@DLA.MIL		1000		-					TBY (Date)	,
9. CONTRACTO	R			31982	ŀ	FACILITY 81982			YYYMMM	IDD)	(11. X IF BUSINESS IS
HYD	RO-AIR	E, INC.						12. DI	SCOUNT	DAYS AD	00	SMALL SMALL DISAD-
	0 WINON	IA AVE A 91504-2540						Net 30				VANTAGED WOMEN-OWNED
AND BUR ADDRESS USA		A 91304-2340						13. M/		CES TO TH	E ADDRESS I	
									e Block			
14. SHIP TO			CODE		15. P/	AYMENT WILL BE M	ADE BY		CODE	SL4701		MARK ALL
			L			EF FIN AND ACCO	DUNTING	SVC	L			PACKAGES AND PAPERS WITH
SEE SCHEI	DULE, DO	O NOT SHIP TO ADD	DRESSES OF	N THIS PAGE		SM O BOX 182317						IDENTIFICATION
	- ,				C	OLUMBUS OH 43	218-2317	,				NUMBERS IN BLOCKS 1 AND 2.
16 DELIVE	RY/					SA						
16. CALL		This delivery order/ca	II is issued on a	another Government	agenc	y or in accordance w	ith and sub	ject to te	erms and	conditions o	of above numb	ered contract.
OF PURCH	ASE X			ted 2016 AUG 08,	-						-	terms specified herein.
ORDER		BEEN OR IS NOW MO										PREVIOUSLY HAVE
			01				T/055			_		
—					faar		IIPEL		AND TITL	-E		DATE SIGNED (YYYYMMMDD)
		upplier must sign Accept		the following number	er ot cop	Dies:						•
17. ACCOUNTIN	G AND AF	PROPRIATION DATA/I	OCAL USE									
BX: 97X493	0 5CBX (001 2620 S33189										
							20. QUA		21.	22. UNI		23. AMOUNT
18. ITEM NO.		19. SCH	EDULE OF SU	PPLIES/SERVICES			ORDE ACCEP		UNIT	22. 011		
	דעב ה	URCHASE ORDER										
	THE D	LA MASTER SOLICI	TATION FOR	R EPROCUREME	NT AL	ITOMATED	8					
		FIED ACQUISITION										
		ents/J7Acquisition/M										
	Award	sent EDI, Do not dup	licate shipme	ent								
		<i>,</i> ,										
			24 LINITED	STATES OF AMERI	CA.					25	. TOTAL	
same as quantity	ordered,			w Wood		M	actheu	= h	100el	25	-	
If different, enter quantity ordered		antity accepted below cle.	Matthe BY: PAR00	ew.Wood@dla.mil			NTRACTIN				FFERENCES	
27a. QUANTITY		IN 20 HAS BEEN	FARM	000						TIOLIN		
	D F			CONFORMS TO EXCEPT AS NOTED	-							
b. SIGNATURE	OF AUTH	ORIZED GOVERNMEN				DATE	d. PRINTE	ED NAME	E AND TITI	LE OF AUTH	ORIZED GOVE	RNMENT REPRESENTATIVE
						(YYYYMMMDD)						
e. MAILING ADI	DRESS OF	AUTHORIZED GOVER	NMENT REPR	ESENTATIVE	1	28. SHIP. NO.	29. D.O. V	олсн	ER NO.	3	0. INITIALS	
						PARTIAL	32. PAID	BY		3	3. AMOUNT V	ERIFIED CORRECT FOR
f. TELEPHONE	NUMBER	g. E-MAIL ADDRESS				FINAL						
					3	1. PAYMENT				3	4. CHECK NU	MBER
		UNT IS CORRECT AND		PAYMENT.		COMPLETE						
a. DATE (YYYYMMMDD)	b. SIGNA	TURE AND TITLE OF CERTI	FYING OFFICER			PARTIAL				3	5. BILL OF LA	DING NO.
· · ·						FINAL						
37. RECEIVED AT	38. REC	EIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE). TOTAL CON- TAINERS	41. S/R A	CCOUN	IT NUMBI	ER 4	2. S/R VOUCH	ER NO.
						-						

SPE4A7-16-V-2197

PLACE of INSPECTION for PACKAGING: 9A289 DOUBLE J PACKAGING CO INC 9834 GLENOAKS BLVD SUN VALLEY CA 91352-1046 USA

Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement(non-manufacturers)(DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.

- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0064942200 SUPPLIES/SERVICES:

1650009461247

GLASS, LIQUID SIGHT

GLASS,LIQUID SIGHT HYDRO-AIRE INC. CAGE: 81982 P/N: 81699

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICAITON LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term "Request for Variance (RFV)" will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

SECTION B

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4)to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

(2) DD Form 1692 (current revision) for ECP.

(3) DD Form 1694 (current revision) for RFV.

(4) DD Form 1695 (current revision) for NOR.

4. DLA's responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

(2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or

CONTINUATION	SHEET
--------------	-------

SECTION B

in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action IDENTIFY TO: SAMPLING: NO DATA IS AVAILABLE. THE ALTERNATE OFFEROR IS REQUIRED TO PROVIDE A COMPLETE DATA PACKAGE INCLUDING DATA FOR THE APPROVED AND ALTERNATE PART FOR EVALUATION. HYDRO-AIRE, INC. 81982 P/N 81699

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	HEET ORDER NUMBER / CALL NUMBER						
	SPE4A7-16-V-2197	6 7					
	SECTION B						
CLIN: 0001 PR: 0064942	2200 PRLT. 0001 CONTIN						
<u>CLIN PR</u> 0001 0064942200		URRENCY TOTAL PRICE					
NSN/MATERIAL:165000946							
QTY VARIANCE: PLUS 00.	.00% MINUS 00.00%						
INSPECTION POINT: ORIG	JIN						
ACCEPTANCE POINT: ORIG	JIN						
PREP FOR DELIVERY:							
PKGING DATA-QUP:001							
SHALL BE PACKAGED IN A	ACCORDANCE WITH ASTM D 3951.						
is used, the Method of Commercial Pack. •,,The Unit of Issue	uirements in MIL-STD-129, when Commercial Pa of Preservation for all MIL-STD-129 marking (U/I) and Quantity per Unit Pack (QUP) as sp precedence over QUP in ASTM D3951.	and labeling shall be "CP"					
DELIVER FOB: ORIGIN I	DELIVER BY: 2017 JAN 26						
PLACE of INSPECTION fo	or PACKAGING:						
9A289 DOUBLE J PACKAGING CO 9834 GLENOAKS BLVD SUN VALLEY CA 91352-1 USA							
PARCEL POST ADDRESS:							
SW3113 DLA DISTRIBUTION CHERE PHANTOM RD BLDG 147 BZ CHERRY POINT NC 28533- US	AY A						
FOR TRANSPORTATION ASS AWARDS SEE DLAD 52.247 CONTRACT INSTRUCTIONS		STINATION TRANSPORTATION (FDT)					
FREIGHT SHIPPING ADDRE	ESS:						
SW3113 DLA DISTRIBUTION CHERF PHANTOM RD BLDG 147 F CHERRY POINT NC 28533- US	BAY A						
	CONTI	INUED ON NEXT PAGE					

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages			
	SPE4A7-16-V-2197	7 7			
	SECTION B				
CLIN: 0001 PR: 0064942	200 PRLI: 0001 CONT'D				
* * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * *			