ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 6
								5. PRIORITY	
1. CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/CALL NO. SPE4A7-16-V-2438			•	(YYYYMMMDD)	YMMMDD)			V/PURCH REQUEST NO.	DO-A1
		CODE SPE4A7		2016 SEP				SPE4A7	-
6. ISSUED BY DLA AVIATION			8. DELIVERY FOB						
ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY	ASC	DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY					DESTINATION		
RICHMOND VA 23297 USA				RICHMOND VA 23297 USA					X OTHER (See Schedule if
Local Admin: Steven Powell DSP0018 Tel: E Email: Steven.Powell@dla.mil	SA riticality: C PAS: None					other)			
9. CONTRACTOR CODE 81982				FACILITY 10. DELIVER TO FOE (YYYYMMMDD)			D FOB POINT BY (Date)	11. X IF BUSINESS IS	
						(1) DAYS ADO	SMALL
HYDRO-AIRE, INC. 3000 WINONA AVE					12. DISCOUNT TERMS			SMALL DISAD- VANTAGED	
AND BURBANK CA 91504-		Net 30 days			WOMEN-OWNED				
ADDRESS USA		13. MAIL INVOICES TO THE ADDRESS				N BLOCK			
						See Block 15			
14. SHIP TO	C			YMENT WILL BE MA					
			DE BS	EF FIN AND ACCO	DUNTING	SVC			PACKAGES AND PAPERS WITH
SEE SCHEDULE, DO NOT SH	IP TO ADDRES	SES ON THIS PAGE	P	O BOX 182317					IDENTIFICATION NUMBERS IN
				DLUMBUS OH 43 SA	218-2317				BLOCKS 1 AND 2.
16. DELIVERY/ This deliv	env order/call is is:	sued on another Government		-	th and subi	iect to te	orms and	conditions of above numb	ered contract
OF PURCHASE X Reference	,	uote dated 2016 SEP 14, RACTOR HEREBY ACCEPTS						furnish the following on t	•
		D, SUBJECT TO ALL OF THE							REVIOUGET HAVE
NAME OF CONTRACTOR		SIGNATURE			TYPED	NAME	AND TITL		DATE SIGNED
If this box is marked, supplier must	sion Acceptance a		er of cop	ies:					(YYYYMMMDD)
17. ACCOUNTING AND APPROPRIAT	• •	-							
BX: 97X4930 5CBX 001 2620	333189								
18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICES					20. QUA ORDE		21.	22. UNIT PRICE	23. AMOUNT
13. SCHEDULE OF SUFFLIEB/SERVICES					ACCEP		UNIT		
THE PURCHASE ORDER CLAUSES ARE APPLICABLE AS INDICATED IN 2									
		ON FOR EPROCUREME			2				
		ART 13) REVISION 32 (M/ E WEB AT http://www.dla							
Documents/J7Ac	quisition/Master_	_Solicitation_REV_32_MA	AR_16.	pdf					
Award sent EDI,	Do not duplicate	shipment							
* If quantity accepted by the Governme	24. !	UNITED STATES OF AMERIC	CA					25. TOTAL	
same as quantity ordered, indicate by X. Matthew Wood				Marthen Wood 25. TOTAL					
If different, enter actual quantity accep quantity ordered and encircle.									
guantity ordered and encircle. BY: PAR0008 CONTRACTING/ORDERING OFFICER 27a. QUANTITY IN COLUMN 20 HAS BEEN									
		ED, AND CONFORMS TO							
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE C. DATE d. PRI						. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			
(YYYY									
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE			2	8. SHIP. NO.	29. D.O. VOUCHER NO. 30. INITIALS				
L				PARTIAL	32. PAID BY 33. AMOUNT VE			ERIFIED CORRECT FOR	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS				FINAL					
				. PAYMENT	34. CHECK NUM			MBER	
36. I CERTIFY THIS ACCOUNT IS CO		COMPLETE							
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER				PARTIAL	35. BILL OF LAD			DING NO.	
				FINAL					
37. RECEIVED 38. RECEIVED BY AT	TOTAL CON-	41. S/R A	CCOUN	Т NUMB	ER 42. S/R VOUCH	ER NO.			
		(YYYYMMMDE	,	TAINERS					

ORDER NUMBER / CALL NUMBER

SPE4A7-16-V-2438

MEASUREMENT AND TEST EQUIPMENT (M/TE) APPLIES (DLAD 52.246-9003). Higher Level Contract Quality Requirements (FAR 52.246-11) and Higher Level Contract Quality Requirement(non-manufacturers)(DLAD 52.246-9043)

The contractors inspection system must comply with ISO 9001-2008.

- This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.
- CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program - Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.O.B. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

CONTINUED ON NEXT PAGE

SECTION B

PR: 0065469835 SUPPLIES/SERVICES:

4810000948125

SLEEVE AND SLIDE, DI

SELECTOR SET, DIRECTIONAL CONTROL LINEAR

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICAITON LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term "Request for Variance (RFV)" will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

Contractor responsibilities.
A. An Engineering Change Proposal (ECP) is used to make permanent

SPE4A7-16-V-2438

SECTION B

changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4)to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

- (2) DD Form 1692 (current revision) for ECP.
- (3) DD Form 1694 (current revision) for RFV.(4) DD Form 1695 (current revision) for NOR.
- 4) DD Form 1695 (current revision) for NOR
- 4. DLA's responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

Support Activity (ESA), when applicable. C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

(2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the

CONTINUED ON NEXT PAGE

CONTINUATION SHEET

SECTION B

Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action CRITICAL APPLICATION ITEM HYDRO-AIRE, INC. 81982 P/N 20652 CLIN PR PRLI UI QUANTITY UNIT PRICE CURRENCY TOTAL PRICE 0001 0065469835 0001 EA 2.000 NSN/MATERIAL:4810000948125 OTY VARIANCE: PLUS 00.00% MINUS 00.00%

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	ORDER NUMBER / CALL NUMBER	Page of Pages
	SPE4A7-16-V-2438	6 6
	SECTION B	
CLIN: 0001 PR: 0065469	9835 PRLI: 0001 CONT'D	
INSPECTION POINT: DEST	FINATION	
ACCEPTANCE POINT: DEST	FINATION	
PREP FOR DELIVERY:		
PKGING DATA-QUP:001		
	ACCORDANCE WITH ASTM D 3951.	
•,,All Section "D" Pac	ercial Packaging is specified, the following apply: ckaging and Marking Clauses take precedence over	
ASTM D3951. •,,In addition to requised, the Method of Commercial Pack.	airements in MIL-STD-129, when Commercial Packaging of Preservation for all MIL-STD-129 marking and labelin	ng shall be "CP"
•,,The Unit of Issue	(U/I) and Quantity per Unit Pack (QUP) as specified precedence over QUP in ASTM D3951.	
DELIVER FOB: ORIGIN I	DELIVER BY: 2017 JAN 23	
PARCEL POST ADDRESS:		
SW3210 DLA DISTRIBUTION DEPO 7537 WARDLEIGH RD HILL AFB UT 84056-5734		
US		
FOR TRANSPORTATION ASS AWARDS SEE DLAD 52.24 CONTRACT INSTRUCTIONS		IRANSPORTATION (FDT)
FREIGHT SHIPPING ADDRE	ISS:	
SW3210 DLA DISTRIBUTION DEPOT 7537 WARDLEIGH RD BLDC	G 849W	
HILL AFB UT 84056-5734 US	ł	
* * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * *