

ORDER FOR SUPPLIES OR SERVICES

PAGE 1 OF 7

1. CONTRACT/PURCH ORDER/AGREEMENT NO. SPE4A7-17-P-5525		2. DELIVERY ORDER/CALL NO.		3. DATE OF ORDER/CALL (YYYYMMDD) 2017 FEB 17		4. REQUISITION/PURCH REQUEST NO. 0065228382		5. PRIORITY DO-A1			
6. ISSUED BY DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV 8000 JEFFERSON DAVIS HWY RICHMOND VA 23297 USA Local Admin: Steven Powell DSP0018 Tel: DSN-695-6228 Email: Steven.Powell@dla.mil			CODE SPE4A7		7. ADMINISTERED BY (If other than 6) DCMA LOS ANGELES 16111 PLUMMER STREET, BUILDING 10, 2 BLDG 10, 2ND FLOOR NORTH HILLS CA 91343-2036 USA Criticality: C PAS: None			CODE S0512A			
9. CONTRACTOR NAME AND ADDRESS HYDRO-AIRE, INC. 3000 WINONA AVE BURBANK CA 91504-2540 USA			CODE 81982		FACILITY 81982		10. DELIVER TO FOB POINT BY (Date) (YYYYMMDD) 45 DAYS ADO		11. X IF BUSINESS IS <input type="checkbox"/> SMALL <input checked="" type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMEN-OWNED <small>(See Schedule if other)</small>		
							12. DISCOUNT TERMS Net 30 days		<input type="checkbox"/>		
							13. MAIL INVOICES TO THE ADDRESS IN BLOCK See Block 15				
14. SHIP TO SEE SCHEDULE, DO NOT SHIP TO ADDRESSES ON THIS PAGE			CODE		15. PAYMENT WILL BE MADE BY DEF FIN AND ACCOUNTING SVC BSM P O BOX 182317 COLUMBUS OH 43218-2317 USA			CODE SL4701		MARK ALL PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2.	
16. TYPE OF ORDER	DELIVERY/ CALL	This delivery order/call is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.									
	PURCHASE	<input checked="" type="checkbox"/>	Reference your Offer/Quote dated 2016 DEC 05 furnish the following on terms specified herein.								
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.											
NAME OF CONTRACTOR			SIGNATURE			TYPED NAME AND TITLE			DATE SIGNED (YYYYMMDD)		
If this box is marked, supplier must sign Acceptance and return the following number of copies:											
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE BX: 97X4930 5CBX 001 2620 S33189 \$45213.00											
18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICES					20. QUANTITY ORDERED/ ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT		
	Award sent EDI, Do not duplicate shipment					3.000					
* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.			24. UNITED STATES OF AMERICA CANDICE ORTIZ CANDICE.ORTIZ@DLA.MIL BY: PARFF43			<i>Candice Ortiz</i> CONTRACTING/ORDERING OFFICER			25. TOTAL		
									26. DIFFERENCES		
27a. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED:											
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE					c. DATE (YYYYMMDD)		d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRESENTATIVE				
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					28. SHIP. NO.		29. D.O. VOUCHER NO.		30. INITIALS		
f. TELEPHONE NUMBER		g. E-MAIL ADDRESS			<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY		33. AMOUNT VERIFIED CORRECT FOR		
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.					<input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL				34. CHECK NUMBER		
a. DATE (YYYYMMDD)		b. SIGNATURE AND TITLE OF CERTIFYING OFFICER							35. BILL OF LADING NO.		
37. RECEIVED AT	38. RECEIVED BY (Print)		39. DATE RECEIVED (YYYYMMDD)		40. TOTAL CONTAINERS	41. S/R ACCOUNT NUMBER		42. S/R VOUCHER NO.			

IN ADDITION TO THE CLAUSES CONTAINED HEREIN, THE PURCHASE ORDER CLAUSES ARE APPLICABLE AS INDICATED IN THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOMATED SIMPLIFIED ACQUISITIONS (PART 13) WHICH CAN BE FOUND ON THE WEB AT

http://www.dla.mil/Acquisition/Pages/Automaster_Eprocurement.aspx.

The following DLA Aviation Notices are incorporated by reference. The full-text of the notices can be found at: <http://www.dla.mil/Aviation/Business/IndustryResources/DLAResourcesforSuppliers/DAANs.aspx>

DAAN 13-01 EVAL AND AWARD FOR ACQUISITIONS BELOW SAT
DAAN 13-02 Notification of Rejection of Unilateral AWD
DAAN-13-03 Master Solicitation without Additional Clauses

Master Solicitation Link: http://www.dla.mil/Acquisition/Pages/Automaster_EProcurement.aspx

First Destination Transportation (FDT) TAC - S8AF
Second Destination Transportation (SDT) TAC - S9NA

Shipping Point/ Inspection Location: Same as Block 9, Page 1
Inspection Office: Same as Block 7, Page 1

CONTINUED ON NEXT PAGE

SECTION B

SUPPLIES/SERVICES: 1650-00-993-7386

ITEM DESCRIPTION:

VALVE, LINEAR, DIRECTIONAL CONTROL
HYDRO-AIRE INC., DBA CRANE HYDRO-AIRE CAGE 81982
P/N: 80791

SAMPLING:

THE SAMPLING METHOD SHALL BE IN ACCORDANCE WITH MIL-STD-1916 OR ASQ H1331, TABLE 1 OR A COMPARABLE ZERO BASED SAMPLING PLAN UNLESS OTHERWISE SPECIFIED BY THE CONTRACT. IF THE APPLICABLE DRAWING, SPECIFICATION, STANDARD, OR QUALITY ASSURANCE PROVISION (QAP) SPECIFIES CRITICAL, MAJOR AND/OR MINOR ATTRIBUTES, THEY SHALL BE ASSIGNED VERIFICATION LEVELS OF VII, IV AND II OR AQLS OF 0.1, 1.0 AND 4.0 RESPECTIVELY. UNSPECIFIED ATTRIBUTES SHALL BE CONSIDERED AS MAJOR UNLESS SAMPLING PLANS ARE SPECIFIED IN APPLICABLE DOCUMENTS. FOR MIL-STD-1916, THE MANUFACTURER MAY USE THE ATTRIBUTE OR VARIABLE INSPECTION METHOD AT THEIR OPTION OR PER THE CONTRACT. MIL-STD-105/ASQ Z1.4 MAY BE USED TO SET SAMPLE LOT SIZE, BUT ACCEPTANCE WOULD BE ZERO NON-CONFORMANCES IN THE SAMPLE LOT UNLESS OTHERWISE SPECIFIED IN THE CONTRACT.

MIL-STD-130N(1) DATED 16 NOV 2012.
IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015

1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term "Request for Variance (RFV)" will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.)

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from

CONTINUED ON NEXT PAGE

SECTION B

SUPPLY/SERVICE: 1650-00-993-7386 CONT'D

specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.

B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).

C. All ECPs submitted by the Contractor will be deemed routine.

If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.

D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer (ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result in return of the ECP/RFV without processing.

(1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1.

(2) DD Form 1692 (current revision) for ECP.

(3) DD Form 1694 (current revision) for RFV.

(4) DD Form 1695 (current revision) for NOR.

4. DLA's responsibilities:

A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA.

B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable.

C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA.

(1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract.

(2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP.

CONTINUED ON NEXT PAGE

SECTION B

SUPPLY/SERVICE: 1650-00-993-7386 CONT'D

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

IDENTIFY TO:
SAMPLING:

ADEQUATE DATA FOR THE EVALUATION OF ALTERNATE OFFERS IS NOT AVAILABLE AT THE PROCUREMENT AGENCY.THE OFFEROR MUST PROVIDE A COMPLETE DATA PACKAGE INCLUDING DATA FOR THE APPROVED AND ALTERNATE PART FOR EVALUATION.

CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. 81982 P/N 80791

ITEM NO.	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	1650-00-993-7386 VALVE, LINEAR , DIRECT	3.000	EA		

PRICING TERMS: Firm Fixed Price

QTY VARIANCE: PLUS 0% MINUS 0%

INSPECTION POINT: ORIGIN

ACCEPTANCE POINT: ORIGIN

FOB: ORIGIN DELIVERY DATE: 2017 APR 03

PLACE of INSPECTION for PACKAGING:

CONTINUED ON NEXT PAGE

SECTION B

SUPPLY/SERVICE: 1650-00-993-7386 CONT'D

9A289
DOUBLE J PACKAGING CO INC
9834 GLENOAKS BLVD
SUN VALLEY CA 91352-1046
USA

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH ASTM D 3951.

Markings Paragraph

When ASTM D3951, Commercial Packaging is specified, the following apply:

- ,,All Section "D" Packaging and Marking Clauses take precedence over ASTM D3951.
- ,,In addition to requirements in MIL-STD-129, when Commercial Packaging is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP" Commercial Pack.
- ,,The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

PARCEL POST ADDRESS:

W25G1U
W1A8 DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

W25G1U
W1A8 DLA DISTRIBUTION
DDSP NEW CUMBERLAND FACILITY
2001 NORMANDY DRIVE DOOR 113 TO 134
NEW CUMBERLAND PA 17070-5002
US

CONTINUED ON NEXT PAGE

SECTION B

GOVT USE

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>External</u> <u>PR</u>	<u>External</u> <u>PRLI</u>	<u>External</u> <u>Material</u>	<u>Customer</u>	<u>RDD/</u> <u>Need Ship Date</u>
0001	0065228382	0001	N/A	N/A	N/A	N/A	N/A
