ORDER FOR SUPPLIES OR SERVICES								PAGE 1 OF8				
1. CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/CALL NO.					4. REQUISITION/PURCH REQUEST NO.		5. PRIORITY					
SPE7M5-17-P-4672					(YYYYMMMDD) 2017 JAN	27	0065903722	2		DO-C9		
6. ISSUED BY CODE SPE7M5 7.					7. AD	MINISTERED BY (If o	other than (6) CODE ;	SPE7M5		8. DELIVERY FOB	
DLA LAND AND MARITIME						LAND AND MARITIME		L			DESTINATION	
PO BOX 3990 COLUMBUS O	H 43	3218-3990	1			PO E	3OX 3990 UMBUS OH 43218-3990					X OTHER
			MCMSGR Tel: 614-692-7522 f I.fmse4@dla.mil	ax: 614-693-1551			USA Criticality: B PAS: None				(See Schedule if other)	
9. CONTRACT				CODE 8	1982	F	ACILITY		10. DELIVER TO		NT BY (Date)	11. X IF BUSINESS IS
							(YYYYMMMDD) 210 DAYS ADO		DO	SMALL		
H	YDI	RO-AIR	E, INC.					12. DISCOUNT TERMS				SMALL DISAD- VANTAGED
NAME 3000 WINONA AVE						Net 30 days			WOMEN-OWNED			
ADDRESS USA BURBANK CA 91504-2540						13. MAIL INVOICES TO THE ADDRESS IN			IN BLOCK			
								See Block 15				
14. SHIP TO				CODE		15. PAYMENT WILL BE MADE BY		ADE BY	CODE SL4701		MARK ALL	
						DE BS	EF FIN AND ACCO	DUNTING	SVC			PACKAGES AND PAPERS WITH
SEE SCH	ED	ULE, D	O NOT SHIP TO ADD	PRESSES OF	N THIS PAGE	Р	O BOX 182317	BOX 182317				IDENTIFICATION NUMBERS IN
						US	DLUMBUS OH 43: SA	218-2317				BLOCKS 1 AND 2.
16. DELI		RY/	This delivery order/ca	Il is issued on a	another Government	agency	or in accordance wi	th and sub	iect to terms and	conditions of	of above numb	pered contract.
TYPE	-	+	,		ted 2016 OCT 14	- 5 7			,			terms specified herein.
OF PURC	CHA	SE X	ACCEPTANCE. THE O	CONTRACTOR	HEREBY ACCEPTS					HASE ORDI	ER AS IT MAY	·
If this box	is m	arked, s	RACTOR supplier must sign Accept PPROPRIATION DATA/I	ance and return	GNATURE the following numbe	er of cop	- iles:	TYPEC	NAME AND TITL	E		DATE SIGNED (YYYYMMMDD)
18. ITEM NO.	<u> </u>		19. SCH	FDULE OF SU	PPLIES/SERVICES				. QUANTITY ED/ ACCEPTED*	21UNIT	22. UNIT	23. AMOUNT
10.112110.	+										PRICE	
			Awaiu se		t duplicate shipm			26.000				
* If quantity accepted by the Government is 24. UNITED STATES OF AMERICA			CA	L	ر	1) (5. TOTAL				
same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle. BY: DMANTAT.					Harry Buchen 26. DIFFERENCES							
				BY: PMCM	TAT		CO	NTRACTIN	IG/ORDERING OF	FICER		
					CONFORMS TO							
b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE c. DATE d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT							PNIMENT DEDDESENTATIVE					
5. 5.552					(YYYYMMMDD)			E. NESERIA INC				
- MALLING ADDRESS OF ALTHODISED COVERNMENT DEDDESCRITATIVE						00 0111D NO	00 0 0 1	VOLUCIUED NO		o mutano I		
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE					2	28. SHIP. NO.	29. D.O. V	VOUCHER NO.	1	0. INITIALS		
						PARTIAL	32. PAID BY 33. AMOUNT VE		ERIFIED CORRECT FOR			
f. TELEPHONE NUMBER g. E-MAIL ADDRESS					FINAL							
				3′	1. PAYMENT	34. CHECK NUME			MBER			
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						COMPLETE						
a. DATE (YYYYMMMDD) b. SIGNATURE AND TITLE OF CERTIFYING OFFICER				-	PARTIAL FINAL	35. BILL OF LAD			ADING NO.			
37. RECEIVED AT		38. REC	CEIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE). TOTAL CON- TAINERS	41. S/R A	CCOUNT NUMBE	R 4	2. S/R VOUCH	HER NO.

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE7M5-17-P-4672

PAGE 2 OF 8 PAGES

NOTE: This Purchase Order is awarded IAW DLAD PART 9 - CONTRACTOR QUALIFICATIONS, PROC NOTE M01, Qualified Suppliers for Federal Supply Class (FSC) 5961 Semiconductors and Hardware Devices and FSC 5962 Electronic Microcircuits (SEP 2016).

THIS PURCHASE ORDER INCORPORATES THE TERMS AND CONDITIONS SET FORTH IN THE REVISION OF THE DLA MASTER SOLICITATION FOR AUTOMATED SIMPLIFIED ACQUISITIONS IN EFFECT ON THE AWARD DATE. ALL REVISIONS OF THE DLA MASTER SOLICITATION FOR AUTOMATED SIMPLIFIED ACQUISITIONS CAN BE FOUND ON THE WEB AT: http://www.dla.mil/HQ/Acquisition/Offers/eProcurement.aspx.

NOTE: This is a First Destination Transportation (FDT) program award. If this award is for FMS or has an APO/FPO ship-to address, these instructions do not apply and normal procedures should be followed.

- 1. CONUS AWARDEES SHIPPING TO ALL LOCATIONS: Transportation requirements for FDT awards are located in DLAD clauses 52.247-9059 F.o.b. Origin, Government Arranged Transportation and 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS).
- 2. OCONUS AWARDEE SHIPPING TO CONUS DESTINATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location in the continental United States (CONUS), transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.o.b. Origin, Government Arranged Transportation.
- 3. OCONUS AWARDEE SHIPPING TO OCONUS LOCATION: If awardee is outside the continental United States (OCONUS) and is shipping to a location outside the continental United States (OCONUS), contact the Transportation Office at delivery@dla.mil with "FDT OCONUS Shipment" in the subject line for instructions. Transportation requirements are located in DLAD clauses 52.247-9058, First Destination Transportation (FDT) Program Shipments Originating Outside the contiguous United States (OCONUS) and 52.247-9059 F.o.b. Origin, Government Arranged Transportation.
- 4. OCONUS AWARDEE WITH INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee is outside the continental United States (OCONUS) and Inspection and Acceptance are at Origin, normal DCMA transportation procedures should be followed and paragraphs 1, 2 and 3 above do not apply.

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE7M5-17-P-4672

PAGE 3 OF 8 PAGES

SECTION B

SUPPLIES/SERVICES: 5962-00-300-2381

ITEM DESCRIPTION:

MICROCIRCUIT, LINEAR

RA001: THIS DOCUMENT INCORPORATES TECHNICAL AND/OR QUALITY REQUIREMENTS (IDENTIFIED BY AN 'R' OR AN 'I' NUMBER) SET FORTH IN FULL TEXT IN THE DLA MASTER LIST OF TECHNICAL AND QUALITY REQUIREMENTS FOUND ON THE WEB AT: http://www.dla.mil/HQ/Acquisition/Offers/eProcurement.aspx. FOR SIMPLIFIED ACQUISITIONS, THE REVISION OF THE MASTER IN EFFECT ON THE SOLICITATION ISSUE DATE OR THE AWARD DATE CONTROLS. FOR LARGE ACQUISITIONS, THE REVISION OF THE MASTER IN EFFECT ON THE RFP ISSUE DATE APPLIES UNLESS A SOLICITATION AMENDMENT INCORPORATES A FOLLOW-ON REVISION, IN WHICH CASE THE AMENDMENT DATE CONTROLS.

RQ011: REMOVAL OF GOVERNMENT IDENTIFICATION FROM NON-ACCEPTED SUPPLIES

RQ014: QUALIFIED SUPPLIERS LIST OF DISTRIBUTORS (QSLD) AND QUALIFIED TESTING SUPPLIERS LIST (QTSL) FOR FEDERAL SUPPLY CLASS (FSC) 5961 SEMICONDUCTORS AND HARDWARE DEVICES AND FSC 5962 ELECTRONIC MICROCIRCUITS. THIS IS A QUALIFIED ITEM. QUALIFICATION REQUIREMENTS IN PROCUREMENT NOTE M01 "QUALIFIED SUPPLIERS FOR FEDERAL SUPPLY CLASS (FSC) 5961 SEMICONDUCTORS AND HARDWARE DEVICES AND FSC 5962 ELECTRONIC MICROCIRCUITS" APPLY.

RQ017: PHYSICAL INDENTIFICATION/BARE ITEM MARKING

RP001: DLA PACKAGING REQUIREMENTS FOR PROCUREMENT

RQ018: CONTRACTOR RETENTION OF SUPPLY CHAIN TRACEABILITY DOCUMENTATION (AUG 2016)

This item requires supply chain traceability documentation in accordance with DLA Directive (DLAD) Procurement Notes #C03 Contractor Retention of Supply Chain Traceability Documentation (AUG 2016)#. The full text of C03 can be found in the DLAD Procurement Notes on the Web at: http://www.dla.mil/HQ/Acquisition/Offers/eProcurement.aspx. (End of TQ Requirement)

FEDERAL SUPPLY CLASS (FSC) 5962 ELECTRONIC MICROCIRCUITS (MAR 2016)

SECTION B

SUPPLY/SERVICE: 5962-00-300-2381 CONT'D

- (a) This procurement is for an item in Federal Supply Class (FSC) 5962, Electronic Microcircuits. For this acquisition, the definition of "exact product" in the provision at DLAD 52.217-9002 is modified to include parts provided by an approved source specified in the product item description (PID) of the contract that are marked with the CAGE and part number of an authorized manufacturer of that approved source.
- (b) In addition to the following requirements outlined in paragraphs (c) through (d) below, documentation of traceability and test shall be maintained and provided in accordance with the clauses in this solicitation/contract.

(c)

- (1) The contractor shall provide documentation of traceability or a test report in accordance with the requirements outlined in block 6 of the DLA Land and Maritime Form 918, Traceability/Test Documentation Cover Sheet.
- (2) Not later than 15 days prior to the Delivery Date specified in the contract, the contractor shall email a copy of the completed DLA L<(>&<)>M Form 918 to Maritime.CDAP.Monitor@dla.mil, along with unredacted traceability documentation or a complete test report as required for the contractor by Block 6 of the DLA L<(>&<)>M Form 918. The contractor is not authorized to ship material until the contract administrator stating that the submitted traceability documentation or test report is adequate and that the contractor may proceed with shipment.
- (3) Once authorized to ship, the contractor shall include within the packaging for each lot shipped a paper copy of the DLA L<(>&<)>M Form 918 and a copy of the same unredacted traceability documentation or test report that was approved by the contract administrator.
- (4) Any payment by the Government will not be final if--
 - (i) the material is shipped without authorization from the contract administrator, or
 - (ii) it is determined subsequent to receipt of the parts that the approved traceability

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE7M5-17-P-4672

PAGE 5 OF 8 PAGES

SECTION B

SUPPLY/SERVICE: 5962-00-300-2381 CONT'D

documentation/test report is not included within the packaging of the parts shipped<(>,<)> or

- (iii) it is determined subsequent to receipt of the parts that the traceability documentation/test report and DLA L<(>&<)>M Form 918 included in the packaging is not the identical documentation that was the basis for the contract administrator to provide authorization for the contractor to ship.
- (d) When submitting emails containing attachments of digital copies of traceability or test documentation, the contractor shall--
- (1) Limit the size of each email (including all attachments) to less than 15 megabytes. Large attached files shall be compressed (zip file) in a manner to ensure that all documentation fits within one email for each lot shipped.
- (2) Title both the attached documentation and the subject heading of the email using the following naming convention: "Documentation Type Contract Number, CLIN, NSN."

For example:

"Traceability Documentation - SPE7M500C0026, 0001, 5962002695308"

"Test Report - SPM7M500M7650, 0001, 5962010043894"

CRITICAL APPLICATION ITEM

HYDRO-AIRE, INC. 81982 P/N 43-009

 ITEM NO.
 SUPPLIES/SERVICES
 QUANTITY
 UNIT
 UNIT PRICE
 AMOUNT

 0001
 5962-00-300-2381
 26.000
 EA

MICROCIRCUIT

,LINEAR

PRICING TERMS: Firm Fixed Price

QTY VARIANCE: PLUS 0% MINUS 0%

SECTION B

SUPPLY/SERVICE: 5962-00-300-2381 CONT'D

INSPECTION POINT: DESTINATION
ACCEPTANCE POINT: DESTINATION

FOB: ORIGIN DELIVERY DATE: 2017 AUG 25

PREP FOR DELIVERY:

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999
QUP:001 PRES MTHD:GX CLNG/DRY:1 PRESV MAT:00
WRAP MAT:XX CUSH/DUNN MAT:XX CUSH/DUNN THKNESS:X
UNIT CONT:XX OPI:M
INTRMDTE CONT:D3 INTRMDTE CONT QTY:AAA
PACK CODE:U
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.
SPECIAL MARKING CODE:ZZ -ZZ Special Requirements

UNIT PACKAGE MARKING REQUIREMENT FOR COMPONENT LEAD FINISH

- (a) In addition to all other marking requirements in this contract, the Contractor shall apply one of the assigned markings in accordance with paragraphs 5.3.1 and 5.3.2 of IPC/JEDEC J-STD-609, Marking and Labeling of Components, printed circuit boards (PCBs) and printed circuit board assemblies (PCBAs) to Identify Lead (Pb), Pb-Free and Other Attributes, to each individual unit pack of the item being acquired. Placement of the markings shall be in accordance with paragraph 6.1 of the standard.
- (b) Copies of the current version of this standard may be purchased or downloaded from the Association Connecting Electronics Industry (IPC), http://www.ipc.org, or the Solid State Technology Association (JEDEC), http://www.jedec.org.

ESD and PHYSICAL protection are required for contacts, leads, terminals, and other protrusions by means of container design, cushioning, and/or other ESD protective devices. Components with pins or leads shall have adequate cushioning to PREVENT DAMAGE, BREAKAGE and/or BENDING OF LEADS when not specified in the packaging codes.

This item requires DOD QUALIFIED Electrostatic Discharge (ESD) and/or Electromagnetic Interference (EMI) protective packaging materials in accordance with MIL-PRF-81705. All items subject to degradation from ESD/EMI environmental field forces shall be handled and packaged at an approved field force protective work station.

For ESD protection MIL-PRF-81705, Type I (MIL-DTL-117, Type I, Class F, Style 1) converted bag barrier material shall be used along with MIL-PRF-81705, Type III (MIL-DTL-117 Type II, Class H, Style 2) barrier material wrap if the contract doesn't specifically require ESD approved cushioning.

REFERENCE NO. OF DOCUMENT BEING CONTINUED: SPE7M5-17-P-4672

PAGE 7 OF 8 PAGES

SECTION B

SUPPLY/SERVICE: 5962-00-300-2381 CONT'D

For EMI protection MIL-PRF-81705, Type I (MIL-DTL-117, Type I, Class F, Style 1) converted bag barrier material shall be used.

The supplier shall be responsible for verifying that all MIL-PRF-81705 barrier materials (or converted bags) were supplied from a qualified manufacturer currently listed on QPL-81705.

http://www.dla.mil/LandandMaritime/Offers/Services/TechnicalSupport/Logistics/Packaging/PackFAQs/ESDS.aspx

If the preservation method code in the solicitation does not specify ESD/EMI protection and the Offeror#s proposed item of supply is subject to degradation from ESD/EMI environmental field forces, Offerors shall provide appropriate technical packaging data with their proposals.

CUSH/DUNN MAT: ZZ # CUSHIONING REQUIREMENT: A-A-59136, CLASS 1, GRADE B, MINIMUM DENSITY: 1.7 pounds per cubic feet, MAXIMUM DENSITY: 2.2 pounds per cubic feet.
CUSH/DUNN THKNESS: Z - Cushioning thickness will be at least 1/8 of an inch thicker than the length of the component's leads.
In lieu of these requirements, components can be placed in ESD protective form fitting containers that immobilize and maintain the original configuration of the leads. Additional anti-static cushioning may be applied to protect the component.

IP027: PACKING AND MARKING REQUIREMENTS FOR FEDERAL STOCK CLASS 5961 SEMICONDUCTORS AND HARDWARE DEVICES AND FSC 5962 ELECTRONIC MICROCIRCUITS

PARCEL POST ADDRESS:

SW0700 DLA DISTRIBUTION DDWO 3990 EAST BROAD ST BLDG 11 SEC 8 STORAGE AND DISTRIBUTION DETACHMENT COLUMBUS OH 43213

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

CONTINUED ON NEXT PAGE

CONTINUATION SHEET	REFERENCE NO. OF DOCUMENT BEING CONTINUED:	PAGE 8 OF 8 PAGES
	SPE7M5-17-P-4672	

SECTION B

SUPPLY/SERVICE: 5962-00-300-2381 CONT'D

FREIGHT SHIPPING ADDRESS:

SW0700 DLA DISTRIBUTION DDWO 3990 EAST BROAD ST BLDG 11 SEC 8 STORAGE AND DISTRIBUTION DETACHMENT COLUMBUS OH 43213 US

GOVT USE

			External	External	External	Customer RDD/
ITEM	PR	PRLI	PR	PRLI	Material	Need Ship Date
0001	0065903722	0001	N/A	N/A	N/A	N/A
