			ORDER I	FOR SUPPLI	ES C		5					PAGE 1 OF 7
1 CONTRACT/P			3. DATE OF ORDER/CALL 4. REQUISITION/PUF					5. PRIORITY				
1. CONTRACT/PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER/CALL NO. SPE4A7-15-V-1167					•	(YYYYYMMDD) 2015 MAY 18 0058445001				DO-A1		
6. ISSUED BY			CODE S	SPE4A7	7. AD	MINISTERED BY (If	-	6)	CODE	S0512A		8. DELIVERY FOB
DLA AVIATION ASC SUPPLIER OPER AE AND AF DIV					DCN	DCMA LOS ANGELES						DESTINATION
8000 JEFFERSON DAVIS HWY RICHMOND VA 23297				16111 PLUMMER STREET,B BLDG 10, 2ND FLOOR						X OTHER		
USA Local Admin: MOHAMMAD AKHTAR PARWC21 Tel: 804-279-3568 Fax: 804-279-6055						NORTH HILLS CA 91343-2036 USA Criticality: C PAS: None					(See Schedule if other)	
Email: MOHAMM			,					T BY (Date)	,			
9. CONTRACTO	ĸ		CODE 8	31982	, r	ACILITY 81982			YYYMMN		(11. X IF BUSINESS IS
HYDRO-AIRE, INC. DBA								12. DISCOUNT TERMS				SMALL DISAD-
NAME 3000 WINONA AVE							Net 30 days				VANTAGED WOMEN-OWNED	
ADD BURBAIN CA 91504-2540 ADDRESS USA							13. MAIL INVOICES TO THE ADDRESS			E ADDRESS I	N BLOCK	
					See Block 15							
14. SHIP TO			CODE		15. P/	5. PAYMENT WILL BE MADE BY CODE SL4701						MARK ALL
				DEF FIN AND ACCOUNTING SVC						PACKAGES AND PAPERS WITH		
SEE SCHE	DULE, DO	O NOT SHIP TO ADD	RESSES OF	N THIS PAGE		BSM P O BOX 182317						IDENTIFICATION
			C	COLUMBUS OH 43218-2317						NUMBERS IN BLOCKS 1 AND 2.		
16 DELIVE	<u> </u>		SA									
16. CALL		This delivery order/cal	l is issued on a	another Government	agenc	y or in accordance w	ith and sub	ject to te	erms and	conditions o	of above numb	ered contract.
OF PURCH				ted 2015 MAY 07	-						<u> </u>	terms specified herein.
ORDER		BEEN OR IS NOW MOI										PREVIOUSLY HAVE
							TYPEP					
	OF CONTR			GNATURE	,	TYPED NAME AND TITLE						DATE SIGNED (YYYYMMMDD)
	-	upplier must sign Accepta		the following number	er of cop	Dies:						
17. ACCOUNTIN	G AND AP	PROPRIATION DATA/L	OCAL USE									
BX: 97X493	0 5CBX (001 2620 S33189										
							20. QUA		21.	22 LINI		23. AMOUNT
18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICES							ORDE ACCEP		UNIT	22. 011		
THE PURCHASE ORDER CLAUSES ARE APPLICABLE AS INDIC/ THE DLA MASTER SOLICITATION FOR EPROCUREMENT AUTOI							2					
SIMPLIFIED ACQUISITIONS (PART 13) REVISION 27 (APRIL CAN BE FOUND ON THE WEB AT http://www.dla.mii/Acquisiti												
		irement_DLA_Automa										
Award sent EDI, Do not duplicate shipment												
			24 UNITED	STATES OF AMERI	CA.					25	. TOTAL	
same as quantit	, ordered, i			w Wood		Marshen Wood 25. TOTA				-		
If different, enter quantity ordered		antity accepted below cle.	Matthe BY: PAR00	ew.Wood@dla.mil								
27a. QUANTITY		IN 20 HAS BEEN	FARM	100						TIOLIN		
				CONFORMS TO								
b. SIGNATURE				EXCEPT AS NOTED ATIVE		C. DATE d. PRINTED NAME AND TITLE OF AUTHORIZED GOVERNMENT REPRE						RNMENT REPRESENTATIVE
						(YYYYMMMDD)						
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE						28. SHIP. NO.	29. D.O.	олсн	ER NO.	3	0. INITIALS	
											F	
			PARTIAL	32. PAID BY 33. AMOUNT VI		ERIFIED CORRECT FOR						
f. TELEPHONE	NUMBER		FINAL									
		3	1. PAYMENT	34. CHECK NUM			MBER					
36. I CERTIFY T	HIS ACCO		COMPLETE									
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER (YYYYMMMDD)						PARTIAL	35. BILL OF LAD			DING NO.		
						FINAL						
37. RECEIVED AT	38. REC	EIVED BY (Print)		39. DATE RECEIV (YYYYMMMDE). TOTAL CON- TAINERS	41. S/R A	CCOUN		ER 4	2. S/R VOUCH	ER NO.
						-						

ONTINUATION SHEET	ORDER NUMBER / CALL NUMBER SPE4A7-15-V-1167	Page of Pages 2 7
	QUIPMENT (M/TE) APPLIES (DLAD 52.246-9003). Y AMERICAN ACTBALANCE OF PAYMENTS PROGRAM APPLIE r PACKAGING:	S.
OOUBLE J PACKAGING CO 834 GLENOAKS BLVD SUN VALLEY CA 91352-1 ISA		
	Quality Requirements (FAR 52.246-11) and Higher Le cturers)(DLAD 52.246-9043)	vel Contract Quality
he contractors inspec	tion system must comply with ISO 9001-2008.	
'his is a First Destin	ation Transportation (FDT) program award. If this	
ward is for FMS or ha	s an APO/FPO ship-to address, these instructions l procedures should be followed.	
requirements for FDT a F.o.b. Origin, Governm First Destination Tran	PING TO ALL LOCATIONS: Transportation wards are located in DLAD clauses 52.247-9059 ent Arranged Transportation and 52.247-9058, sportation (FDT) Program - Shipments Originating United States (OCONUS).	
the continental United the continental United coated in DLAD clause (FDT) Program - Shipme:	PING TO CONUS DESTINATION: If awardee is outside States (OCONUS) and is shipping to a location in States (CONUS), transportation requirements are 52.247-9058, First Destination Transportation nts Originating Outside the contiguous United .247-9059 F.O.B. Origin, Government Arranged	
the continental United outside the continenta Transportation Office In the subject line fo Located in DLAD clause (FDT) Program - Shipme	PING TO OCONUS LOCATION: If awardee is outside States (OCONUS) and is shipping to a location I United States (OCONUS), contact the at delivery@dla.mil with "FDT OCONUS Shipment" r instructions. Transportation requirements are s 52.247-9058, First Destination Transportation nts Originating Outside the contiguous United .247-9059 F.O.B. Origin, Government Arranged	
s outside the contine acceptance are at Orig	INSPECTION AND ACCEPTANCE AT ORIGIN: If awardee ntal United States (OCONUS) and Inspection and in, normal DCMA transportation procedures should aphs 1, 2 and 3 above do not apply.	
	CONTINUED	ON NEXT PAGE

PR: 0058445001 SUPPLIES/SERVICES:

1630012218292

HOUSING ASSEMBLY, SE

HOUSING ASSEMBLY, SENSOR HYDRO-AIRE, INC.

MIL-STD-130N(1) DATED 16 NOV 2012. IDENTIFICATION MARKING OF U.S. MILITARY PROPERTY

Configuration Change Management - Engineering Change Proposal, Requests for Variance (Deviation or Waiver) February 2015 1. Requirements

A. The Configuration Change Management section of SAE EIA-649-1 Configuration Management Requirement for Defense Contracts, Paragraph 3.3, shall be used for Configuration Control of material purchased under this contract.

B. Furnished item(s) shall conform to the approved configuration requirements/revision specified, unless a Pre-Production Request for Variance (deviation) or a Post-Production Request for Variance (waiver), is processed and approved as provided by Paragraph 3. in this Standard Text Object (STO). Hereafter, the term #Request for Variance (RFV)# will also include Requests for Deviations and Waivers.

2. The definitions from EIA-649-1 apply to items being procured under this solicitation/contract, with the following clarification of Deviation & Waiver:

A. Pre-Production RFV (previously known as deviation) requests permission to produce a product that does not conform to contract requirements/documentation for a limited amount of time and for specified effectivity. (A deviation differs from an engineering change in that an approved engineering change requires corresponding revision of the item's current approved configuration documentation, whereas a deviation does not.).

B. Post-Production RFV (previously known as waiver) requests approval of product found during manufacture, or after having been submitted for Government inspection or acceptance, that departs from specified requirements, but nevertheless is considered suitable for use "as is" or after repair by an approved method.

3. Contractor responsibilities.

A. An Engineering Change Proposal (ECP) is used to make permanent changes in the Government technical data package (TDP). Pending approval of an ECP, contractual relief should be requested in writing by the Contractor using a RFV.
B. Refer to FAR Part 48 Value Engineering for cost saving improvements to the Technical Data Package (TDP).
C. All ECPs submitted by the Contractor will be deemed routine. If the Contractor considers an ECP as an emergency or urgent; they shall include in their ECP submittal an explanation and all applicable supporting documentation. All ECPs will be reviewed for a determination on criticality, and, if concurred to be an emergency, the appropriate processing time-frame negotiated with the ESAs will be followed and the Contractor will be notified of anticipated response time.
D. For ECPs, Specification Change Notices (SCNs) or RFV, the Contractor must submit the applicable documentation listed in

sub-paragraphs D.(1) through D.(4) to the Administrative Contracting Officer(ACO), with an information copy to the Procuring Contracting Officer (PCO). Failure to submit a complete legible package may result (1) Documentation listed in Paragraph 3.3.1 (for ECPs), 3.3.2 (RFV), 3.3.3 (for SCNs) or 3.3.4 (for Notices of Revision (NORs)) of the latest revision of EIA-649-1. (2) DD Form 1692 (current revision) for ECP. (3) DD Form 1694 (current revision) for RFV.
(4) DD Form 1695 (current revision) for NOR.

4. DLA#s responsibilities:A. Upon receipt of the ECP or RFV, the PCO will ensure that the applicable product specialist receives the copy from DCMA. B. Within five (5) working days from the date of receipt of the Contractor's ECP or RFV from DCMA, the PS must submit the requests and any supporting documentation via a 339 to the appropriate Engineering Support Activity (ESA), when applicable. C. Routine ECPs will be processed within 90 days from receipt by the ESA. RFVs will be evaluated and processed within 30 days from receipt by the ESA or as negotiated with the ESA. (1) The contractor will be notified in writing of approval by the return of an approved copy of the ECP or RFV. Approval will be reflected by signature of the contracting activity or a review activity specifically identified in the contract. (2) The contractor will be notified in writing of disapproval including reason(s) for disapproval.

5. For an approved RFV or an approved ECP, when the request affects the Contract, a modification will be issued to the contract incorporating the applicable requirement changes. Only a Contracting Officer is authorized to issue a modification incorporating the approved RFV and/or ECP

6. Questions regarding the status of previously submitted ECP or RFV should be directed to the PCO.

7. The submission of an ECP or RFV by the Contractor does not affect the required delivery date of the contract. If a delivery date change is needed, it must be negotiated with the Contracting Officer and documented via modification to the contract.

8. The period of time for evaluation and approval/disapproval of an ECP and/or a RFV, as specified in Paragraph 4. C., shall not constitute excusable delay in the performance of this Contract by the Contractor or in any way relieve the contractor from compliance with the contract delivery schedule. The submission of an ECP and/or RFV by the Contractor shall not preclude the Government from exercising its rights under any clause of the Contract. (End)

52.246-11 Higher Level Contract Quality Requirement (Manufacturers)

FAR CLAUSE 52.246-11 APPLIES. A QUALITY MANAGEMENT PROGRAM MEETING THE REQUIREMENTS OF ISO 9001:2008; A PROGRAM COMPARABLE TO ISO 9001:2008 (EXAMPLE SAE AS 9100), THE FOLLOWING TAILORED VERSION OF ISO 9001:2008; OR A PROGRAM COMPARABLE TO THE TAILORED VERSION OF ISO 9001:2008 (EXAMPLE SAE AS 9003) IS REQUIRED. MIL-I-45208 AND MIL-Q-9858 ARE OBSOLETE AND NO LONGER CONSIDERED SUITABLE WHEN HIGHER LEVEL QUALITY IS REQUIRED. IN THE TAILORED VERSION OF THE ISO 9001:2008, ANY REFERENCES WHICH CITE THE ENTIRE INTERNATIONAL STANDARD ARE INTERPRETED AS

EXCLUSIONS TO THIS DOCUMENT. DLA TAILORED HIGHER LEVEL QUALITY CLAUSE FROM ISO 9001:2008 4.1 General requirements, [excluding reference to 1.2 and excluding NOTE 3 c)] 4.2.1 General, [excluding subparagraph a)] 4.2.2 Quality manual, [excluding subparagraph a)] 4.2.3 Control of documents 4.2.4 Control of records 5.1 Management commitment 5.3 Quality policy 6.2.2 Competence, training and awareness 6.4 Work environment 7.1 Planning of product realization, [excluding NOTE 2] 7.2.1 Determination of requirements related to the product 7.2.2 Review of requirements related to the product 7.2.3 Customer communication 7.3.7 Control of design and development changes 7.4.1 Purchasing process 7.4.3 Verification of purchased product 7.5.1 Control of production and service provision 7.5.3 Identification and traceability 7.5.4 Customer property 7.5.5 Preservation of product 7.6 Control of monitoring and measuring equipment 8.1 General, [excluding subparagraph b) and subparagraph c)] 8.2.2 Internal audit 8.2.4 Monitoring and measurement of product 8.3 Control of nonconforming product 8.5.2 Corrective action 8.5.3 Preventive action TECH DATA AVAILABILITY: DSCR MAY NOT HAVE AN APPROVED BIDSET FOR THIS NSN. SAMPLING: 1. SAMPLING FOR INSPECTION AND TESTING SHALL BE IAW ANSI/ASQ Z1.4-2003 (R2013). ANY ALTERNATE PLAN MUST BE APPROVED BY THE PCO. A SAMPLING PLAN THAT ACCEPTS ON ZERO DEFECTS IS REQUIRED 2. ANY DEFECTIVE ITEM DISCOVERED DURING INSPECTION MAY BE CAUSE FOR REJECTION OF THE ENTIRE CONTRACT QUANTITY. CRITICAL APPLICATION ITEM HYDRO-AIRE, INC. DBA 81982 P/N 040-829-3021-01 CLIN PR PRLI UI QUANTITY UNIT PRICE CURRENCY TOTAL PRICE 0058445001 2.000 0001 0001 ΕA NSN/MATERIAL:1630012218292 QTY VARIANCE: PLUS 00.00% MINUS 00.00% INSPECTION POINT: ORIGIN ACCEPTANCE POINT: ORIGIN CONTINUED ON NEXT PAGE

CLIN: 0001 PR: 0058445001 PRLI: 0001 CONT'D

PREP FOR DELIVERY:

PKGING DATA-QUP:001

SHALL BE PACKAGED IN ACCORDANCE WITH HAZARDOUS MATERIALS PACKAGING REQUIREMENTS.

PACKAGING: PACKAGING FOR HAZARDOUS MATERIALS SHALL COMPLY WITH APPLICABLE REGULATIONS, I.E., TITLE 49 CODE OF FEDERAL REGULATIONS, INTERNATIONAL CIVIL AVIATION ORGANIZATION (ICAO) TECHNICAL INSTUCTIONS (EXCLUDING PARAGRAPH 1.4 OF CHAPTERS 1 AND 3), AND INTERNATIONAL MARITIME DANGEROUS GOODS CODE (IMDG). BOTH ICAO AND IMDG COMPLY WITH UNITED NATIONS (UN) RECOMMENDATIONS ON TRANSPORT OF DANGEROUS GOODS. WHEN A); CONTRACT/ORDER FOR HAZARDOUS MATERIALS REQUIRES SHIPMENT THROUGH A MILITARY AERIAL PORT FOR TRANSPORT VIA MILITARY AIRCRAFT, PACKAGING SHALL COMPLY WITH DLAI 4145.3, PREPARING HAZARDOUS MATERIALS FOR MILITARY AIR SHIPMENT.

LABELING AND MARKING: ALL INTERIOR AND EXTERIOR CONTAINERS SHALL BE LABELED AND MARKED AS SPECIFIED IN THE REFERENCED PRODUCT SPECIFICATION, AND/OR AS SPECIFIED IN SECTION D OF THE CONTRACT OR ORDER. IN ADDITION, ALL LABELING AND MARKING SHALL COMPLY WITH THE REQUIREMENTS OF MIL-STD-129, 49 CFR, 29 CFR, AND, AS APPLICABLE, ICAO TECHNICAL INSTRUCTIONS, IMDG ANNEX 1, AND/OR DLAI 4145.3.

CERTIFICATION: ALL PACKAGING PERFORMANCE TEST REQUIREMENTS SHALL BE SUPPORTED BY CERTIFICATES AND REPORTS ATTESTING TO DATE OF TESTING AND DATA RESULTS OBTAINED FROM TESTING. THE CONTRACTOR'S SIGNED CERTIFICATION THAT PACKAGE CONFIGURATION MEETS 49 CFR, AND, AS APPLICABLE, ICAO, IMDG AND/OR DLAI 4145.3 REQUIREMENTS, SHALL BE INCLUDED ON THE DD FORM 250 (MATERIAL INSPECTION AND RECEIVING REPORT), OR ANY SUITABLE ALTERNATE COMMERCIAL PACKING LIST. ALL CERTIFICATES/REPORTS SHALL BE AVAILABLE FOR INSPECTION BY AUTHORIZED U. S. GOVERNMENT REPRESENTATIVES FOR A PERIOD OF NOT LESS THAN 3 YEARS FROM THE DATE OF SHIPMENT.

IF THE MATERIAL IS NOT CONSIDERED HAZARDOUS, IN ACCORDANCE WITH FED-STD-313, THE MATERIAL SHALL BE COMMERCIALLY PACKAGED IN ACCORDANCE WITH "ASTM D3951."

Markings Paragraph
When ASTM D3951, Commercial Packaging is specified, the following apply:
•,,All Section "D" Packaging and Marking Clauses take precedence over
ASTM D3951.
•,,In addition to requirements in MIL-STD-129, when Commercial Packaging
is used, the Method of Preservation for all MIL-STD-129 marking and labeling shall be "CP"

CONTINUED ON NEXT PAGE

CONTINUATION SHEE	Т
-------------------	---

CLIN: 0001 PR: 0058445001 PRLI: 0001 CONT'D

Commercial Pack. •, The Unit of Issue (U/I) and Quantity per Unit Pack (QUP) as specified in the contract take precedence over QUP in ASTM D3951.

DELIVER FOB: ORIGIN DELIVER BY: 2016 APR 12

PLACE of INSPECTION for PACKAGING: 9A289 DOUBLE J PACKAGING CO INC DBA 9834 GLENOAKS BLVD SUN VALLEY CA 91352-1046 USA

PARCEL POST ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD HILL AFB UT 84056-5734 US

FOR TRANSPORTATION ASSISTANCE SEE DLAD 52.247-9034. FOR FIRST DESTINATION TRANSPORTATION (FDT) AWARDS SEE DLAD 52.247-9059 AND CONTRACT INSTRUCTIONS INSTEAD.

FREIGHT SHIPPING ADDRESS:

SW3210 DLA DISTRIBUTION DEPOT HILL 7537 WARDLEIGH RD BLDG 849W HILL AFB UT 84056-5734 US